



Product Portfolio

www.bombayortho.com



INSIDE **BOMBAY ORTHO** INDUSTRIES

Established in 2000, **Bombay Ortho Industries** has evolved into a distinguished name in the field of orthopaedic implants and surgical instruments. From our early days as a focused manufacturing unit, we have consistently expanded our capabilities to meet global surgical demands, driven by a commitment to precision engineering, international quality compliance, and unwavering patient safety. Over the years, this dedication has shaped us into a trusted global partner for healthcare professionals.

Today, we offer complete orthopaedic solutions, ranging from routine implants to advanced instruments designed for complex surgical procedures. Our state-of-the-art manufacturing facility at Lodhika GIDC, Metoda, Gujarat, equipped with modern infrastructure and advanced technology, serves as the backbone of our operations. Supported by a team of highly skilled and experienced professionals, we ensure that every product reflects superior craftsmanship, reliability, and strict quality standards.

Guided by our vision to become a globally recognized manufacturer and supplier of world-class orthopaedic and surgical products, we focus on delivering safe, innovative, and dependable medical solutions. Our strong global presence and long-standing relationships with partners, distributors, and healthcare experts highlight our reputation for trust and performance. Additionally, our ability to offer customized, client-specific solutions and OEM services positions us as a versatile and forward-thinking player in the medical device industry.

With continuous investment in technology, workforce development, and production excellence, Bombay Ortho Industries remains committed to advancing healthcare, improving patient outcomes, and shaping the future of orthopaedic innovation.

Certifications & Standards

We are committed to quality and adhere to stringent international norms, holding certifications including:



ISO 13485 – International Standard for Medical Devices Quality Management



CE Certification – European Conformity for Product Safety and Performance



CDSCO (MD9) - Licence



CDSCO (MD5) - Licence



FOR BETTER

Improvement
& Experience

www.bombayortho.com

Micro LCP	07-16
Foot And Ankle & Calcaneal LCP	17-22
Wrist And Forearm LCP	23-32
Humerus LCP	33-38
Clavicle LCP	39-42
Tibia & Febula LCP	43-54
Femur LCP	55-66
Osteotomy LCP	67-70
Herbert Headless Compression Screw	71-74
Pelvic Plate	75-78
Reconstruction Plate	79-82
Trocentric Stabilization Plate	83-84
Intramedullary Nail	85-113
Bone Screw	
- Cancellous Screw - Cortical Screw	
- Cannulated Screw - Locking Screw - DHS Screw	114-139
Micro Lcp Instrument Set	142-143
Distal Radius Volar Locking Instrument Set	144-144
Small Fregement Locking Instrument Set	145-145
Large Fregement Locking Instrument Set	146-147
Hto Osteotomy Locking Instrument Set	148-149
Herbert Headless Instrument Set	150-151
Humerus Nail Instrument Set	152-153
Tibil Nail (ankle) Instrument Set	154-155
Syrus Nail Instrument Set	156-157
Proximal Femur Nail A2	158-161
Tfn Pfn Nail Instrument Set	162-163
Mrfn Nail Instrument Set	164-165



Precision
in Every
Bone.

“**Run**
Without
Limits...”



**MICRO
LOCKING
PLATE**

MICRO LOCKING PLATE



Size	Titanium
06 HOLE	BO.541.06.T
08 HOLE	BO.541.08.T
10 HOLE	BO.541.10.T
12 HOLE	BO.541.12.T

MICRO RECON PLATE 1.5MM




LCP CONDYLAR PLATE (DUAL LOCK) 1.5MM



Size	Titanium
03 HOLE	BO.542.03.T
05 HOLE	BO.542.05.T
07 HOLE	BO.542.07.T

Size	Titanium
03 HOLE	BO.543.03.T
05 HOLE	BO.543.05.T
07 HOLE	BO.543.07.T

LCP Y-MICRO PLATE (DUAL LOCK) 1.5MM



LCP T-PLATE (DUAL LOCK) 1.5MM, HEAD 2HOLE



Size	Titanium
03 HOLE	BO.544.03.T
04 HOLE	BO.544.04.T
05 HOLE	BO.544.05.T
06 HOLE	BO.544.06.T
07 HOLE	BO.544.07.T

MICRO LOCKING PLATE



Size	Titanium
04 HOLE	BO.545.04.T
05 HOLE	BO.545.05.T
06 HOLE	BO.545.06.T
07 HOLE	BO.545.07.T

LCP ROTATION CORRECTION PLATE (DUAL LOCK) 1.5MM




LCP STRAIGHT PLATE (DUAL LOCK) 1.5MM




Size	Titanium
04 HOLE	BO.546.04.T
05 HOLE	BO.546.05.T
06 HOLE	BO.546.06.T
07 HOLE	BO.546.07.T
08 HOLE	BO.546.08.T

Size	Titanium
04 HOLE	BO.547.04.T
06 HOLE	BO.547.06.T
08 HOLE	BO.547.08.T
10 HOLE	BO.547.10.T
12 HOLE	BO.547.12.T

LCP MICRO RECON PLATE (DUAL LOCK) 1.5MM



T-MICRO PLATE LOCKING (DUAL LOCK) 1.5MM, HEAD 3HOLE



Size	Titanium
03 HOLE	BO.548.03.T
04 HOLE	BO.548.04.T
05 HOLE	BO.548.05.T
06 HOLE	BO.548.06.T
07 HOLE	BO.548.07.T

MICRO LOCKING PLATE



LOCKING SCREW SELF TAPPING (STAR HEX)(T6)DIA. 1.5MM, (DUAL START)

Size	Titanium
LENGTH 06MM	BO.530.06.T
LENGTH 08MM	BO.530.08.T
LENGTH 10MM	BO.530.10.T
LENGTH 12MM	BO.530.12.T
LENGTH 14MM	BO.530.14.T
LENGTH 16MM	BO.530.16.T
LENGTH 18MM	BO.530.18.T
LENGTH 20MM	BO.530.20.T



CORTICAL SCREW (STAR HEX)(T6)DIA. 1.5MM



Size	Titanium
LENGTH 06MM	BOI.341.06.T
LENGTH 08MM	BOI.341.08.T
LENGTH 10MM	BOI.341.10.T
LENGTH 12MM	BOI.341.12.T
LENGTH 14MM	BOI.341.14.T
LENGTH 16MM	BOI.341.16.T
LENGTH 18MM	BOI.341.18.T
LENGTH 20MM	BOI.341.20.T
LENGTH 22MM	BOI.341.22.T
LENGTH 24MM	BOI.341.24.T

Size Titanium

06 HOLE	BO.521.06.T
08 HOLE	BO.521.08.T
10 HOLE	BO.521.10.T
12 HOLE	BO.521.12.T

MICRO RECON PLATE 2.0MM



LCP CONDYLAR PLATE (DUAL LOCK) 2.0MM



Size	Titanium
03 HOLE	BO.522.03.T
05 HOLE	BO.522.05.T
07 HOLE	BO.522.07.T

MICRO LOCKING PLATE



LCP Y-MICRO PLATE (DUAL LOCK) 2.0MM

Size	Titanium
03 HOLE	BO.523.03.T
05 HOLE	BO.523.05.T
07 HOLE	BO.523.07.T



LCP T-PLATE (DUAL LOCK) 2.0MM



Size	Titanium
03 HOLE, HEAD 2HOLE	BO.524.03.T
05 HOLE, HEAD 2HOLE	BO.524.05.T
07 HOLE, HEAD 2HOLE	BO.524.07.T

LCP ROTATION CORRECTION PLATE (DUAL LOCK) 2.0MM

Size	Titanium
04 HOLE	BO.525.04.T
05 HOLE	BO.525.05.T
06 HOLE	BO.525.06.T
07 HOLE	BO.525.07.T



LCP STRAIGHT PLATE (DUAL LOCK) 2.0MM



Size	Titanium
04 HOLE	BO.526.04.T
05 HOLE	BO.526.05.T
06 HOLE	BO.526.06.T
07 HOLE	BO.526.07.T
08 HOLE	BO.526.08.T

MICRO LOCKING PLATE



Size	Titanium	LCP MICRO RECON PLATE (DUAL LOCK) 2.0MM
04 HOLE	BO.527.04.T	
06 HOLE	BO.527.06.T	
08 HOLE	BO.527.08.T	
10 HOLE	BO.527.10.T	
12 HOLE	BO.527.12.T	

T-MICRO PLATE LOCKING (DUAL LOCK) 2.0MM HEAD 3HOLE	Size	Titanium
	03 HOLE	BO.528.03.T
	04 HOLE	BO.528.04.T
	05 HOLE	BO.528.05.T
	06 HOLE	BO.528.06.T
	07 HOLE	BO.528.07.T

Size	Titanium	CORTICAL SCREW (STAR HEX)(T6) DIA. 2.0MM
LENGTH 06MM	BOI.342.06.T	
LENGTH 08MM	BOI.342.08.T	
LENGTH 10MM	BOI.342.10.T	
LENGTH 12MM	BOI.342.12.T	
LENGTH 14MM	BOI.342.14.T	
LENGTH 16MM	BOI.342.16.T	
LENGTH 18MM	BOI.342.18.T	
LENGTH 20MM	BOI.342.20.T	
LENGTH 22MM	BOI.342.22.T	
LENGTH 24MM	BOI.342.24.T	
LENGTH 26MM	BOI.342.26.T	
LENGTH 28MM	BOI.342.28.T	
LENGTH 30MM	BOI.342.30.T	

MICRO LOCKING PLATE



Size	Titanium	LOCKING SCREW SELF TAPPING (STAR HEX) (T6) DIA. 2MM, (DUAL START)
Length 06mm	BO.529.06.T	
Length 08mm	BO.529.08.T	
Length 10mm	BO.529.10.T	
Length 12mm	BO.529.12.T	
Length 14mm	BO.529.14.T	
Length 16mm	BO.529.16.T	
Length 18mm	BO.529.18.T	
Length 20mm	BO.529.20.T	
Length 22mm	BO.529.22.T	
Length 24mm	BO.529.24.T	
Length 26mm	BO.529.26.T	
Length 28mm	BO.529.28.T	
Length 30mm	BO.529.30.T	

MICRO RECON PLATE 2.4MM




Size	Titanium
06 HOLE	BO.551.06.T
08 HOLE	BO.551.08.T
10 HOLE	BO.551.10.T
12 HOLE	BO.551.12.T

Size

Titanium

03 HOLE	BO.552.03.T
05 HOLE	BO.552.05.T
07 HOLE	BO.552.07.T

LCP CONDYLAR PLATE (DUAL LOCK) 2.4MM



LCP Y-MICRO PLATE (DUAL LOCK) 2.4MM



Size	Titanium
03 HOLE	BO.553.03.T
05 HOLE	BO.553.05.T
07 HOLE	BO.553.07.T

MICRO LOCKING PLATE



Size	Titanium	LCP T-PLATE (DUAL LOCK) 2.4MM
03 HOLE, HEAD 2HOLE	BO.554.03.T	
04 HOLE, HEAD 2HOLE	BO.554.04.T	
05 HOLE, HEAD 2HOLE	BO.554.05.T	
06 HOLE, HEAD 2HOLE	BO.554.06.T	
07 HOLE, HEAD 2HOLE	BO.554.07.T	

LCP ROTATION CORRECTION PLATE (DUAL LOCK) 2.4MM	Size	Titanium
	04 HOLE	BO.555.04.T
	05 HOLE	BO.555.05.T
	06 HOLE	BO.555.06.T
	07 HOLE	BO.555.07.T

Size	Titanium	LCP STRAIGHT PLATE (DUAL LOCK) 2.4MM
04 HOLE	BO.556.04.T	
05 HOLE	BO.556.05.T	
06 HOLE	BO.556.06.T	
07 HOLE	BO.556.07.T	
08 HOLE	BO.556.08.T	

LCP MICRO RECON PLATE (DUAL LOCK) 2.4MM	Size	Titanium
	04 HOLE	BO.557.04.T
	06 HOLE	BO.557.06.T
	08 HOLE	BO.557.08.T
	10 HOLE	BO.557.10.T
	12 HOLE	BO.557.12.T

MICRO LOCKING PLATE



Size	Titanium	T-MICRO PLATE LOCKING (DUAL LOCK) 2.4MM HEAD 3HOLE
03 HOLE	BO.558.03.T	
05 HOLE	BO.558.05.T	
07 HOLE	BO.558.07.T	

CORTICAL SCREW SELF TAPPING (STAR HEX)(T8)DIA. 2.4MM



Size	Titanium
LENGTH 08MM	BOI.01.185.08.T
LENGTH 10MM	BOI.01.185.10.T
LENGTH 12MM	BOI.01.185.12.T
LENGTH 14MM	BOI.01.185.14.T
LENGTH 16MM	BOI.01.185.16.T
LENGTH 18MM	BOI.01.185.18.T
LENGTH 20MM	BOI.01.185.20.T
LENGTH 22MM	BOI.01.185.22.T
LENGTH 24MM	BOI.01.185.24.T
LENGTH 25MM	BOI.01.185.25.T
LENGTH 26MM	BOI.01.185.26.T
LENGTH 28MM	BOI.01.185.28.T
LENGTH 30MM	BOI.01.185.30.T
LENGTH 32MM	BOI.01.185.32.T
LENGTH 34MM	BOI.01.185.34.T
LENGTH 35MM	BOI.01.185.35.T
LENGTH 36MM	BOI.01.185.36.T
LENGTH 38MM	BOI.01.185.38.T
LENGTH 40MM	BOI.01.185.40.T

MICRO LOCKING PLATE



LOCKING SCREW (STAR HEX)
(T8) DIA.2.4MM, (DUAL START)

Size	Titanium
LENGTH 06MM	BO.02.186.06.T
LENGTH 08MM	BO.02.186.08.T
LENGTH 10MM	BO.02.186.10.T
LENGTH 12MM	BO.02.186.12.T
LENGTH 14MM	BO.02.186.14.T
LENGTH 16MM	BO.02.186.16.T
LENGTH 18MM	BO.02.186.18.T
LENGTH 20MM	BO.02.186.20.T
LENGTH 22MM	BO.02.186.22.T
LENGTH 24MM	BO.02.186.24.T
LENGTH 26MM	BO.02.186.26.T
LENGTH 28MM	BO.02.186.28.T
LENGTH 30MM	BO.02.186.30.T



**FOOT AND
ANKLE &
CALCANEAL**

FOOT AND ANKLE & CALCANEAL



Size	Stainless Steel	Titanium	ANKLE LOCKING PLATE 3.5MM
LEFT 4HOLE	BO.514.L.04.S	BO.514.L.04.T	
RIGHT 4HOLE	BO.514.R.04.S	BO.514.R.04.T	

ANKLE AND FOOT BONE (FIRST MTP FUSION PLATE 5°) LOCKING PLATE	Size	Titanium
	LEFT MEDIUM	BO.531.L.M.T
	LEFT SMALL	BO.531.L.S.T
	RIGHT MEDIUM	BO.531.R.M.T
	RIGHT SMALL	BO.531.R.S.T

Size	Titanium	ANKLE AND FOOT BONE (FIRST TMT FUSION) LOCKING PLATE
LONG	BO.532.L.T	
STANDARD	BO.532.ST.T	

ANKLE AND FOOT BONE (SECOND TMT FUSION) LOCKING PLATE	Size	Titanium
	STANDARD	BO.533.ST.T

FOOT AND ANKLE & CALCANEAL



ANKLE AND FOOT BONE (CLOVERLEAF FUSION) LOCKING PLATE

Size	Titanium
SHORT	BO.534.S.T
STANDARD	BO.534.ST.T



ANKLE AND FOOT BONE (L FUSION) LOCKING PLATE



Size	Titanium
LEFT SHORT	BO.536.L.S.T
LEFT STANDARD	BO.536.L.ST.T
RIGHT SHORT	BO.536.R.S.T
RIGHT STANDARD	BO.536.R.ST.T

ANKLE AND FOOT BONE (T FUSION) LOCKING PLATE

Size	Titanium
SHORT	BO.535.S.T
STANDARD	BO.535.ST.T



FOOT AND ANKLE & CALCANEAL



Size

Titanium

ANKLE AND FOOT BONE (STRAIGHT FUSION) LOCKING PLATE

04HOLE

BO.538.04.T



ANKLE AND FOOT BONE (X) LOCKING PLATE

Size

Titanium

EXTRA SMALL

BO.537.ES..T

LARGE

BO.537.L.T

MEDIUM

BO.537.M.T

SMALL

BO.537.S.T



Size

Titanium

ANKLE AND FOOT BONE (CALCANEAL COMBINED) LOCKING PLATE

LEFT 08HOLE

BO.539.L.08.T

LEFT 09HOLE

BO.539.L.09.T

LEFT 10HOLE

BO.539.L.10.T

RIGHT 08HOLE

BO.539.R.08.T

RIGHT 09HOLE

BO.539.R.09.T

RIGHT 10HOLE

BO.539.R.10.T



FOOT AND ANKLE & CALCANEAL



Size	Stainless Steel	Titanium	CALCANEAL LOCKING PLATE
LEFT 65MM	BO.9940.L.65.S	BO.9940.L.65.T	
LEFT 70MM	BO.9940.L.70.S	BO.9940.L.70.T	
LEFT 75MM	BO.9940.L.75.S	BO.9940.L.75.T	
RIGHT 65MM	BO.9940.R.65.S	BO.9940.R.65.T	
RIGHT 70MM	BO.9940.R.70.S	BO.9940.R.70.T	
RIGHT 75MM	BO.9940.R.75.S	BO.9940.R.75.T	

Y - TYPE CALCANEAL LOCKING PLATE 3.5MM SCREW LEFT & RIGHT



Size	Stainless Steel	Titanium
LEFT	BOI.02.9940.L.S.S	BOI.02.9940.L.S.T
RIGHT	BOI.02.9940.R.S.S	BOI.02.9940.R.S.T

Size	Stainless Steel	Titanium	P - TYPE CALCANEAL LOCKING PLATE 3.5MM SCREW
LEFT	BOI.02.9940.L.M.S	BOI.02.9940.L.M.T	
RIGHT	BOI.02.9940.R.M.S	BOI.02.9940.R.M.T	

FOOT AND ANKLE & CALCANEAL



Size	Stainless Steel	Titanium	Q - TYPE CALCANEAL LOCKING PLATE 3.5MM SCREW
LEFT	BOI.02.9940.L.L.S	BOI.02.9940.L.L.T	
RIGHT	BOI.02.9940.R.L.S	BOI.02.9940.R.L.T	

**WRIST AND
FOREARM
LCP**

WRIST AND FOREARM LCP



Size	Stainless Steel	Titanium	LOCKING DISTAL RADIUS RIM PLATE VARIABLE ANGLE
LEFT SHAFT 3HOLE	BOI.196.L.03.S	BOI.196.L.03.T	
LEFT SHAFT 4HOLE	BOI.196.L.04.S	BOI.196.L.04.T	
LEFT SHAFT 5HOLE	BOI.196.L.05.S	BOI.196.L.05.T	
LEFT SHAFT 6HOLE	BOI.196.L.06.S	BOI.196.L.06.T	
RIGHT SHAFT 3HOLE	BOI.196.R.03.S	BOI.196.R.03.T	
RIGHT SHAFT 4HOLE	BOI.196.R.04.S	BOI.196.R.04.T	
RIGHT SHAFT 5HOLE	BOI.196.R.05.S	BOI.196.R.05.T	
RIGHT SHAFT 6HOLE	BOI.196.R.06.S	BOI.196.R.06.T	

LCP VOLAR 2.4MM TWO-COLUMA DISTAL RADIUS PLATE VARIABLE ANGLE LEFT RIGHT, HEAD 5HOLE



Size	Stainless Steel	Titanium
LEFT 02HOLE	BO.05.9946.L.02.S	BO.05.9946.L.02.T
LEFT 03HOLE	BO.05.9946.L.03.S	BO.05.9946.L.03.T
LEFT 04HOLE	BO.05.9946.L.04.S	BO.05.9946.L.04.T
LEFT 05HOLE	BO.05.9946.L.05.S	BO.05.9946.L.05.T
LEFT 06HOLE	BO.05.9946.L.06.S	BO.05.9946.L.06.T
LEFT 07HOLE	BO.05.9946.L.07.S	BO.05.9946.L.07.T
LEFT 08HOLE	BO.05.9946.L.08.S	BO.05.9946.L.08.T
LEFT 09HOLE	BO.05.9946.L.09.S	BO.05.9946.L.09.T
LEFT 10HOLE	BO.05.9946.L.10.S	BO.05.9946.L.10.T
RIGHT 02HOLE	BO.05.9946.R.02.S	BO.05.9946.R.02.T
RIGHT 03HOLE	BO.05.9946.R.03.S	BO.05.9946.R.03.T
RIGHT 04HOLE	BO.05.9946.R.04.S	BO.05.9946.R.04.T
RIGHT 05HOLE	BO.05.9946.R.05.S	BO.05.9946.R.05.T
RIGHT 06HOLE	BO.05.9946.R.06.S	BO.05.9946.R.06.T
RIGHT 07HOLE	BO.05.9946.R.07.S	BO.05.9946.R.07.T
RIGHT 08HOLE	BO.05.9946.R.08.S	BO.05.9946.R.08.T
RIGHT 08HOLE	BO.05.9946.R.09.S	BO.05.9946.R.09.T
RIGHT 10HOLE	BO.05.9946.R.10.S	BO.05.9946.R.10.T

WRIST AND FOREARM LCP



LCP VOLAR 2.4MM TWO-COLUMA DISTAL RADIUS PLATE VARIABLE ANGLE HEAD 4 HOLE

Size	Stainless Steel	Titanium
LEFT 02HOLE	BO.01.9946.L.02.S	BO.01.9946.L.02.T
LEFT 03HOLE	BO.01.9946.L.03.S	BO.01.9946.L.03.T
LEFT 04HOLE	BO.01.9946.L.04.S	BO.01.9946.L.04.T
LEFT 05HOLE	BO.01.9946.L.05.S	BO.01.9946.L.05.T
LEFT 06HOLE	BO.01.9946.L.06.S	BO.01.9946.L.06.T
LEFT 07HOLE	BO.01.9946.L.07.S	BO.01.9946.L.07.T
LEFT 08HOLE	BO.01.9946.L.08.S	BO.01.9946.L.08.T
LEFT 09HOLE	BO.01.9946.L.09.S	BO.01.9946.L.09.T
LEFT 10HOLE	BO.01.9946.L.10.S	BO.01.9946.L.10.T
RIGHT 02HOLE	BO.01.9946.R.02.S	BO.01.9946.R.02.T
RIGHT 03HOLE	BO.01.9946.R.03.S	BO.01.9946.R.03.T
RIGHT 04HOLE	BO.01.9946.R.04.S	BO.01.9946.R.04.T
RIGHT 05HOLE	BO.01.9946.R.05.S	BO.01.9946.R.05.T
RIGHT 06HOLE	BO.01.9946.R.06.S	BO.01.9946.R.06.T
RIGHT 07HOLE	BO.01.9946.R.07.S	BO.01.9946.R.07.T
RIGHT 08HOLE	BO.01.9946.R.08.S	BO.01.9946.R.08.T
RIGHT 09HOLE	BO.01.9946.R.09.S	BO.01.9946.R.09.T
RIGHT 10HOLE	BO.01.9946.R.10.S	BO.01.9946.R.10.T



LCP VOLAR 2.7MM DISTAL RADIUS EXTRA ARTICULAR PLATE VARIABLE ANGLE



Size	Stainless Steel	Titanium
LEFT 03HOLE	BO.9922.L.03.S	BO.9922.L.03.T
LEFT 04HOLE	BO.9922.L.04.S	BO.9922.L.04.T
LEFT 05HOLE	BO.9922.L.05.S	BO.9922.L.05.T
LEFT 06HOLE	BO.9922.L.06.S	BO.9922.L.06.T
RIGHT 03HOLE	BO.9922.R.03.S	BO.9922.R.03.T
RIGHT 04HOLE	BO.9922.R.04.S	BO.9922.R.04.T
RIGHT 05HOLE	BO.9922.R.05.S	BO.9922.R.05.T
RIGHT 06HOLE	BO.9922.R.06.S	BO.9922.R.06.T

WRIST AND FOREARM LCP



Size	Stainless Steel	Titanium	LCP VOLAR 2.4MM TWO-COLUMA DISTAL RADIUS PLATE
LEFT 02HOLE	BO.9946.L.02.S	BO.9946.L.02.T	
LEFT 03HOLE	BO.9946.L.03.S	BO.9946.L.03.T	
LEFT 04HOLE	BO.9946.L.04.S	BO.9946.L.04.T	
LEFT 05HOLE	BO.9946.L.05.S	BO.9946.L.05.T	
LEFT 06HOLE	BO.9946.L.06.S	BO.9946.L.06.T	
LEFT 07HOLE	BO.9946.L.07.S	BO.9946.L.07.T	
LEFT 08HOLE	BO.9946.L.08.S	BO.9946.L.08.T	
LEFT 09HOLE	BO.9946.L.09.S	BO.9946.L.09.T	
LEFT 10HOLE	BO.9946.L.10.S	BO.9946.L.10.T	
RIGHT 02HOLE	BO.9946.R.02.S	BO.9946.R.02.T	
RIGHT 03HOLE	BO.9946.R.03.S	BO.9946.R.03.T	
RIGHT 04HOLE	BO.9946.R.04.S	BO.9946.R.04.T	
RIGHT 05HOLE	BO.9946.R.05.S	BO.9946.R.05.T	
RIGHT 06HOLE	BO.9946.R.06.S	BO.9946.R.06.T	
RIGHT 07HOLE	BO.9946.R.07.S	BO.9946.R.07.T	
RIGHT 08HOLE	BO.9946.R.08.S	BO.9946.R.08.T	
RIGHT 09HOLE	BO.9946.R.09.S	BO.9946.R.09.T	
RIGHT 10HOLE	BO.9946.R.10.S	BO.9946.R.10.T	

LOCKING DISTAL RADIUS RIM PLATE	Size	Stainless Steel	Titanium
	RIGHT 3HOLE	BOI.01.197.R.03.S	BOI.01.197.R.03.T
	RIGHT 4HOLE	BOI.01.197.R.04.S	BOI.01.197.R.04.T
	RIGHT 5HOLE	BOI.01.197.R.05.S	BOI.01.197.R.05.T
	RIGHT 6HOLE	BOI.01.197.R.06.S	BOI.01.197.R.06.T
	LEFT 3HOLE	BOI.01.197.L.03.S	BOI.01.197.L.03.T
	LEFT 4HOLE	BOI.01.197.L.04.S	BOI.01.197.L.04.T
	LEFT 5HOLE	BOI.01.197.L.05.S	BOI.01.197.L.05.T
	LEFT 6HOLE	BOI.01.197.L.06.S	BOI.01.197.L.06.T

WRIST AND FOREARM LCP



Size	Stainless Steel	Titanium	VOLAR DISTAL RADIUS DLX LOCKING PLATE STANDARD
LEFT 02HOLE	BO.272.L.02.S	BO.272.L.02.T	
LEFT 03HOLE	BO.272.L.03.S	BO.272.L.03.T	
LEFT 04HOLE	BO.272.L.04.S	BO.272.L.04.T	
LEFT 05HOLE	BO.272.L.05.S	BO.272.L.05.T	
LEFT 06HOLE	BO.272.L.06.S	BO.272.L.06.T	
LEFT 07HOLE	BO.272.L.07.S	BO.272.L.07.T	
LEFT 08HOLE	BO.272.L.08.S	BO.272.L.08.T	
RIGHT 02HOLE	BO.272.R.02.S	BO.272.R.02.T	
RIGHT 03HOLE	BO.272.R.03.S	BO.272.R.03.T	
RIGHT 04HOLE	BO.272.R.04.S	BO.272.R.04.T	
RIGHT 05HOLE	BO.272.R.05.S	BO.272.R.05.T	
RIGHT 06HOLE	BO.272.R.06.S	BO.272.R.06.T	
RIGHT 07HOLE	BO.272.R.07.S	BO.272.R.07.T	
RIGHT 08HOLE	BO.272.R.08.S	BO.272.R.08.T	

VOLAR DISTAL RADIUS DLX LOCKING PLATE WIDE	Size	Stainless Steel	Titanium
	LEFT 02HOLE	BO.01.272.L.02.S	BO.01.272.L.02.T
	LEFT 03HOLE	BO.01.272.L.03.S	BO.01.272.L.03.T
	LEFT 04HOLE	BO.01.272.L.04.S	BO.01.272.L.04.T
	LEFT 05HOLE	BO.01.272.L.05.S	BO.01.272.L.05.T
	LEFT 06HOLE	BO.01.272.L.06.S	BO.01.272.L.06.T
	LEFT 07HOLE	BO.01.272.L.07.S	BO.01.272.L.07.T
	LEFT 08HOLE	BO.01.272.L.08.S	BO.01.272.L.08.T
	RIGHT 02HOLE	BO.01.272.R.02.S	BO.01.272.R.02.T
	RIGHT 03HOLE	BO.01.272.R.03.S	BO.01.272.R.03.T
	RIGHT 04HOLE	BO.01.272.R.04.S	BO.01.272.R.04.T
	RIGHT 05HOLE	BO.01.272.R.05.S	BO.01.272.R.05.T
	RIGHT 06HOLE	BO.01.272.R.06.S	BO.01.272.R.06.T
	RIGHT 07HOLE	BO.01.272.R.07.S	BO.01.272.R.07.T
	RIGHT 08HOLE	BO.01.272.R.08.S	BO.01.272.R.08.T

WRIST AND FOREARM LCP



Size	Stainless Steel	Titanium	LCP VOLAR 2.4 DISTAL BUTTRESS PLATE HEAD 5HOLE
LEFT SHAFT 3HOLE	BOI.198.L.03.S	BOI.198.L.03.T	
RIGHT SHAFT 3HOLE	BOI.198.R.03.S	BOI.198.R.03.T	

LCP VOLAR 2.4 DISTAL RADIUS PLATE HEAD 5HOLE	Size	Stainless Steel	Titanium
	RIGHT SHAFT 2HOLE	BOI.197.R.02.S	BOI.197.R.02.T
	RIGHT SHAFT 3HOLE	BOI.197.R.03.S	BOI.197.R.03.T
	RIGHT SHAFT 4HOLE	BOI.197.R.04.S	BOI.197.R.04.T
	RIGHT SHAFT 5HOLE	BOI.197.R.05.S	BOI.197.R.05.T
	LEFT SHAFT 2HOLE	BOI.197.L.02.S	BOI.197.L.02.T
	LEFT SHAFT 3HOLE	BOI.197.L.03.S	BOI.197.L.03.T
	LEFT SHAFT 4HOLE	BOI.197.L.04.S	BOI.197.L.04.T
	LEFT SHAFT 5HOLE	BOI.197.L.05.S	BOI.197.L.05.T

Size	Stainless Steel	Titanium	LCP DORSAL 2.4 L DISTAL RADIUS PLATE OBLIQUE HEAD 3HOLE
LEFT SHAFT 3HOLE	BOI.194.L.03.S	BOI.194.L.03.T	
LEFT SHAFT 3HOLE	BOI.194.L.04.S	BOI.194.L.04.T	
RIGHT SHAFT 3HOLE	BOI.194.R.03.S	BOI.194.R.03.T	
RIGHT SHAFT 3HOLE	BOI.194.R.04.S	BOI.194.R.04.T	

LCP DORSAL 2.4 L DISTAL RADIUS PLATE HEAD 3HOLE	Size	Stainless Steel	Titanium
	LEFT SHAFT 3HOLE	BOI.190.L.03.S	BOI.190.L.03.T
	LEFT SHAFT 4HOLE	BOI.190.L.04.S	BOI.190.L.04.T
	RIGHT SHAFT 3HOLE	BOI.190.R.03.S	BOI.190.R.03.T
	RIGHT SHAFT 4HOLE	BOI.190.R.04.S	BOI.190.R.04.T

WRIST AND FOREARM LCP



Size	Stainless Steel	Titanium	LCP DORSAL 2.4 L DISTAL RADIUS PLATE HEAD 2HOLE
LEFT SHAFT 3HOLE	BOI.191.L.03.T	BOI.191.L.03.S	
LEFT SHAFT 4HOLE	BOI.191.L.04.T	BOI.191.L.04.S	
RIGHT SHAFT 3HOLE	BOI.191.R.03.T	BOI.191.R.03.S	
RIGHT SHAFT 4HOLE	BOI.191.R.04.T	BOI.191.R.04.S	



LCP DORSAL 2.4 T DISTAL RADIUS PLATE, HEAD 3HOLE	Size	Stainless Steel	Titanium
	SHAFT 3HOLE	BOI.192.03.S	BOI.192.03.T
	SHAFT 4HOLE	BOI.192.04.S	BOI.192.04.T



Size	Stainless Steel	Titanium	LCP DORSAL 2.4 DISTAL RADIUS PLATE STRAIGHT
STRAIGHT 5HOLE	BOI.193.05.S	BOI.193.05.T	
STRAIGHT 6HOLE	BOI.193.06.S	BOI.193.06.T	



SMALL T PLATE LOCKING RIGHT ANGLE 3.5MM	Size	Stainless Steel	Titanium
	02HOLE	BO.150.02.S	BO.150.02.T
	03HOLE	BO.150.03.S	BO.150.03.T
	04HOLE	BO.150.04.S	BO.150.04.T
	05HOLE	BO.150.05.S	BO.150.05.T
	06HOLE	BO.150.06.S	BO.150.06.T
	07HOLE	BO.150.07.S	BO.150.07.T
	08HOLE	BO.150.08.S	BO.150.08.T
	09HOLE	BO.150.09.S	BO.150.09.T
	10HOLE	BO.150.10.S	BO.150.10.T



WRIST AND FOREARM LCP



Size	Stainless Steel	Titanium	SMALL T PLATE OBLIQUE LOCKING 3.5MM
RIGHT 02HOLE	BO.151.R.02.S	BO.151.R.02.T	
RIGHT 03HOLE	BO.151.R.03.S	BO.151.R.03.T	
RIGHT 04HOLE	BO.151.R.04.S	BO.151.R.04.T	
RIGHT 05HOLE	BO.151.R.05.S	BO.151.R.05.T	
RIGHT 06HOLE	BO.151.R.06.S	BO.151.R.06.T	
RIGHT 07HOLE	BO.151.R.07.S	BO.151.R.07.T	
RIGHT 08HOLE	BO.151.R.08.S	BO.151.R.08.T	
RIGHT 09HOLE	BO.151.R.09.S	BO.151.R.09.T	
RIGHT 10HOLE	BO.151.R.10.S	BO.151.R.10.T	
LEFT 02HOLE	BO.151.L.02.S	BO.151.L.02.T	
LEFT 03HOLE	BO.151.L.03.S	BO.151.L.03.T	
LEFT 04HOLE	BO.151.L.04.S	BO.151.L.04.T	
LEFT 05HOLE	BO.151.L.05.S	BO.151.L.05.T	
LEFT 06HOLE	BO.151.L.06.S	BO.151.L.06.T	
LEFT 07HOLE	BO.151.L.07.S	BO.151.L.07.T	
LEFT 08HOLE	BO.151.L.08.S	BO.151.L.08.T	
LEFT 09HOLE	BO.151.L.09.S	BO.151.L.09.T	
LEFT 10HOLE	BO.151.L.10.S	BO.151.L.10.T	

SMALL COMPRESSION LOCKING PLATE 3.5MM	Size	Stainless Steel	Titanium
	3.5MM 04HOLE	BO.155.04.S	BO.155.04.T
	3.5MM 05HOLE	BO.155.05.S	BO.155.05.T
	3.5MM 06HOLE	BO.155.06.S	BO.155.06.T
	3.5MM 07HOLE	BO.155.07.S	BO.155.07.T
	3.5MM 08HOLE	BO.155.08.S	BO.155.08.T
	3.5MM 09HOLE	BO.155.09.S	BO.155.09.T
	3.5MM 10HOLE	BO.155.10.S	BO.155.10.T
	3.5MM 11HOLE	BO.155.11.S	BO.155.11.T
	3.5MM 12HOLE	BO.155.12.S	BO.155.12.T
	3.5MM 14HOLE	BO.155.14.S	BO.155.14.T

WRIST FUSION LOCKING PLATE SHORT	Size	Stainless Steel	Titanium
	SHORT	BO.9917.02.S	BO.9917.02.T

WRIST AND FOREARM LCP



Size	Stainless Steel	Titanium	LC DCP PLATE SMALL FOR 3.5MM SCREW
04HOLE	BOI.133.04.S	BOI.133.04.T	
05HOLE	BOI.133.05.S	BOI.133.05.T	
06HOLE	BOI.133.06.S	BOI.133.06.T	
07HOLE	BOI.133.07.S	BOI.133.07.T	
08HOLE	BOI.133.08.S	BOI.133.08.T	
09HOLE	BOI.133.09.S	BOI.133.09.T	
10HOLE	BOI.133.10.S	BOI.133.10.T	
11HOLE	BOI.133.11.S	BOI.133.11.T	
12HOLE	BOI.133.12.S	BOI.133.12.T	
13HOLE	BOI.133.13.S	BOI.133.13.T	
14HOLE	BOI.133.14.S	BOI.133.14.T	



Size	Stainless Steel	Titanium	SMALL DCP PLATE FOR 3.5MM SCREW
04HOLE	BOI.125.04.S	BOI.125.04.T	
05HOLE	BOI.125.05.S	BOI.125.05.T	
06HOLE	BOI.125.06.S	BOI.125.06.T	
07HOLE	BOI.125.07.S	BOI.125.07.T	
08HOLE	BOI.125.08.S	BOI.125.08.T	
09HOLE	BOI.125.09.S	BOI.125.09.T	
10HOLE	BOI.125.10.S	BOI.125.10.T	
11HOLE	BOI.125.11.S	BOI.125.11.T	
12HOLE	BOI.125.12.S	BOI.125.12.T	
13HOLE	BOI.125.13.S	BOI.125.13.T	
14HOLE	BOI.125.14.S	BOI.125.14.T	



WRIST FUSION LOCKING PLATE STRAIGHT

Size	Stainless Steel	Titanium
STRAIGHT	BO.9916.S	BO.9916.T



Size	Stainless Steel	Titanium	WRIST FUSION LOCKING PLATE STANDARD
STANDARD	BO.9917.01.S	BO.9917.01.T	



WRIST AND FOREARM LCP



Size	Stainless Steel	Titanium
04HOLE	BOI.120.04.S	BOI.120.04.T
05HOLE	BOI.120.05.S	BOI.120.05.T
06HOLE	BOI.120.06.S	BOI.120.06.T
07HOLE	BOI.120.07.S	BOI.120.07.T
08HOLE	BOI.120.08.S	BOI.120.08.T
09HOLE	BOI.120.09.S	BOI.120.09.T
10HOLE	BOI.120.10.S	BOI.120.10.T
11HOLE	BOI.120.11.S	BOI.120.11.T
12HOLE	BOI.120.12.S	BOI.120.12.T
13HOLE	BOI.120.13.S	BOI.120.13.T
14HOLE	BOI.120.14.S	BOI.120.14.T

**DYNAMIC COMPRESSION PLATE
FOR 2.7MM SCREW**



Size	Stainless Steel	Titanium
02HOLE	BO.182.02.S	BO.182.02.T
03HOLE	BO.182.03.S	BO.182.03.T
04HOLE	BO.182.04.S	BO.182.04.T
05HOLE	BO.182.05.S	BO.182.05.T
06HOLE	BO.182.06.S	BO.182.06.T
07HOLE	BO.182.07.S	BO.182.07.T

**LCP RADIAL HEAD
STRAIGHT PLATE 2.4MM**



Size	Stainless Steel	Titanium
LEFT 02HOLE	BO.183.L.02.S	BO.183.L.02.T
LEFT 03HOLE	BO.183.L.03.S	BO.183.L.03.T
LEFT 04HOLE	BO.183.L.04.S	BO.183.L.04.T
LEFT 05HOLE	BO.183.L.05.S	BO.183.L.05.T
LEFT 06HOLE	BO.183.L.06.S	BO.183.L.06.T
LEFT 07HOLE	BO.183.L.07.S	BO.183.L.07.T
RIGHT 02HOLE	BO.183.R.02.S	BO.183.R.02.T
RIGHT 03HOLE	BO.183.R.03.S	BO.183.R.03.T
RIGHT 04HOLE	BO.183.R.04.S	BO.183.R.04.T
RIGHT 05HOLE	BO.183.R.05.S	BO.183.R.05.T
RIGHT 06HOLE	BO.183.R.06.S	BO.183.R.06.T
RIGHT 07HOLE	BO.183.R.07.S	BO.183.R.07.T

**LCP RADIAL HEAD
PLATE 2.4MM**



HUMERUS
LCP

HUMERUS LCP



PROXIMAL HUMERUS LOCKING PLATE PHILOS (AG)3.5MM (SMALL DYNAMIC HOLE)

Size	Stainless Steel	Titanium
02HOLE	BO.02.156.02.S	BO.02.156.02.T
03HOLE	BO.02.156.03.S	BO.02.156.03.T
04HOLE	BO.02.156.04.S	BO.02.156.04.T
05HOLE	BO.02.156.05.S	BO.02.156.05.T
06HOLE	BO.02.156.06.S	BO.02.156.06.T
07HOLE	BO.02.156.07.S	BO.02.156.07.T
08HOLE	BO.02.156.08.S	BO.02.156.08.T
09HOLE	BO.02.156.09.S	BO.02.156.09.T
10HOLE	BO.02.156.10.S	BO.02.156.10.T
11HOLE	BO.02.156.11.S	BO.02.156.11.T
12HOLE	BO.02.156.12.S	BO.02.156.12.T



PROXIMAL HUMERUS LOCKING PLATE PHILOS 3.5MM (LONG DYNAMIC HOLE)

Size	Stainless Steel	Titanium
02HOLE	BO.01.156.02.S	BO.01.156.02.T
03HOLE	BO.01.156.03.S	BO.01.156.03.T
04HOLE	BO.01.156.04.S	BO.01.156.04.T
05HOLE	BO.01.156.05.S	BO.01.156.05.T
06HOLE	BO.01.156.06.S	BO.01.156.06.T
07HOLE	BO.01.156.07.S	BO.01.156.07.T
08HOLE	BO.01.156.08.S	BO.01.156.08.T
09HOLE	BO.01.156.09.S	BO.01.156.09.T
10HOLE	BO.01.156.10.S	BO.01.156.10.T
11HOLE	BO.01.156.11.S	BO.01.156.11.T
12HOLE	BO.01.156.12.S	BO.01.156.12.T



PROXIMAL HUMERUS LOCKING PLATE NEW 3.5MM

Size	Stainless Steel	Titanium
03HOLE	BO.9910.03.S	BO.9910.03.T
04HOLE	BO.9910.04.S	BO.9910.04.T
05HOLE	BO.9910.05.S	BO.9910.05.T
06HOLE	BO.9910.06.S	BO.9910.06.T
07HOLE	BO.9910.07.S	BO.9910.07.T
08HOLE	BO.9910.08.S	BO.9910.08.T
09HOLE	BO.9910.09.S	BO.9910.09.T
10HOLE	BO.9910.10.S	BO.9910.10.T



HUMERUS LCP



Size	Stainless Steel	Titanium	PERIARTICULAR PROXIMAL HUMERUS LOCKING PLATE
LEFT 02HOLE	BO.9911.L.02.S	BO.9911.L.02.T	
LEFT 03HOLE	BO.9911.L.03.S	BO.9911.L.03.T	
LEFT 04HOLE	BO.9911.L.04.S	BO.9911.L.04.T	
LEFT 05HOLE	BO.9911.L.05.S	BO.9911.L.05.T	
LEFT 06HOLE	BO.9911.L.06.S	BO.9911.L.06.T	
LEFT 07HOLE	BO.9911.L.07.S	BO.9911.L.07.T	
LEFT 08HOLE	BO.9911.L.08.S	BO.9911.L.08.T	
LEFT 10HOLE	BO.9911.L.10.S	BO.9911.L.10.T	
LEFT 12HOLE	BO.9911.L.12.S	BO.9911.L.12.T	
RIGHT 02HOLE	BO.9911.R.02.S	BO.9911.R.02.T	
RIGHT 03HOLE	BO.9911.R.03.S	BO.9911.R.03.T	
RIGHT 04HOLE	BO.9911.R.04.S	BO.9911.R.04.T	
RIGHT 05HOLE	BO.9911.R.05.S	BO.9911.R.05.T	
RIGHT 06HOLE	BO.9911.R.06.S	BO.9911.R.06.T	
RIGHT 07HOLE	BO.9911.R.07.S	BO.9911.R.07.T	
RIGHT 08HOLE	BO.9911.R.08.S	BO.9911.R.08.T	
RIGHT 10HOLE	BO.9911.R.10.S	BO.9911.R.10.T	
RIGHT 12HOLE	BO.9911.R.12.S	BO.9911.R.12.T	

PROXIMAL HUMERUS II LOCKING PLATE



Size	Stainless Steel	Titanium
LEFT	BO.01.9910.L.S	BO.01.9910.L.T
RIGHT	BO.01.9910.R.S	BO.01.9910.R.T

HUMERUS LCP



Size	Stainless Steel	Titanium	DISTAL HUMERUS LOCKING PLATE NEW 2.7MM/3.5MM
LEFT 03HOLE	BO.01.9925.L.03.S	BO.01.9925.L.03.T	
LEFT 05HOLE	BO.01.9925.L.05.S	BO.01.9925.L.05.T	
LEFT 07HOLE	BO.01.9925.L.07.S	BO.01.9925.L.07.T	
LEFT 09HOLE	BO.01.9925.L.09.S	BO.01.9925.L.09.T	
LEFT 11HOLE	BO.01.9925.L.11.S	BO.01.9925.L.11.T	
LEFT 13HOLE	BO.01.9925.L.13.S	BO.01.9925.L.13.T	
RIGHT 03HOLE	BO.01.9925.R.03.S	BO.01.9925.R.03.T	
RIGHT 05HOLE	BO.01.9925.R.05.S	BO.01.9925.R.05.T	
RIGHT 07HOLE	BO.01.9925.R.07.S	BO.01.9925.R.07.T	
RIGHT 09HOLE	BO.01.9925.R.09.S	BO.01.9925.R.09.T	
RIGHT 11HOLE	BO.01.9925.R.11.S	BO.01.9925.R.11.T	
RIGHT 13HOLE	BO.01.9925.R.13.S	BO.01.9925.R.13.T	

DISTAL HUMERUS WITH LATERAL SUPPORT LOCKING PLATE NEW 2.7MM/3.5MM	Size	Stainless Steel	Titanium
	LEFT 03HOLE	BO.01.9907.L.03.S	BO.01.9907.L.03.T
	LEFT 05HOLE	BO.01.9907.L.05.S	BO.01.9907.L.05.T
	LEFT 07HOLE	BO.01.9907.L.07.S	BO.01.9907.L.07.T
	LEFT 09HOLE	BO.01.9907.L.09.S	BO.01.9907.L.09.T
	LEFT 11HOLE	BO.01.9907.L.11.S	BO.01.9907.L.11.T
	LEFT 13HOLE	BO.01.9907.L.13.S	BO.01.9907.L.13.T
	RIGHT 03HOLE	BO.01.9907.R.03.S	BO.01.9907.R.03.T
	RIGHT 05HOLE	BO.01.9907.R.05.S	BO.01.9907.R.05.T
	RIGHT 07HOLE	BO.01.9907.R.07.S	BO.01.9907.R.07.T
	RIGHT 09HOLE	BO.01.9907.R.09.S	BO.01.9907.R.09.T
	RIGHT 11HOLE	BO.01.9907.R.11.S	BO.01.9907.R.11.T
	RIGHT 13HOLE	BO.01.9907.R.13.S	BO.01.9907.R.13.T

HUMERUS LCP



DISTAL HUMRUS MEDIAL LOCKING PLATE 2.7MM/3.5MM

Size	Stainless Steel	Titanium
LEFT 03HOLE	BO.9908.L.03.S	BO.9908.L.03.T
LEFT 05HOLE	BO.9908.L.05.S	BO.9908.L.05.T
LEFT 07HOLE	BO.9908.L.07.S	BO.9908.L.07.T
LEFT 09HOLE	BO.9908.L.09.S	BO.9908.L.09.T
LEFT 11HOLE	BO.9908.L.11.S	BO.9908.L.11.T
LEFT 13HOLE	BO.9908.L.13.S	BO.9908.L.13.T
RIGHT 03HOLE	BO.9908.R.03.S	BO.9908.R.03.T
RIGHT 05HOLE	BO.9908.R.05.S	BO.9908.R.05.T
RIGHT 07HOLE	BO.9908.R.07.S	BO.9908.R.07.T
RIGHT 09HOLE	BO.9908.R.09.S	BO.9908.R.09.T
RIGHT 11HOLE	BO.9908.R.11.S	BO.9908.R.11.T
RIGHT 13HOLE	BO.9908.R.13.S	BO.9908.R.13.T



MEDIAL DISTAL HUMERUS METAPHYSEAL LOCKING PLATE

Size	Stainless Steel	Titanium
04HOLE	BO.9924.04.S	BO.9924.04.T
06HOLE	BO.9924.06.S	BO.9924.06.T
08HOLE	BO.9924.08.S	BO.9924.08.T
10HOLE	BO.9924.10.S	BO.9924.10.T
12HOLE	BO.9924.12.S	BO.9924.12.T



HUMERUS LCP



EXTRA-ARTICULAR DISTAL HUMERUS LOCKING PLATE 3.5MM



Size	Stainless Steel	Titanium
LEFT 04HOLE	BO.9941.L.04.S	BO.9941.L.04.T
LEFT 06HOLE	BO.9941.L.06.S	BO.9941.L.06.T
LEFT 08HOLE	BO.9941.L.08.S	BO.9941.L.08.T
LEFT 10HOLE	BO.9941.L.10.S	BO.9941.L.10.T
LEFT 12HOLE	BO.9941.L.12.S	BO.9941.L.12.T
LEFT 14HOLE	BO.9941.L.14.S	BO.9941.L.14.T
RIGHT 04HOLE	BO.9941.R.04.S	BO.9941.R.04.T
RIGHT 06HOLE	BO.9941.R.06.S	BO.9941.R.06.T
RIGHT 08HOLE	BO.9941.R.08.S	BO.9941.R.08.T
RIGHT 10HOLE	BO.9941.R.10.S	BO.9941.R.10.T
RIGHT 12HOLE	BO.9941.R.12.S	BO.9941.R.12.T
RIGHT 14HOLE	BO.9941.R.14.S	BO.9941.R.14.T

OLECRANON LOCKING PLATE 3.5MM

Size	Stainless Steel	Titanium
LEFT 4HOLE	BO.509.L.04.S	BO.509.L.04.T
LEFT 6HOLE	BO.509.L.06.S	BO.509.L.06.T
LEFT 8HOLE	BO.509.L.08.S	BO.509.L.08.T
LEFT 10HOLE	BO.509.L.10.S	BO.509.L.10.T
RIGHT 4HOLE	BO.509.R.04.S	BO.509.R.04.T
RIGHT 6HOLE	BO.509.R.06.S	BO.509.R.06.T
RIGHT 8HOLE	BO.509.R.08.S	BO.509.R.08.T
RIGHT 10HOLE	BO.509.R.10.S	BO.509.R.10.T



CLAVICLE
LCP

CLAVICLE LCP



CLAVICAL SUPERIOR ANTERIOR DAVIDE LOCKING PLATE WITH LATERAL EXTENSION 3.5MM

Size	Stainless Steel	Titanium
LEFT 03HOLE	BO.501.L.03.S	BO.501.L.03.T
LEFT 04HOLE	BO.501.L.04.S	BO.501.L.04.T
LEFT 05HOLE	BO.501.L.05.S	BO.501.L.05.T
LEFT 06HOLE	BO.501.L.06.S	BO.501.L.06.T
LEFT 07HOLE	BO.501.L.07.S	BO.501.L.07.T
LEFT 08HOLE	BO.501.L.08.S	BO.501.L.08.T
RIGHT 03HOLE	BO.501.R.03.S	BO.501.R.03.T
RIGHT 04HOLE	BO.501.R.04.S	BO.501.R.04.T
RIGHT 05HOLE	BO.501.R.05.S	BO.501.R.05.T
RIGHT 06HOLE	BO.501.R.06.S	BO.501.R.06.T
RIGHT 07HOLE	BO.501.R.07.S	BO.501.R.07.T
RIGHT 08HOLE	BO.501.R.08.S	BO.501.R.08.T



CLAVICLE PLATE - II LOCKING 3.5MM



Size	Stainless Steel	Titanium
LEFT 04HOLE	BO.01.9928.L.04.S	BO.01.9928.L.04.T
LEFT 05HOLE	BO.01.9928.L.05.S	BO.01.9928.L.05.T
LEFT 06HOLE	BO.01.9928.L.06.S	BO.01.9928.L.06.T
LEFT 07HOLE	BO.01.9928.L.07.S	BO.01.9928.L.07.T
LEFT 08HOLE	BO.01.9928.L.08.S	BO.01.9928.L.08.T
LEFT 09HOLE	BO.01.9928.L.09.S	BO.01.9928.L.09.T
LEFT 10HOLE	BO.01.9928.L.10.S	BO.01.9928.L.10.T
RIGHT 04HOLE	BO.01.9928.R.04.S	BO.01.9928.R.04.T
RIGHT 05HOLE	BO.01.9928.R.05.S	BO.01.9928.R.05.T
RIGHT 06HOLE	BO.01.9928.R.06.S	BO.01.9928.R.06.T
RIGHT 07HOLE	BO.01.9928.R.07.S	BO.01.9928.R.07.T
RIGHT 08HOLE	BO.01.9928.R.08.S	BO.01.9928.R.08.T
RIGHT 09HOLE	BO.01.9928.R.09.S	BO.01.9928.R.09.T
RIGHT 10HOLE	BO.01.9928.R.10.S	BO.01.9928.R.10.T

CLAVICLE LCP



Size	Stainless Steel	Titanium	CLAVICLE PLATE LOCKING 3.5MM
LEFT 04HOLE	BO.9928.L.04.S	BO.9928.L.04.T	
LEFT 05HOLE	BO.9928.L.05.S	BO.9928.L.05.T	
LEFT 06HOLE	BO.9928.L.06.S	BO.9928.L.06.T	
LEFT 07HOLE	BO.9928.L.07.S	BO.9928.L.07.T	
LEFT 08HOLE	BO.9928.L.08.S	BO.9928.L.08.T	
LEFT 09HOLE	BO.9928.L.09.S	BO.9928.L.09.T	
LEFT 10HOLE	BO.9928.L.10.S	BO.9928.L.10.T	
RIGHT 04HOLE	BO.9928.R.04.S	BO.9928.R.04.T	
RIGHT 05HOLE	BO.9928.R.05.S	BO.9928.R.05.T	
RIGHT 06HOLE	BO.9928.R.06.S	BO.9928.R.06.T	
RIGHT 07HOLE	BO.9928.R.07.S	BO.9928.R.07.T	
RIGHT 08HOLE	BO.9928.R.08.S	BO.9928.R.08.T	
RIGHT 09HOLE	BO.9928.R.09.S	BO.9928.R.09.T	
RIGHT 10HOLE	BO.9928.R.10.S	BO.9928.R.10.T	

CLAVICLE HOOK LOCKING PLATE 3.5MM , DEPTH 12MM/15MM/18MM

Size	Stainless Steel	Titanium
LEFT DEPTH 12MM, 03HOLE	BO.270.L.12.03.S	BO.270.L.12.03.T
LEFT DEPTH 12MM, 04HOLE	BO.270.L.12.04.S	BO.270.L.12.04.T
LEFT DEPTH 12MM, 05HOLE	BO.270.L.12.05.S	BO.270.L.12.05.T
LEFT DEPTH 12MM, 06HOLE	BO.270.L.12.06.S	BO.270.L.12.06.T
LEFT DEPTH 12MM, 07HOLE	BO.270.L.12.07.S	BO.270.L.12.07.T
LEFT DEPTH 15MM, 03HOLE	BO.270.L.15.03.S	BO.270.L.15.03.T
LEFT DEPTH 15MM, 04HOLE	BO.270.L.15.04.S	BO.270.L.15.04.T
LEFT DEPTH 15MM, 05HOLE	BO.270.L.15.05.S	BO.270.L.15.05.T
LEFT DEPTH 15MM, 06HOLE	BO.270.L.15.06.S	BO.270.L.15.06.T
LEFT DEPTH 15MM, 07HOLE	BO.270.L.15.07.S	BO.270.L.15.07.T
LEFT DEPTH 18MM, 03HOLE	BO.270.L.18.03.S	BO.270.L.18.03.T
LEFT DEPTH 18MM, 04HOLE	BO.270.L.18.04.S	BO.270.L.18.04.T
LEFT DEPTH 18MM, 05HOLE	BO.270.L.18.05.S	BO.270.L.18.05.T
LEFT DEPTH 18MM, 06HOLE	BO.270.L.18.06.S	BO.270.L.18.06.T
LEFT DEPTH 18MM, 07HOLE	BO.270.L.18.07.S	BO.270.L.18.07.T
RIGHT DEPTH 12MM, 03HOLE	BO.270.R.12.03.S	BO.270.R.12.03.T
RIGHT DEPTH 12MM, 04HOLE	BO.270.R.12.04.S	BO.270.R.12.04.T
RIGHT DEPTH 12MM, 05HOLE	BO.270.R.12.05.S	BO.270.R.12.05.T
RIGHT DEPTH 12MM, 06HOLE	BO.270.R.12.06.S	BO.270.R.12.06.T
RIGHT DEPTH 12MM, 07HOLE	BO.270.R.12.07.S	BO.270.R.12.07.T
RIGHT DEPTH 15MM, 03HOLE	BO.270.R.15.03.S	BO.270.R.15.03.T
RIGHT DEPTH 15MM, 04HOLE	BO.270.R.15.04.S	BO.270.R.15.04.T
RIGHT DEPTH 15MM, 05HOLE	BO.270.R.15.05.S	BO.270.R.15.05.T
RIGHT DEPTH 15MM, 06HOLE	BO.270.R.15.06.S	BO.270.R.15.06.T
RIGHT DEPTH 15MM, 07HOLE	BO.270.R.15.07.S	BO.270.R.15.07.T
RIGHT DEPTH 18MM, 03HOLE	BO.270.R.18.03.S	BO.270.R.18.03.T
RIGHT DEPTH 18MM, 04HOLE	BO.270.R.18.04.S	BO.270.R.18.04.T
RIGHT DEPTH 18MM, 05HOLE	BO.270.R.18.05.S	BO.270.R.18.05.T
RIGHT DEPTH 18MM, 06HOLE	BO.270.R.18.06.S	BO.270.R.18.06.T
RIGHT DEPTH 18MM, 07HOLE	BO.270.R.18.07.S	BO.270.R.18.07.T



**TIBIA &
FEBULA
LOCKING
PLATES**

TIBIA & FEBULA LOCKING PLATES



Size	Stainless Steel	Titanium	PROXIMAL TIBIA LOCKING PLATE 3.5MM
LEFT 04HOLE	BO.9986.L.04.S	BO.9986.L.04.T	
LEFT 06HOLE	BO.9986.L.06.S	BO.9986.L.06.T	
LEFT 08HOLE	BO.9986.L.08.S	BO.9986.L.08.T	
LEFT 10HOLE	BO.9986.L.10.S	BO.9986.L.10.T	
LEFT 12HOLE	BO.9986.L.12.S	BO.9986.L.12.T	
LEFT 14HOLE	BO.9986.L.14.S	BO.9986.L.14.T	
RIGHT 04HOLE	BO.9986.R.04.S	BO.9986.R.04.T	
RIGHT 06HOLE	BO.9986.R.06.S	BO.9986.R.06.T	
RIGHT 08HOLE	BO.9986.R.08.S	BO.9986.R.08.T	
RIGHT 10HOLE	BO.9986.R.10.S	BO.9986.R.10.T	
RIGHT 12HOLE	BO.9986.R.12.S	BO.9986.R.12.T	
RIGHT 14HOLE	BO.9986.R.14.S	BO.9986.R.14.T	

MEDIAL PROXIMAL TIBIA LOCKING PLATE 3.5MM

	Size	Stainless Steel	Titanium
	LEFT 04HOLE	BO.268.L.04.S	BO.268.L.04.T
	LEFT 06HOLE	BO.268.L.06.S	BO.268.L.06.T
	LEFT 08HOLE	BO.268.L.08.S	BO.268.L.08.T
	LEFT 10HOLE	BO.268.L.10.S	BO.268.L.10.T
	LEFT 12HOLE	BO.268.L.12.S	BO.268.L.12.T
	LEFT 14HOLE	BO.268.L.14.S	BO.268.L.14.T
	LEFT 16HOLE	BO.268.L.16.S	BO.268.L.16.T
	LEFT 18HOLE	BO.268.L.18.S	BO.268.L.18.T
	RIGHT 04HOLE	BO.268.R.04.S	BO.268.R.04.T
	RIGHT 06HOLE	BO.268.R.06.S	BO.268.R.06.T
	RIGHT 08HOLE	BO.268.R.08.S	BO.268.R.08.T
	RIGHT 10HOLE	BO.268.R.10.S	BO.268.R.10.T
	RIGHT 12HOLE	BO.268.R.12.S	BO.268.R.12.T
	RIGHT 14HOLE	BO.268.R.14.S	BO.268.R.14.T
	RIGHT 16HOLE	BO.268.R.16.S	BO.268.R.16.T
	RIGHT 18HOLE	BO.268.R.18.S	BO.268.R.18.T

TIBIA & FEBULA LOCKING PLATES



Size	Stainless Steel	Titanium	POSTEROMEDIAL PROXIMAL TIBIA LOCKING PLATE 3.5MM
3.5MM 02HOLE	BO.273.02.S	BO.273.02.T	
3.5MM 03HOLE	BO.273.03.S	BO.273.03.T	
3.5MM 04HOLE	BO.273.04.S	BO.273.04.T	
3.5MM 05HOLE	BO.273.05.S	BO.273.05.T	
3.5MM 06HOLE	BO.273.06.S	BO.273.06.T	
3.5MM 07HOLE	BO.273.07.S	BO.273.07.T	
3.5MM 08HOLE	BO.273.08.S	BO.273.08.T	
3.5MM 09HOLE	BO.273.09.S	BO.273.09.T	
3.5MM 10HOLE	BO.273.10.S	BO.273.10.T	
3.5MM 11HOLE	BO.273.11.S	BO.273.11.T	
3.5MM 12HOLE	BO.273.12.S	BO.273.12.T	

LATERAL TIBIAL LOCKING PLATE 5MM	Size	Stainless Steel	Titanium
	LEFT 03HOLE	BO.159.L.03.S	BO.159.L.03.T
	LEFT 05HOLE	BO.159.L.05.S	BO.159.L.05.T
	LEFT 07HOLE	BO.159.L.07.S	BO.159.L.07.T
	LEFT 09HOLE	BO.159.L.09.S	BO.159.L.09.T
	LEFT 11HOLE	BO.159.L.11.S	BO.159.L.11.T
	LEFT 13HOLE	BO.159.L.13.S	BO.159.L.13.T
	LEFT 15HOLE	BO.159.L.15.S	BO.159.L.15.T
	RIGHT 03HOLE	BO.159.R.03.S	BO.159.R.03.T
	RIGHT 05HOLE	BO.159.R.05.S	BO.159.R.05.T
	RIGHT 07HOLE	BO.159.R.07.S	BO.159.R.07.T
	RIGHT 09HOLE	BO.159.R.09.S	BO.159.R.09.T
	RIGHT 11HOLE	BO.159.R.11.S	BO.159.R.11.T
	RIGHT 13HOLE	BO.159.R.13.S	BO.159.R.13.T
	RIGHT 15HOLE	BO.159.R.15.S	BO.159.R.15.T

TIBIA & FEBULA LOCKING PLATES



Size	Stainless Steel	Titanium	LATERAL TIBIAL LOCKING PLATE (6.5)
LEFT 03HOLE	BO.161.L.03.S	BO.161.L.03.T	
LEFT 05HOLE	BO.161.L.05.S	BO.161.L.05.T	
LEFT 07HOLE	BO.161.L.07.S	BO.161.L.07.T	
LEFT 09HOLE	BO.161.L.09.S	BO.161.L.09.T	
LEFT 11HOLE	BO.161.L.11.S	BO.161.L.11.T	
LEFT 13HOLE	BO.161.L.13.S	BO.161.L.13.T	
RIGHT 03HOLE	BO.161.R.03.S	BO.161.R.03.T	
RIGHT 05HOLE	BO.161.R.05.S	BO.161.R.05.T	
RIGHT 07HOLE	BO.161.R.07.S	BO.161.R.07.T	
RIGHT 09HOLE	BO.161.R.09.S	BO.161.R.09.T	
RIGHT 11HOLE	BO.161.R.11.S	BO.161.R.11.T	
RIGHT 13HOLE	BO.161.R.13.S	BO.161.R.13.T	

T BUTTRESS LOCKING PLATE (NEW) 5.0MM



Size	Stainless Steel	Titanium
04HOLE	BO.02.262.04.S	BO.02.262.04.T
05HOLE	BO.02.262.05.S	BO.02.262.05.T
06HOLE	BO.02.262.06.S	BO.02.262.06.T
07HOLE	BO.02.262.07.S	BO.02.262.07.T
08HOLE	BO.02.262.08.S	BO.02.262.08.T
09HOLE	BO.02.262.09.S	BO.02.262.09.T
10HOLE	BO.02.262.10.S	BO.02.262.10.T
11HOLE	BO.02.262.11.S	BO.02.262.11.T
12HOLE	BO.02.262.12.S	BO.02.262.12.T

Size	Stainless Steel	Titanium	T PLATE LOCKING 5.0MM
04HOLE	BO.162.04.S	BO.162.04.T	
05HOLE	BO.162.05.S	BO.162.05.T	
06HOLE	BO.162.06.S	BO.162.06.T	
07HOLE	BO.162.07.S	BO.162.07.T	
08HOLE	BO.162.08.S	BO.162.08.T	
09HOLE	BO.162.09.S	BO.162.09.T	
10HOLE	BO.162.10.S	BO.162.10.T	
11HOLE	BO.162.11.S	BO.162.11.T	
12HOLE	BO.162.12.S	BO.162.12.T	

TIBIA & FEBULA LOCKING PLATES



Size	Stainless Steel	Titanium	L BUTTRESS LOCKING PLATE 5MM
LEFT 04HOLE	BO.148.L.04.S	BO.148.L.04.T	
LEFT 05HOLE	BO.148.L.05.S	BO.148.L.05.T	
LEFT 06HOLE	BO.148.L.06.S	BO.148.L.06.T	
LEFT 07HOLE	BO.148.L.07.S	BO.148.L.07.T	
LEFT 08HOLE	BO.148.L.08.S	BO.148.L.08.T	
LEFT 10HOLE	BO.148.L.10.S	BO.148.L.10.T	
LEFT 12HOLE	BO.148.L.12.S	BO.148.L.12.T	
RIGHT 04HOLE	BO.148.R.04.S	BO.148.R.04.T	
RIGHT 05HOLE	BO.148.R.05.S	BO.148.R.05.T	
RIGHT 06HOLE	BO.148.R.06.S	BO.148.R.06.T	
RIGHT 07HOLE	BO.148.R.07.S	BO.148.R.07.T	
RIGHT 08HOLE	BO.148.R.08.S	BO.148.R.08.T	
RIGHT 10HOLE	BO.148.R.10.S	BO.148.R.10.T	
RIGHT 12HOLE	BO.148.R.12.S	BO.148.R.12.T	

PROXIMAL TIBIA LOCKING PLATE (3.5MM) (AG)

	Size	Stainless Steel	Titanium
	LEFT 04HOLE	BO.01.9986.L.04.S	BO.01.9986.L.04.T
	LEFT 05HOLE	BO.01.9986.L.05.S	BO.01.9986.L.05.T
	LEFT 06HOLE	BO.01.9986.L.06.S	BO.01.9986.L.06.T
	LEFT 07HOLE	BO.01.9986.L.07.S	BO.01.9986.L.07.T
	LEFT 08HOLE	BO.01.9986.L.08.S	BO.01.9986.L.08.T
	LEFT 09HOLE	BO.01.9986.L.09.S	BO.01.9986.L.09.T
	LEFT 10HOLE	BO.01.9986.L.10.S	BO.01.9986.L.10.T
	LEFT 11HOLE	BO.01.9986.L.11.S	BO.01.9986.L.11.T
	LEFT 12HOLE	BO.01.9986.L.12.S	BO.01.9986.L.12.T
	LEFT 13HOLE	BO.01.9986.L.13.S	BO.01.9986.L.13.T
	RIGHT 04HOLE	BO.01.9986.R.04.S	BO.01.9986.R.04.T
	RIGHT 05HOLE	BO.01.9986.R.05.S	BO.01.9986.R.05.T
	RIGHT 06HOLE	BO.01.9986.R.06.S	BO.01.9986.R.06.T
RIGHT 07HOLE	BO.01.9986.R.07.S	BO.01.9986.R.07.T	
RIGHT 08HOLE	BO.01.9986.R.08.S	BO.01.9986.R.08.T	
RIGHT 09HOLE	BO.01.9986.R.09.S	BO.01.9986.R.09.T	
RIGHT 10HOLE	BO.01.9986.R.10.S	BO.01.9986.R.10.T	
RIGHT 11HOLE	BO.01.9986.R.11.S	BO.01.9986.R.11.T	
RIGHT 12HOLE	BO.01.9986.R.12.S	BO.01.9986.R.12.T	
RIGHT 13HOLE	BO.01.9986.R.13.S	BO.01.9986.R.13.T	

TIBIA & FEBULA LOCKING PLATES



Size	Stainless Steel	Titanium	MEDIAL DISTAL TIBIA LOCKING PLATE NEW 3.5MM
LEFT 05HOLE	BO.02.9909.L.05.S	BO.02.9909.L.05.T	
LEFT 07HOLE	BO.02.9909.L.07.S	BO.02.9909.L.07.T	
LEFT 09HOLE	BO.02.9909.L.09.S	BO.02.9909.L.09.T	
LEFT 11HOLE	BO.02.9909.L.11.S	BO.02.9909.L.11.T	
LEFT 13HOLE	BO.02.9909.L.13.S	BO.02.9909.L.13.T	
LEFT 15HOLE	BO.02.9909.L.15.S	BO.02.9909.L.15.T	
RIGHT 05HOLE	BO.02.9909.R.05.S	BO.02.9909.R.05.T	
RIGHT 07HOLE	BO.02.9909.R.07.S	BO.02.9909.R.07.T	
RIGHT 09HOLE	BO.02.9909.R.09.S	BO.02.9909.R.09.T	
RIGHT 11HOLE	BO.02.9909.R.11.S	BO.02.9909.R.11.T	
RIGHT 13HOLE	BO.02.9909.R.13.S	BO.02.9909.R.13.T	
RIGHT 15HOLE	BO.02.9909.R.15.S	BO.02.9909.R.15.T	

ANTROLETRAL DISTAL TIBIA LOCKING PLATE 3.5MM	Size	Stainless Steel	Titanium
	LEFT 05HOLE	BO.511.L.05.S	BO.511.L.05.T
	LEFT 07HOLE	BO.511.L.07.S	BO.511.L.07.T
	LEFT 09HOLE	BO.511.L.09.S	BO.511.L.09.T
	LEFT 11HOLE	BO.511.L.11.S	BO.511.L.11.T
	LEFT 13HOLE	BO.511.L.13.S	BO.511.L.13.T
	RIGHT 05HOLE	BO.511.R.05.S	BO.511.R.05.T
	RIGHT 07HOLE	BO.511.R.07.S	BO.511.R.07.T
	RIGHT 09HOLE	BO.511.R.09.S	BO.511.R.09.T
	RIGHT 11HOLE	BO.511.R.11.S	BO.511.R.11.T
	RIGHT 13HOLE	BO.511.R.13.S	BO.511.R.13.T

Size	Stainless Steel	Titanium	DISTAL TIBIA LOCKING PLATE
LEFT 04HOLE	BO.157.L.04.S	BO.157.L.04.T	
LEFT 06HOLE	BO.157.L.06.S	BO.157.L.06.T	
LEFT 08HOLE	BO.157.L.08.S	BO.157.L.08.T	
LEFT 10HOLE	BO.157.L.10.S	BO.157.L.10.T	
LEFT 12HOLE	BO.157.L.12.S	BO.157.L.12.T	
RIGHT 04HOLE	BO.157.R.04.S	BO.157.R.04.T	
RIGHT 06HOLE	BO.157.R.06.S	BO.157.R.06.T	
RIGHT 08HOLE	BO.157.R.08.S	BO.157.R.08.T	
RIGHT 10HOLE	BO.157.R.10.S	BO.157.R.10.T	
RIGHT 12HOLE	BO.157.R.12.S	BO.157.R.12.T	

TIBIA & FEBULA LOCKING PLATES



Size	Stainless Steel	Titanium	DISTAL TIBIA ANATOMICAL LOCKING PLATE
LEFT 04HOLE	BO.2001.L.04.S	BO.2001.L.04.T	
LEFT 06HOLE	BO.2001.L.06.S	BO.2001.L.06.T	
LEFT 08HOLE	BO.2001.L.08.S	BO.2001.L.08.T	
LEFT 10HOLE	BO.2001.L.10.S	BO.2001.L.10.T	
LEFT 12HOLE	BO.2001.L.12.S	BO.2001.L.12.T	
LEFT 14HOLE	BO.2001.L.14.S	BO.2001.L.14.T	
RIGHT 04HOLE	BO.2001.R.04.S	BO.2001.R.04.T	
RIGHT 06HOLE	BO.2001.R.06.S	BO.2001.R.06.T	
RIGHT 08HOLE	BO.2001.R.08.S	BO.2001.R.08.T	
RIGHT 10HOLE	BO.2001.R.10.S	BO.2001.R.10.T	
RIGHT 12HOLE	BO.2001.R.12.S	BO.2001.R.12.T	
RIGHT 14HOLE	BO.2001.R.14.S	BO.2001.R.14.T	

DISTAL TIBIA WITH TAB LOCKING PLATE	Size	Stainless Steel	Titanium
	LEFT 05HOLE	BO.267.L.05.S	BO.267.L.05.T
	LEFT 07HOLE	BO.267.L.07.S	BO.267.L.07.T
	LEFT 09HOLE	BO.267.L.09.S	BO.267.L.09.T
	LEFT 11HOLE	BO.267.L.11.S	BO.267.L.11.T
	LEFT 13HOLE	BO.267.L.13.S	BO.267.L.13.T
	RIGHT 05HOLE	BO.267.R.05.S	BO.267.R.05.T
	RIGHT 07HOLE	BO.267.R.07.S	BO.267.R.07.T
	RIGHT 09HOLE	BO.267.R.09.S	BO.267.R.09.T
	RIGHT 11HOLE	BO.267.R.11.S	BO.267.R.11.T
	RIGHT 13HOLE	BO.267.R.13.S	BO.267.R.13.T

Size	Stainless Steel	Titanium	DISTAL FIBULA LOCKING PLATE 3.5MM (NEW)
LEFT 3 HOLE	BO.04.269.L.03.S	BO.04.269.L.03.T	
LEFT 5 HOLE	BO.04.269.L.05.S	BO.04.269.L.05.T	
LEFT 7 HOLE	BO.04.269.L.07.S	BO.04.269.L.07.T	
LEFT 9 HOLE	BO.04.269.L.09.S	BO.04.269.L.09.T	
LEFT 11 HOLE	BO.04.269.L.11.S	BO.04.269.L.11.T	
RIGHT 3 HOLE	BO.04.269.R.03.S	BO.04.269.R.03.T	
RIGHT 5 HOLE	BO.04.269.R.05.S	BO.04.269.R.05.T	
RIGHT 7 HOLE	BO.04.269.R.07.S	BO.04.269.R.07.T	
RIGHT 9 HOLE	BO.04.269.R.09.S	BO.04.269.R.09.T	
RIGHT 11 HOLE	BO.04.269.R.11.S	BO.04.269.R.11.T	

TIBIA & FEBULA LOCKING PLATES



Size	Stainless Steel	Titanium	DISTAL FIBULA LOCKING PLATE 3.5MM
LEFT 04HOLE	BO.01.269.L.04.S	BO.01.269.L.04.T	
LEFT 06HOLE	BO.01.269.L.06.S	BO.01.269.L.06.T	
LEFT 08HOLE	BO.01.269.L.08.S	BO.01.269.L.08.T	
RIGHT 04HOLE	BO.01.269.R.04.S	BO.01.269.R.04.T	
RIGHT 06HOLE	BO.01.269.R.06.S	BO.01.269.R.06.T	
RIGHT 08HOLE	BO.01.269.R.08.S	BO.01.269.R.08.T	

DISTAL FIBULA HOOK LOCKING PLATE 3.5MM	Size	Stainless Steel	Titanium
	04HOLE	BO.279.04.S	BO.279.04.T
	05HOLE	BO.279.05.S	BO.279.05.T
	07HOLE	BO.279.07.S	BO.279.07.T
	09HOLE	BO.279.09.S	BO.279.09.T
	11HOLE	BO.279.11.S	BO.279.11.T

Size	Stainless Steel	Titanium	DISTAL FIBULA LOCKING PLATE (2.7MM X 3.5MM)
4 HOLE	BO.02.269.04.S	BO.02.269.04.T	
6 HOLE	BO.02.269.06.S	BO.02.269.06.T	
8 HOLE	BO.02.269.08.S	BO.02.269.08.T	
10 HOLE	BO.02.269.10.S	BO.02.269.10.T	

DISTAL FIBULA LOCKING PLATE 3.5MM	Size	Stainless Steel	Titanium
	4 HOLE	BO.269.04.S	BO.269.04.T
	6 HOLE	BO.269.06.S	BO.269.06.T
	8 HOLE	BO.269.08.S	BO.269.08.T
	10 HOLE	BO.269.10.S	BO.269.10.T

TIBIA & FEBULA LOCKING PLATES



Size	Stainless Steel	Titanium	NARROW LOCKING COMPRESSION PLATE 5MM
04HOLE	BO.166.04.S	BO.166.04.T	
05HOLE	BO.166.05.S	BO.166.05.T	
06HOLE	BO.166.06.S	BO.166.06.T	
07HOLE	BO.166.07.S	BO.166.07.T	
08HOLE	BO.166.08.S	BO.166.08.T	
09HOLE	BO.166.09.S	BO.166.09.T	
10HOLE	BO.166.10.S	BO.166.10.T	
11HOLE	BO.166.11.S	BO.166.11.T	
12HOLE	BO.166.12.S	BO.166.12.T	

LC DCP PLATE NARROW FOR 4.5MM SCREW	Size	Stainless Steel	Titanium
	04HOLE	BOI.134.04.S	BOI.134.04.T
	05HOLE	BOI.134.05.S	BOI.134.05.T
	06HOLE	BOI.134.06.S	BOI.134.06.T
	07HOLE	BOI.134.07.S	BOI.134.07.T
	08HOLE	BOI.134.08.S	BOI.134.08.T
	09HOLE	BOI.134.09.S	BOI.134.09.T
	10HOLE	BOI.134.10.S	BOI.134.10.T
	12HOLE	BOI.134.12.S	BOI.134.12.T
	14HOLE	BOI.134.14.S	BOI.134.14.T
	15HOLE	BOI.134.15.S	BOI.134.15.T
	16HOLE	BOI.134.16.S	BOI.134.16.T

TIBIA & FEBULA LOCKING PLATES



Size	Stainless Steel	Titanium	NARROW DCP PLATE FOR 4.5MM SCREW
04HOLE	BOI.137.04.S	BOI.137.04.T	
05HOLE	BOI.137.05.S	BOI.137.05.T	
06HOLE	BOI.137.06.S	BOI.137.06.T	
07HOLE	BOI.137.07.S	BOI.137.07.T	
08HOLE	BOI.137.08.S	BOI.137.08.T	
09HOLE	BOI.137.09.S	BOI.137.09.T	
10HOLE	BOI.137.10.S	BOI.137.10.T	
11HOLE	BOI.137.11.S	BOI.137.11.T	
12HOLE	BOI.137.12.S	BOI.137.12.T	
13HOLE	BOI.137.13.S	BOI.137.13.T	
14HOLE	BOI.137.14.S	BOI.137.14.T	
15HOLE	BOI.137.15.S	BOI.137.15.T	
16HOLE	BOI.137.16.S	BOI.137.16.T	

ONE THIRD TUBULAR PLATE (1.0mm) FOR 3.5MM SCREW	Size	Stainless Steel	Titanium
	04HOLE	BOI.02.121.04.S	BOI.02.121.04.T
	05HOLE	BOI.02.121.05.S	BOI.02.121.05.T
	06HOLE	BOI.02.121.06.S	BOI.02.121.06.T
	07HOLE	BOI.02.121.07.S	BOI.02.121.07.T
	08HOLE	BOI.02.121.08.S	BOI.02.121.08.T
	09HOLE	BOI.02.121.09.S	BOI.02.121.09.T
	10HOLE	BOI.02.121.10.S	BOI.02.121.10.T
	12HOLE	BOI.02.121.12.S	BOI.02.121.12.T

Size	Stainless Steel	Titanium	EIGHT PLATE CURVED
BO.03.266.16.S	16mm	BO.03.266.16.T	
BO.03.266.19.S	19mm	BO.03.266.19.T	
BO.03.266.20.S	20mm	BO.03.266.20.T	
BO.03.266.21.S	21mm	BO.03.266.21.T	
BO.03.266.24.S	24mm	BO.03.266.24.T	
BO.03.266.26.S	26mm	BO.03.266.26.T	
BO.03.266.27.S	27mm	BO.03.266.27.T	
BO.03.266.29.S	29mm	BO.03.266.29.T	
BO.03.266.30.S	30mm	BO.03.266.30.T	

TIBIA & FEBULA LOCKING PLATES



EIGHT PLATE



Size

Stainless Steel

Titanium

16mm	BO.266.16.S	BO.266.16.T
19mm	BO.266.19.S	BO.266.19.T
20mm	BO.266.20.S	BO.266.20.T
21mm	BO.266.21.S	BO.266.21.T
24mm	BO.266.24.S	BO.266.24.T
26mm	BO.266.26.S	BO.266.26.T
27mm	BO.266.27.S	BO.266.27.T
29mm	BO.266.29.S	BO.266.29.T
30mm	BO.266.30.S	BO.266.30.T

Size

Stainless Steel

Titanium

EIGHT PLATE (3.5mm)

19MM	BO.01.266.19.S	BO.01.266.19.T
21MM	BO.01.266.21.S	BO.01.266.21.T
26MM	BO.01.266.26.S	BO.01.266.26.T
30MM	BO.01.266.30.S	BO.01.266.30.T



EIGHT (HINGE) PLATE



Size

Stainless Steel

Titanium

(Small Hinge) PLATE	BO.02.266.S.S	BO.02.266.S.T
(Medium Hinge) PLATE	BO.02.266.M.S	BO.02.266.M.T
(Large Hinge) PLATE	BO.02.266.L.S	BO.02.266.L.T

ONE THIRD TUBULAR PLATE LOCKING DYNAMIC HOLE 3.5MM



Size

Stainless Steel

Titanium

04HOLE	BOI.04.121.04.S	BOI.04.121.04.T
05HOLE	BOI.04.121.05.S	BOI.04.121.05.T
06HOLE	BOI.04.121.06.S	BOI.04.121.06.T
07HOLE	BOI.04.121.07.S	BOI.04.121.07.T
08HOLE	BOI.04.121.08.S	BOI.04.121.08.T
09HOLE	BOI.04.121.09.S	BOI.04.121.09.T
10HOLE	BOI.04.121.10.S	BOI.04.121.10.T
12HOLE	BOI.04.121.12.S	BOI.04.121.12.T

TIBIA & FEBULA LOCKING PLATES



Size	Titanium	BONE PLATE LCP FOR PATELLA PLATE
SMALL	BO.9945.S.T	
MEDIUM	BO.9945.M.T	
LARGE	BO.9945.L.T	

BONE PLATE LCP FOR PATELLA ARROW PLATE	Size	Titanium
	BONE PLATE LCP FOR PATELLA ARROW PLATE	BO.9947.T

ONE THIRD TUBULAR PLATE LOCKING ROUND HOLE 3.5MM	Size	Stainless Steel	Titanium
	04HOLE	BOI.01.121.04.S	BOI.01.121.04.T
05HOLE	BOI.01.121.05.S	BOI.01.121.05.T	
06HOLE	BOI.01.121.06.S	BOI.01.121.06.T	
07HOLE	BOI.01.121.07.S	BOI.01.121.07.T	
08HOLE	BOI.01.121.08.S	BOI.01.121.08.T	
09HOLE	BOI.01.121.09.S	BOI.01.121.09.T	
10HOLE	BOI.01.121.10.S	BOI.01.121.10.T	
12HOLE	BOI.01.121.12.S	BOI.01.121.12.T	



**FEMUR
LOCKING
PLATES**

FEMUR LOCKING PLATES



DISTAL MEDIAL FEMUR LOCKING PLATE (DLX)



Size	Stainless Steel	Titanium
LEFT 02 HOLE	BO.01.231.L.02.S	BO.01.231.L.02.T
LEFT 04 HOLE	BO.01.231.L.04.S	BO.01.231.L.04.T
LEFT 06 HOLE	BO.01.231.L.06.S	BO.01.231.L.06.T
LEFT 08 HOLE	BO.01.231.L.08.S	BO.01.231.L.08.T
LEFT 10 HOLE	BO.01.231.L.10.S	BO.01.231.L.10.T
LEFT 12 HOLE	BO.01.231.L.12.S	BO.01.231.L.12.T
LEFT 14 HOLE	BO.01.231.L.14.S	BO.01.231.L.14.T
RIGHT 02 HOLE	BO.01.231.R.02.S	BO.01.231.R.02.T
RIGHT 04 HOLE	BO.01.231.R.04.S	BO.01.231.R.04.T
RIGHT 06 HOLE	BO.01.231.R.06.S	BO.01.231.R.06.T
RIGHT 08 HOLE	BO.01.231.R.08.S	BO.01.231.R.08.T
RIGHT 10 HOLE	BO.01.231.R.10.S	BO.01.231.R.10.T
RIGHT 12 HOLE	BO.01.231.R.12.S	BO.01.231.R.12.T
RIGHT 14 HOLE	BO.01.231.R.14.S	BO.01.231.R.14.T

FEMUR LOCKING PLATES



DISTAL FEMUR LOCKING PLATE (6.5)



Size	Stainless Steel	Titanium
LEFT 03HOLE	BO.163.L.03.S	BO.163.L.03.T
LEFT 05HOLE	BO.163.L.05.S	BO.163.L.05.T
LEFT 07HOLE	BO.163.L.07.S	BO.163.L.07.T
LEFT 09HOLE	BO.163.L.09.S	BO.163.L.09.T
LEFT 11HOLE	BO.163.L.11.S	BO.163.L.11.T
LEFT 13HOLE	BO.163.L.13.S	BO.163.L.13.T
LEFT 15HOLE	BO.163.L.15.S	BO.163.L.15.T
RIGHT 03HOLE	BO.163.R.03.S	BO.163.R.03.T
RIGHT 05HOLE	BO.163.R.05.S	BO.163.R.05.T
RIGHT 07HOLE	BO.163.R.07.S	BO.163.R.07.T
RIGHT 09HOLE	BO.163.R.09.S	BO.163.R.09.T
RIGHT 11HOLE	BO.163.R.11.S	BO.163.R.11.T
RIGHT 13HOLE	BO.163.R.13.S	BO.163.R.13.T
RIGHT 15HOLE	BO.163.R.15.S	BO.163.R.15.T

FEMUR LOCKING PLATES



DISTAL FEMUR LOCKING PLATE 5MM



Size	Stainless Steel	Titanium
LEFT 03HOLE	BO.164.L.03.S	BO.164.L.03.T
LEFT 05HOLE	BO.164.L.05.S	BO.164.L.05.T
LEFT 07HOLE	BO.164.L.07.S	BO.164.L.07.T
LEFT 09HOLE	BO.164.L.09.S	BO.164.L.09.T
LEFT 11HOLE	BO.164.L.11.S	BO.164.L.11.T
LEFT 13HOLE	BO.164.L.13.S	BO.164.L.13.T
LEFT 15HOLE	BO.164.L.15.S	BO.164.L.15.T
RIGHT 03HOLE	BO.164.R.03.S	BO.164.R.03.T
RIGHT 05HOLE	BO.164.R.05.S	BO.164.R.05.T
RIGHT 07HOLE	BO.164.R.07.S	BO.164.R.07.T
RIGHT 09HOLE	BO.164.R.09.S	BO.164.R.09.T
RIGHT 11HOLE	BO.164.R.11.S	BO.164.R.11.T
RIGHT 13HOLE	BO.164.R.13.S	BO.164.R.13.T
RIGHT 15HOLE	BO.164.R.15.S	BO.164.R.15.T

FEMUR LOCKING PLATES



PROXIMAL FEMUR LOCKING PLATE (6.5 COBRA HEAD)



Size	Stainless Steel	Titanium
05HOLE	BO.02.9938.05.S	BO.02.9938.05.T
07HOLE	BO.02.9938.07.S	BO.02.9938.07.T
09HOLE	BO.02.9938.09.S	BO.02.9938.09.T
11HOLE	BO.02.9938.11.S	BO.02.9938.11.T
13HOLE	BO.02.9938.13.S	BO.02.9938.13.T

FEMUR LOCKING PLATES



PROXIMAL FEMUR LOCKING PLATE (6.5 COBRA HEAD WITH PFN BOLT)



Size	Stainless Steel	Titanium
5 HOLES	BO.03.9938.05.S	BO.03.9938.05.T
7 HOLES	BO.03.9938.07.S	BO.03.9938.07.T
9 HOLES	BO.03.9938.09.S	BO.03.9938.09.T
11 HOLES	BO.03.9938.11.S	BO.03.9938.11.T
13 HOLES	BO.03.9938.13.S	BO.03.9938.13.T

PROXIMAL FEMUR LOCKING PLATE



Size	Stainless Steel	Titanium
5 HOLES	BO.9938.05.S	BO.9938.05.T
7 HOLES	BO.9938.07.S	BO.9938.07.T
9 HOLES	BO.9938.09.S	BO.9938.09.T
11 HOLES	BO.9938.11.S	BO.9938.11.T
13 HOLES	BO.9938.13.S	BO.9938.13.T

FEMUR LOCKING PLATES



PROXIMAL FEMUR LOCKING PLATE (6.5)



Size	Stainless Steel	Titanium
5 HOLES	BO.01.9938.05.S	BO.01.9938.05.T
7 HOLES	BO.01.9938.07.S	BO.01.9938.07.T
9 HOLES	BO.01.9938.09.S	BO.01.9938.09.T
11 HOLES	BO.01.9938.11.S	BO.01.9938.11.T
13 HOLES	BO.01.9938.13.S	BO.01.9938.13.T

PROXIMAL FEMUR GT LOCKING PLATE



Size	Stainless Steel	Titanium
RIGHT	BO.9942.R.S	BO.9942.R.T
LEFT	BO.9942.L.S	BO.9942.L.T

FEMUR LOCKING PLATES



PROXIMAL FEMUR (6.0MM SCREW, DUAL LOCK) LOCKING PLATE



Size	Stainless Steel	Titanium
LEFT 04HOLE	BO.9943.L.04.S	BO.9943.L.04.T
LEFT 06HOLE	BO.9943.L.06.S	BO.9943.L.06.T
LEFT 08HOLE	BO.9943.L.08.S	BO.9943.L.08.T
LEFT 10HOLE	BO.9943.L.10.S	BO.9943.L.10.T
LEFT 12HOLE	BO.9943.L.12.S	BO.9943.L.12.T
LEFT 14HOLE	BO.9943.L.14.S	BO.9943.L.14.T
RIGHT 04HOLE	BO.9943.R.04.S	BO.9943.R.04.T
RIGHT 06HOLE	BO.9943.R.06.S	BO.9943.R.06.T
RIGHT 08HOLE	BO.9943.R.08.S	BO.9943.R.08.T
RIGHT 10HOLE	BO.9943.R.10.S	BO.9943.R.10.T
RIGHT 12HOLE	BO.9943.R.12.S	BO.9943.R.12.T
RIGHT 14HOLE	BO.9943.R.14.S	BO.9943.R.14.T

BROAD LOCKING COMPRESSION PLATE 5MM



Size	Stainless Steel	Titanium
04HOLE	BO.167.04.S	BO.167.04.T
05HOLE	BO.167.05.S	BO.167.05.T
06HOLE	BO.167.06.S	BO.167.06.T
07HOLE	BO.167.07.S	BO.167.07.T
08HOLE	BO.167.08.S	BO.167.08.T
09HOLE	BO.167.09.S	BO.167.09.T
10HOLE	BO.167.10.S	BO.167.10.T
12HOLE	BO.167.12.S	BO.167.12.T
14HOLE	BO.167.14.S	BO.167.14.T
16HOLE	BO.167.16.S	BO.167.16.T

FEMUR LOCKING PLATES



BROAD DCP PLATE FOR 4.5MM SCREW



Size	Stainless Steel	Titanium
04HOLE	BOI.138.04.S	BOI.138.04.T
05HOLE	BOI.138.05.S	BOI.138.05.T
06HOLE	BOI.138.06.S	BOI.138.06.T
07HOLE	BOI.138.07.S	BOI.138.07.T
08HOLE	BOI.138.08.S	BOI.138.08.T
09HOLE	BOI.138.09.S	BOI.138.09.T
10HOLE	BOI.138.10.S	BOI.138.10.T
11HOLE	BOI.138.11.S	BOI.138.11.T
12HOLE	BOI.138.12.S	BOI.138.12.T
13HOLE	BOI.138.13.S	BOI.138.13.T
14HOLE	BOI.138.14.S	BOI.138.14.T
15HOLE	BOI.138.15.S	BOI.138.15.T
16HOLE	BOI.138.16.S	BOI.138.16.T

DCS PLATE LOCKING 95 DEGREE



Size	Stainless Steel	Titanium
03HOLE	BO.9937.03.S	BO.9937.03.T
04HOLE	BO.9937.04.S	BO.9937.04.T
05HOLE	BO.9937.05.S	BO.9937.05.T
06HOLE	BO.9937.06.S	BO.9937.06.T
07HOLE	BO.9937.07.S	BO.9937.07.T
08HOLE	BO.9937.08.S	BO.9937.08.T
09HOLE	BO.9937.09.S	BO.9937.09.T
10HOLE	BO.9937.10.S	BO.9937.10.T
12HOLE	BO.9937.12.S	BO.9937.12.T

FEMUR LOCKING PLATES



DHS PLATE (DCP HOLES) 19 BARREL
PEDIATRICS ANGLE. 125/130/135/140



Size	Stainless Steel	Titanium
125D, 02HOLE	BO.02.931.125.02.S	BO.02.931.125.02.T
125D, 03HOLE	BO.02.931.125.03.S	BO.02.931.125.03.T
125D, 04HOLE	BO.02.931.125.04.S	BO.02.931.125.04.T
125D, 05HOLE	BO.02.931.125.05.S	BO.02.931.125.05.T
125D, 06HOLE	BO.02.931.125.06.S	BO.02.931.125.06.T
125D, 07HOLE	BO.02.931.125.07.S	BO.02.931.125.07.T
125D, 08HOLE	BO.02.931.125.08.S	BO.02.931.125.08.T
125D, 09HOLE	BO.02.931.125.09.S	BO.02.931.125.09.T
125D, 10HOLE	BO.02.931.125.10.S	BO.02.931.125.10.T
130D, 02HOLE	BO.02.931.130.02.S	BO.02.931.130.02.T
130D, 03HOLE	BO.02.931.130.03.S	BO.02.931.130.03.T
130D, 04HOLE	BO.02.931.130.04.S	BO.02.931.130.04.T
130D, 05HOLE	BO.02.931.130.05.S	BO.02.931.130.05.T
130D, 06HOLE	BO.02.931.130.06.S	BO.02.931.130.06.T
130D, 07HOLE	BO.02.931.130.07.S	BO.02.931.130.07.T
130D, 08HOLE	BO.02.931.130.08.S	BO.02.931.130.08.T
130D, 09HOLE	BO.02.931.130.09.S	BO.02.931.130.09.T
130D, 10HOLE	BO.02.931.130.10.S	BO.02.931.130.10.T
135D, 02HOLE	BO.02.931.135.02.S	BO.02.931.135.02.T
135D, 03HOLE	BO.02.931.135.03.S	BO.02.931.135.03.T
135D, 04HOLE	BO.02.931.135.04.S	BO.02.931.135.04.T
135D, 05HOLE	BO.02.931.135.05.S	BO.02.931.135.05.T
135D, 06HOLE	BO.02.931.135.06.S	BO.02.931.135.06.T
135D, 07HOLE	BO.02.931.135.07.S	BO.02.931.135.07.T
135D, 08HOLE	BO.02.931.135.08.S	BO.02.931.135.08.T
140D, 02HOLE	BO.02.931.140.02.S	BO.02.931.140.02.T
140D, 03HOLE	BO.02.931.140.03.S	BO.02.931.140.03.T
140D, 04HOLE	BO.02.931.140.04.S	BO.02.931.140.04.T
140D, 05HOLE	BO.02.931.140.05.S	BO.02.931.140.05.T
140D, 06HOLE	BO.02.931.140.06.S	BO.02.931.140.06.T
140D, 07HOLE	BO.02.931.140.07.S	BO.02.931.140.07.T
140D, 08HOLE	BO.02.931.140.08.S	BO.02.931.140.08.T
140D, 09HOLE	BO.02.931.140.09.S	BO.02.931.140.09.T
140D, 10HOLE	BO.02.931.140.10.S	BO.02.931.140.10.T

FEMUR LOCKING PLATES



DHS PLATE LOCKING SHORT BARREL



Size	Stainless Steel	Titanium
130D, 03HOLE	BO.152.130.03.S	BO.152.130.03.T
130D, 04HOLE	BO.152.130.04.S	BO.152.130.04.T
130D, 05HOLE	BO.152.130.05.S	BO.152.130.05.T
130D, 06HOLE	BO.152.130.06.S	BO.152.130.06.T
130D, 07HOLE	BO.152.130.07.S	BO.152.130.07.T
130D, 08HOLE	BO.152.130.08.S	BO.152.130.08.T
130D, 09HOLE	BO.152.130.09.S	BO.152.130.09.T
130D, 10HOLE	BO.152.130.10.S	BO.152.130.10.T
130D, 11HOLE	BO.152.130.11.S	BO.152.130.11.T
130D, 12HOLE	BO.152.130.12.S	BO.152.130.12.T
135D, 03HOLE	BO.152.135.03.S	BO.152.135.03.T
135D, 04HOLE	BO.152.135.04.S	BO.152.135.04.T
135D, 05HOLE	BO.152.135.05.S	BO.152.135.05.T
135D, 06HOLE	BO.152.135.06.S	BO.152.135.06.T
135D, 07HOLE	BO.152.135.07.S	BO.152.135.07.T
135D, 08HOLE	BO.152.135.08.S	BO.152.135.08.T
135D, 09HOLE	BO.152.135.09.S	BO.152.135.09.T
135D, 10HOLE	BO.152.135.10.S	BO.152.135.10.T
135D, 11HOLE	BO.152.135.11.S	BO.152.135.11.T
135D, 12HOLE	BO.152.135.12.S	BO.152.135.12.T

FEMUR LOCKING PLATES



DHS PLATE LOCKING LONG BARREL



Size	Stainless Steel	Titanium
130D, 03HOLE	BO.165.130.03.S	BO.165.130.03.T
130D, 04HOLE	BO.165.130.04.S	BO.165.130.04.T
130D, 05HOLE	BO.165.130.05.S	BO.165.130.05.T
130D, 06HOLE	BO.165.130.06.S	BO.165.130.06.T
130D, 07HOLE	BO.165.130.07.S	BO.165.130.07.T
130D, 08HOLE	BO.165.130.08.S	BO.165.130.08.T
130D, 09HOLE	BO.165.130.09.S	BO.165.130.09.T
130D, 10HOLE	BO.165.130.10.S	BO.165.130.10.T
130D, 11HOLE	BO.165.130.11.S	BO.165.130.11.T
130D, 12HOLE	BO.165.130.12.S	BO.165.130.12.T
135D, 03HOLE	BO.165.135.03.S	BO.165.135.03.T
135D, 04HOLE	BO.165.135.04.S	BO.165.135.04.T
135D, 05HOLE	BO.165.135.05.S	BO.165.135.05.T
135D, 06HOLE	BO.165.135.06.S	BO.165.135.06.T
135D, 07HOLE	BO.165.135.07.S	BO.165.135.07.T
135D, 08HOLE	BO.165.135.08.S	BO.165.135.08.T
135D, 09HOLE	BO.165.135.09.S	BO.165.135.09.T
135D, 10HOLE	BO.165.135.10.S	BO.165.135.10.T
135D, 11HOLE	BO.165.135.11.S	BO.165.135.11.T
135D, 12HOLE	BO.165.135.12.S	BO.165.135.12.T

**OSTEOTOMY
LOCKING
PLATES**

OSTEOTOMY LOCKING PLATES



LCP TOMIFIX MID HIGH T PLATE



Size

Stainless Steel

Titanium

3HOLE

BOI.252.03.S

BOI.252.03.T

4HOLE

BOI.252.04.S

BOI.252.04.T

Size

Stainless Steel

Titanium

LCP TOMIFIX MID HIGH T PLATE NEW

3 HOLES

BOI.02.252.03.S

BOI.02.252.03.T

4 HOLES

BOI.02.252.04.S

BOI.02.252.04.T



LCP TOMIFIX MID HIGH T PLATE (BLOCK)



Size

Stainless Steel

Titanium

(BLOCK) 7.5MM

BO.252.7.5.S

BO.252.7.5.T

(BLOCK) 10MM

BO.252.10.S

BO.252.10.T

(BLOCK) 12.5MM

BO.252.12.5.S

BO.252.12.5.T

(BLOCK) 15MM

BO.252.15.S

BO.252.15.T

OSTEOTOMY LOCKING PLATES



DISTAL MEDIAL FEMUR LOCKING PLATE 5MM



Size	Stainless Steel	Titanium
LEFT 03 HOLE	BO.231.L.03.S	BO.231.L.03.T
LEFT 04 HOLE	BO.231.L.04.S	BO.231.L.04.T
LEFT 05 HOLE	BO.231.L.05.S	BO.231.L.05.T
LEFT 06 HOLE	BO.231.L.06.S	BO.231.L.06.T
LEFT 08 HOLE	BO.231.L.08.S	BO.231.L.08.T
LEFT 10 HOLE	BO.231.L.10.S	BO.231.L.10.T
RIGHT 03 HOLE	BO.231.R.03.S	BO.231.R.03.T
RIGHT 04 HOLE	BO.231.R.04.S	BO.231.R.04.T
RIGHT 05 HOLE	BO.231.R.05.S	BO.231.R.05.T
RIGHT 06 HOLE	BO.231.R.06.S	BO.231.R.06.T
RIGHT 08 HOLE	BO.231.R.08.S	BO.231.R.08.T
RIGHT 10 HOLE	BO.231.R.10.S	BO.231.R.10.T

DISTAL MEDIAL FEMUR (OSTEOTOMY) LOCKING PLATE 5.0MM



Size	Stainless Steel	Titanium
LEFT 04HOLE	BO.9921.L.04.S	BO.9921.L.04.T
LEFT 05HOLE	BO.9921.L.05.S	BO.9921.L.05.T
LEFT 06HOLE	BO.9921.L.06.S	BO.9921.L.06.T
LEFT 08HOLE	BO.9921.L.08.S	BO.9921.L.08.T
LEFT 10HOLE	BO.9921.L.10.S	BO.9921.L.10.T
RIGHT 04HOLE	BO.9921.R.04.S	BO.9921.R.04.T
RIGHT 05HOLE	BO.9921.R.05.S	BO.9921.R.05.T
RIGHT 06HOLE	BO.9921.R.06.S	BO.9921.R.06.T
RIGHT 08HOLE	BO.9921.R.08.S	BO.9921.R.08.T
RIGHT 10HOLE	BO.9921.R.10.S	BO.9921.R.10.T

DISTAL FEMUR (OSTEOTOMY) LOCKING 5.0MM (PEDIATRIC)



Size	Stainless Steel	Titanium
PLATE 03HOLE	BO.9923.03.S	BO.9923.03.T
PLATE 04HOLE	BO.9923.04.S	BO.9923.04.T
PLATE 05HOLE	BO.9923.05.S	BO.9923.05.T
PLATE 06HOLE	BO.9923.06.S	BO.9923.06.T
PLATE 07HOLE	BO.9923.07.S	BO.9923.07.T
PLATE 08HOLE	BO.9923.08.S	BO.9923.08.T

OSTEOTOMY LOCKING PLATES



OSTEOTOMI T PLATE SHAFT 3HOLE, HEAD 3HOLE



Size	Stainless Steel	Titanium
(7.5MM) SHAFT 3HOLE, HEAD 3HOLE	BOI.187.7.5.03.S	BOI.187.7.5.03.T
(10MM) SHAFT 3HOLE, HEAD 3HOLE	BOI.187.10.03.S	BOI.187.10.03.T
(12.5MM) SHAFT 3HOLE, HEAD 3HOLE	BOI.187.12.5.03.S	BOI.187.12.5.03.T
(15MM) SHAFT 3HOLE, HEAD 3HOLE	BOI.187.15.03.S	BOI.187.15.03.T

OSTEOTOMI T PLATE SHAFT 4HOLE, HEAD 3HOLE



Size	Stainless Steel	Titanium
(7.5MM) SHAFT 4HOLE, HEAD 3HOLE	BOI.187.7.5.04.S	BOI.187.7.5.04.T
(10MM) SHAFT 4HOLE, HEAD 3HOLE	BOI.187.10.04.S	BOI.187.10.04.T
(12.5MM) SHAFT 4HOLE, HEAD 3HOLE	BOI.187.12.5.04.S	BOI.187.12.5.04.T
(15MM) SHAFT 4HOLE, HEAD 3HOLE	BOI.187.15.04.3.S	BOI.187.15.04.3.T

OSTEOTOMI PLATE



Size	Stainless Steel	Titanium
7.5MM	BOI.189.7.5.S	BOI.189.7.5.T
10MM	BOI.189.10.S	BOI.189.10.T
12.5MM	BOI.189.12.5.S	BOI.189.12.5.T
15MM	BOI.189.15.S	BOI.189.15.T

**HERBERT
HEADLESS
COMPRESSION
SCREW**

HERBERT HEADLESS COMPRESSION SCREW



Size	Titanium	HERBERT SCREW (2.7MM)
LENGHT12MM	BOI.01.116.12.T	
LENGHT14MM	BOI.01.116.14.T	
LENGHT16MM	BOI.01.116.16.T	
LENGHT18MM	BOI.01.116.18.T	
LENGHT20MM	BOI.01.116.20.T	
LENGHT22MM	BOI.01.116.22.T	
LENGHT24MM	BOI.01.116.24.T	
LENGHT26MM	BOI.01.116.26.T	
LENGHT28MM	BOI.01.116.28.T	
LENGHT30MM	BOI.01.116.30.T	
LENGHT32MM	BOI.01.116.32.T	
LENGHT34MM	BOI.01.116.34.T	
LENGHT36MM	BOI.01.116.36.T	
LENGHT38MM	BOI.01.116.38.T	
LENGHT40MM	BOI.01.116.40.T	
LENGHT42MM	BOI.01.116.42.T	
LENGHT44MM	BOI.01.116.44.T	
LENGHT46MM	BOI.01.116.46.T	
LENGHT48MM	BOI.01.116.48.T	
LENGHT50MM	BOI.01.116.50.T	

HERBERT SCREW 3.5mm	Size	Titanium
	LENGHT 12MM	BOI.116.12.T
	LENGHT 14MM	BOI.116.14.T
	LENGHT 16MM	BOI.116.16.T
	LENGHT 18MM	BOI.116.18.T
	LENGHT 20MM	BOI.116.20.T
	LENGHT 22MM	BOI.116.22.T
	LENGHT 24MM	BOI.116.24.T
	LENGHT 26MM	BOI.116.26.T
	LENGHT 28MM	BOI.116.28.T
	LENGHT 30MM	BOI.116.30.T
	LENGHT 32MM	BOI.116.32.T
	LENGHT 34MM	BOI.116.34.T
	LENGHT 36MM	BOI.116.36.T
	LENGHT 38MM	BOI.116.38.T
	LENGHT 40MM	BOI.116.40.T
	LENGHT 42MM	BOI.116.42.T
	LENGHT 44MM	BOI.116.44.T
LENGHT 46MM	BOI.116.46.T	
LENGHT 48MM	BOI.116.48.T	
LENGHT 50MM	BOI.116.50.T	

HERBERT HEADLESS COMPRESSION SCREW



HERBERT SCREW (HEADLESS) DIA. 3.3MM

Size	Titanium
LENGTH08MM	BOI.119.3.3.08.T
LENGTH09MM	BOI.119.3.3.09.T
LENGTH10MM	BOI.119.3.3.10.T
LENGTH11MM	BOI.119.3.3.11.T
LENGTH12MM	BOI.119.3.3.12.T
LENGTH13MM	BOI.119.3.3.13.T
LENGTH14MM	BOI.119.3.3.14.T
LENGTH16MM	BOI.119.3.3.16.T
LENGTH18MM	BOI.119.3.3.18.T
LENGTH20MM	BOI.119.3.3.20.T
LENGTH22MM	BOI.119.3.3.22.T
LENGTH24MM	BOI.119.3.3.24.T
LENGTH26MM	BOI.119.3.3.26.T
LENGTH28MM	BOI.119.3.3.28.T
LENGTH30MM	BOI.119.3.3.30.T



HERBERT SCREW (HEADLESS) DIA.3.6MM



Size	Titanium
LENGTH16MM	BOI.119.3.6.16.T
LENGTH18MM	BOI.119.3.6.18.T
LENGTH20MM	BOI.119.3.6.20.T
LENGTH22MM	BOI.119.3.6.22.T
LENGTH24MM	BOI.119.3.6.24.T
LENGTH26MM	BOI.119.3.6.26.T
LENGTH28MM	BOI.119.3.6.28.T
LENGTH30MM	BOI.119.3.6.30.T

Size	Titanium
LENGTH 16MM	BOI.119.4.1.16.T
LENGTH 18MM	BOI.119.4.1.18.T
LENGTH 20MM	BOI.119.4.1.20.T
LENGTH 22MM	BOI.119.4.1.22.T
LENGTH 24MM	BOI.119.4.1.24.T
LENGTH 26MM	BOI.119.4.1.26.T
LENGTH 28MM	BOI.119.4.1.28.T
LENGTH 30MM	BOI.119.4.1.30.T
LENGTH 32MM	BOI.119.4.1.32.T
LENGTH 34MM	BOI.119.4.1.34.T

HERBERTSCREW (HEADLESS) DIA.4.1MM



HERBERT HEADLESS COMPRESSION SCREW



Size	Titanium
LENGTH 20MM	BOI.119.4.7.20.T
LENGTH 22MM	BOI.119.4.7.22.T
LENGTH 24MM	BOI.119.4.7.24.T
LENGTH 26MM	BOI.119.4.7.26.T
LENGTH 28MM	BOI.119.4.7.28.T
LENGTH 30MM	BOI.119.4.7.30.T
LENGTH 35MM	BOI.119.4.7.35.T
LENGTH 40MM	BOI.119.4.7.40.T
LENGTH 45MM	BOI.119.4.7.45.T
LENGTH 50MM	BOI.119.4.7.50.T

HERBERT SCREW (HEADLESS) DIA.4.7MM



HERBERT SCREW (HEADLESS) DIA.5.5MM



Size	Titanium
LENGTH 25MM	BOI.119.5.5.25.T
LENGTH 30MM	BOI.119.5.5.30.T
LENGTH 35MM	BOI.119.5.5.35.T
LENGTH 40MM	BOI.119.5.5.40.T
LENGTH 45MM	BOI.119.5.5.45.T
LENGTH 50MM	BOI.119.5.5.50.T
LENGTH 55MM	BOI.119.5.5.55.T
LENGTH 60MM	BOI.119.5.5.60.T

Size	Titanium
LENGTH 40MM	BOI.119.7.5.40.T
LENGTH 45MM	BOI.119.7.5.45.T
LENGTH 50MM	BOI.119.7.5.50.T
LENGTH 55MM	BOI.119.7.5.55.T
LENGTH 60MM	BOI.119.7.5.60.T
LENGTH 65MM	BOI.119.7.5.65.T
LENGTH 70MM	BOI.119.7.5.70.T
LENGTH 75MM	BOI.119.7.5.75.T
LENGTH 80MM	BOI.119.7.5.80.T
LENGTH 85MM	BOI.119.7.5.85.T
LENGTH 90MM	BOI.119.7.5.90.T
LENGTH 95MM	BOI.119.7.5.95.T
LENGTH 100MM	BOI.119.7.5.100.T
LENGTH 105MM	BOI.119.7.5.105.T
LENGTH 110MM	BOI.119.7.5.110.T
LENGTH 115MM	BOI.119.7.5.115.T
LENGTH 120MM	BOI.119.7.5.120.T

HERBERT SCREW (HEADLESS) DIA.7.5MM



**PELVIC
PLATE**

PELVIC PLATE



Size

04HOLE	BOI.203.04.L
06HOLE	BOI.203.06.L
08HOLE	BOI.203.08.L

SS PELVIC SYMPHYSEAL PLATE DC HOLE



SS PELVIC RECONSTRUCTION PLATE 3.5MM CURVED



Size

06HOLE	BOI.205.06.L
07HOLE	BOI.205.07.L
08HOLE	BOI.205.08.L
10HOLE	BOI.205.10.L
12HOLE	BOI.205.12.L
14HOLE	BOI.205.14.L
16HOLE	BOI.205.16.L

Size

03HOLE	BOI.206.03.L
04HOLE	BOI.206.04.L
05HOLE	BOI.206.05.L
06HOLE	BOI.206.06.L
07HOLE	BOI.206.07.L
08HOLE	BOI.206.08.L
09HOLE	BOI.206.09.L
10HOLE	BOI.206.10.L
12HOLE	BOI.206.12.L
14HOLE	BOI.206.14.L
16HOLE	BOI.206.16.L
18HOLE	BOI.206.18.L
20HOLE	BOI.206.20.L

SS PELVIC RECONSTRUCTION PLATE 3.5MM STRAIGHT



PELVIC PLATE



SS PELVIC SPRING PLATE 3.5MM



Size

01HOLE	BOI.207.01.L
02HOLE	BOI.207.02.L
03HOLE	BOI.207.03.L

Size

LEFT 10HOLE	BO.208.L.10.L
LEFT 12HOLE	BO.208.L.12.L
LEFT 14HOLE	BO.208.L.14.L
LEFT 16HOLE	BO.208.L.16.L
RIGHT 10HOLE	BO.208.R.10.L
RIGHT 12HOLE	BO.208.R.12.L
RIGHT 14HOLE	BO.208.R.14.L
RIGHT 16HOLE	BO.208.R.16.L

SS PELVIC RECONSTRUCTION J PLATE 3.5MM



SS PELVIC SYMPHYSEAL PLATE ROUND HOLE



Size

04HOLE	BOI.209.04.L
06HOLE	BOI.209.06.L
08HOLE	BOI.209.08.L

Size

LEFT SMALL 11HOLE	BOI.9918.L.S.11.L
RIGHT SMALL 11HOLE	BOI.9918.R.S.11.L

SS PELVIC INFRAPECTINEAL PLATE SMALL



PELVIC PLATE



SS PELVIC SUPRAPECTINEAL PLATE



Size

LEFT 09HOLE	BOI.9919.L.09.L
LEFT 10HOLE	BOI.9919.L.10.L
LEFT 11HOLE	BOI.9919.L.11.L
LEFT 12HOLE	BOI.9919.L.12.L
RIGHT 09HOLE	BOI.9919.R.09.L
RIGHT 10HOLE	BOI.9919.R.10.L
RIGHT 11HOLE	BOI.9919.R.11.L
RIGHT 12HOLE	BOI.9919.R.12.L

Size

LEFT 07HOLE	BOI.9920.L.07.L
RIGHT 07HOLE	BOI.9920.R.07.L

SS PELVIC ACETABULAR POSTERIOR LCP



RECONSTRUCTION PLATE

RECONSTRUCTION PLATE



RECONSTRUCTION PLATE FOR 2.7MM SCREW ROUND HOLE

Size	Stainless Steel	Titanium
04HOLE	BOI.200.04.S	BOI.200.04.T
05HOLE	BOI.200.05.S	BOI.200.05.T
06HOLE	BOI.200.06.S	BOI.200.06.T
07HOLE	BOI.200.07.S	BOI.200.07.T
08HOLE	BOI.200.08.S	BOI.200.08.T
09HOLE	BOI.200.09.S	BOI.200.09.T
10HOLE	BOI.200.10.S	BOI.200.10.T
11HOLE	BOI.200.11.S	BOI.200.11.T
12HOLE	BOI.200.12.S	BOI.200.12.T
13HOLE	BOI.200.13.S	BOI.200.13.T
14HOLE	BOI.200.14.S	BOI.200.14.T
15HOLE	BOI.200.15.S	BOI.200.15.T
16HOLE	BOI.200.16.S	BOI.200.16.T



RECONSTRUCTION PLATE FOR 3.5MM SCREW ROUND HOLE



Size	Stainless Steel	Titanium
04HOLE	BOI.222.04.S	BOI.222.04.T
05HOLE	BOI.222.05.S	BOI.222.05.T
06HOLE	BOI.222.06.S	BOI.222.06.T
07HOLE	BOI.222.07.S	BOI.222.07.T
08HOLE	BOI.222.08.S	BOI.222.08.T
09HOLE	BOI.222.09.S	BOI.222.09.T
10HOLE	BOI.222.10.S	BOI.222.10.T
11HOLE	BOI.222.11.S	BOI.222.11.T
12HOLE	BOI.222.12.S	BOI.222.12.T
13HOLE	BOI.222.13.S	BOI.222.13.T
14HOLE	BOI.222.14.S	BOI.222.14.T
15HOLE	BOI.222.15.S	BOI.222.15.T
16HOLE	BOI.222.16.S	BOI.222.16.T

RECONSTRUCTION PLATE



RECONSTRUCTION CURVED PLATE FOR 3.5MM SCREW



Size	Stainless Steel	Titanium
04HOLE	BOI.201.04.S	BOI.201.04.T
05HOLE	BOI.201.05.S	BOI.201.05.T
06HOLE	BOI.201.06.S	BOI.201.06.T
07HOLE	BOI.201.07.S	BOI.201.07.T
08HOLE	BOI.201.08.S	BOI.201.08.T
09HOLE	BOI.201.09.S	BOI.201.09.T
10HOLE	BOI.201.10.S	BOI.201.10.T
11HOLE	BOI.201.11.S	BOI.201.11.T
12HOLE	BOI.201.12.S	BOI.201.12.T
13HOLE	BOI.201.13.S	BOI.201.13.T
14HOLE	BOI.201.14.S	BOI.201.14.T
15HOLE	BOI.201.15.S	BOI.201.15.T
16HOLE	BOI.201.16.S	BOI.201.16.T

RECONSTRUCTION PLATE FOR 3.5MM SCREW DCP/H

Size	Stainless Steel	Titanium
04HOLE	BOI.221.04.S	BOI.221.04.T
05HOLE	BOI.221.05.S	BOI.221.05.T
06HOLE	BOI.221.06.S	BOI.221.06.T
07HOLE	BOI.221.07.S	BOI.221.07.T
08HOLE	BOI.221.08.S	BOI.221.08.T
09HOLE	BOI.221.09.S	BOI.221.09.T
10HOLE	BOI.221.10.S	BOI.221.10.T
12HOLE	BOI.221.12.S	BOI.221.12.T
14HOLE	BOI.221.14.S	BOI.221.14.T
16HOLE	BOI.221.16.S	BOI.221.16.T



RECONSTRUCTION PLATE FOR 4.5MM SCREW ROUND HOLE



Size	Stainless Steel	Titanium
04HOLE	BOI.223.04.S	BOI.223.04.T
05HOLE	BOI.223.05.S	BOI.223.05.T
06HOLE	BOI.223.06.S	BOI.223.06.T
07HOLE	BOI.223.07.S	BOI.223.07.T
08HOLE	BOI.223.08.S	BOI.223.08.T
09HOLE	BOI.223.09.S	BOI.223.09.T
10HOLE	BOI.223.10.S	BOI.223.10.T
11HOLE	BOI.223.11.S	BOI.223.11.T
12HOLE	BOI.223.12.S	BOI.223.12.T
13HOLE	BOI.223.13.S	BOI.223.13.T
14HOLE	BOI.223.14.S	BOI.223.14.T
15HOLE	BOI.223.15.S	BOI.223.15.T
16HOLE	BOI.223.16.S	BOI.223.16.T

RECONSTRUCTION PLATE



Size	Stainless Steel	Titanium	RECONSTRUCTION LOCKING PLATE 3.5MM ROUND HOLE
HOLE 04HOLE	BO.153.04.S	BO.153.04.T	
HOLE 05HOLE	BO.153.05.S	BO.153.05.T	
HOLE 06HOLE	BO.153.06.S	BO.153.06.T	
HOLE 07HOLE	BO.153.07.S	BO.153.07.T	
HOLE 08HOLE	BO.153.08.S	BO.153.08.T	
HOLE 09HOLE	BO.153.09.S	BO.153.09.T	
HOLE 10HOLE	BO.153.10.S	BO.153.10.T	
HOLE 11HOLE	BO.153.11.S	BO.153.11.T	
HOLE 12HOLE	BO.153.12.S	BO.153.12.T	
HOLE 13HOLE	BO.153.13.S	BO.153.13.T	
HOLE 14HOLE	BO.153.14.S	BO.153.14.T	

RECONSTRUCTION LOCKING PLATE 3.5MM DYNAMIC HOLE	Size	Stainless Steel	Titanium
	HOLE 04HOLE	BO.9912.04.S	BO.9912.04.T
	HOLE 05HOLE	BO.9912.05.S	BO.9912.05.T
	HOLE 06HOLE	BO.9912.06.S	BO.9912.06.T
	HOLE 07HOLE	BO.9912.07.S	BO.9912.07.T
	HOLE 08HOLE	BO.9912.08.S	BO.9912.08.T
	HOLE 09HOLE	BO.9912.09.S	BO.9912.09.T
	HOLE 10HOLE	BO.9912.10.S	BO.9912.10.T
	HOLE 11HOLE	BO.9912.11.S	BO.9912.11.T
	HOLE 12HOLE	BO.9912.12.S	BO.9912.12.T
	HOLE 13HOLE	BO.9912.13.S	BO.9912.13.T
	HOLE 14HOLE	BO.9912.14.S	BO.9912.14.T

TROCENTRIC STABILIZATION PLATE

TROCENTRIC STABILIZATION PLATE



Size	Stainless Steel	Titanium	TROCENTRIC PLATE FOR PFN
02HOLE	BO.01.9948.02.S	BO.01.9948.02.T	
04HOLE	BO.01.9948.04.S	BO.01.9948.04.T	

TROCENTRIC PLATE FOR PFNA2	Size	Stainless Steel	Titanium
	02HOLE	BO.03.9948.02.S	BO.03.9948.02.T

Size	Stainless Steel	Titanium	TROCENTRIC LOCKING PLATE (GT)
01HOLE	BO.02.9948.01.S	BO.02.9948.01.T	
02HOLE	BO.02.9948.02.S	BO.02.9948.02.T	
04HOLE	BO.02.9948.04.S	BO.02.9948.04.T	


TROCENTRIC PLATE FOR DHS	Size	Stainless Steel	Titanium
	04 HOLES	BO.9948.04.S	BO.9948.04.T

INTRAMEDULLARY
NAIL

INTRAMEDULLARY NAIL



ELASTIC NAIL



Size	Titanium
ELASTIC NAIL 2.0MM	BOI.9938.2.0.T
ELASTIC NAIL 2.5MM	BOI.9938.2.5.T
ELASTIC NAIL 3.0MM	BOI.9938.3.0.T
ELASTIC NAIL 3.5MM	BOI.9938.3.5.T
ELASTIC NAIL 4.0MM	BOI.9938.4.0.T
ELASTIC NAIL 4.5MM	BOI.9938.4.5.T

INTRAMEDULLARY NAIL



ELASTIC NAIL (THREADED)




Size	Titanium
2.0MM,LENGTH 12CM	BOI.01.9938.2.0.12.T
2.0MM,LENGTH 14CM	BOI.01.9938.2.0.14.T
2.0MM,LENGTH 16CM	BOI.01.9938.2.0.16.T
2.0MM,LENGTH 18CM	BOI.01.9938.2.0.18.T
2.0MM,LENGTH 20CM	BOI.01.9938.2.0.20.T
2.0MM,LENGTH 22CM	BOI.01.9938.2.0.22.T
2.0MM,LENGTH 24CM	BOI.01.9938.2.0.24.T
2.0MM,LENGTH 26CM	BOI.01.9938.2.0.26.T
2.0MM,LENGTH 28CM	BOI.01.9938.2.0.28.T
2.0MM,LENGTH 30CM	BOI.01.9938.2.0.30.T
2.0MM,LENGTH 32CM	BOI.01.9938.2.0.32.T
2.5MM,LENGTH 12CM	BOI.01.9938.2.5.12.T
2.5MM,LENGTH 14CM	BOI.01.9938.2.5.14.T
2.5MM,LENGTH 16CM	BOI.01.9938.2.5.16.T
2.5MM,LENGTH 18CM	BOI.01.9938.2.5.18.T
2.5MM,LENGTH 20CM	BOI.01.9938.2.5.20.T
2.5MM,LENGTH 22CM	BOI.01.9938.2.5.22.T
2.5MM,LENGTH 24CM	BOI.01.9938.2.5.24.T
2.5MM,LENGTH 26CM	BOI.01.9938.2.5.26.T
2.5MM,LENGTH 28CM	BOI.01.9938.2.5.28.T
2.5MM,LENGTH 30CM	BOI.01.9938.2.5.30.T
2.5MM,LENGTH 32CM	BOI.01.9938.2.5.32.T
3.0MM,LENGTH 12CM	BOI.01.9938.3.0.12.T
3.0MM,LENGTH 14CM	BOI.01.9938.3.0.14.T
3.0MM,LENGTH 16CM	BOI.01.9938.3.0.16.T
3.0MM,LENGTH 18CM	BOI.01.9938.3.0.18.T
3.0MM,LENGTH 20CM	BOI.01.9938.3.0.20.T
3.0MM, LENGTH 22CM	BOI.01.9938.3.0.22.T
3.0MM,LENGTH 24CM	BOI.01.9938.3.0.24.T
3.0MM,LENGTH 26CM	BOI.01.9938.3.0.26.T
3.0MM,LENGTH 28CM	BOI.01.9938.3.0.28.T
3.0MM,LENGTH 30CM	BOI.01.9938.3.0.30.T
3.0MM, LENGTH 32CM	BOI.01.9938.3.0.32.T

INTRAMEDULLARY NAIL



HUMERUS INTERLOCKING NAIL



Size	Stainless Steel	Titanium
06MM,LENGTH 18CM	BOI.149.06.18.S	BOI.149.06.18.T
06MM,LENGTH 20CM	BOI.149.06.20.S	BOI.149.06.20.T
06MM,LENGTH 22CM	BOI.149.06.22.S	BOI.149.06.22.T
06MM,LENGTH 24CM	BOI.149.06.24.S	BOI.149.06.24.T
06MM,LENGTH 26CM	BOI.149.06.26.S	BOI.149.06.26.T
06MM,LENGTH 28CM	BOI.149.06.28.S	BOI.149.06.28.T
06MM,LENGTH 30CM	BOI.149.06.30.S	BOI.149.06.30.T
07MM,LENGTH 18CM	BOI.149.07.18.S	BOI.149.07.18.T
07MM,LENGTH 20CM	BOI.149.07.20.S	BOI.149.07.20.T
07MM,LENGTH 22CM	BOI.149.07.22.S	BOI.149.07.22.T
07MM,LENGTH 24CM	BOI.149.07.24.S	BOI.149.07.24.T
07MM,LENGTH 26CM	BOI.149.07.26.S	BOI.149.07.26.T
07MM,LENGTH 28CM	BOI.149.07.28.S	BOI.149.07.28.T
07MM,LENGTH 30CM	BOI.149.07.30.S	BOI.149.07.30.T
08MM,LENGTH 18CM	BOI.149.08.18.S	BOI.149.08.18.T
08MM,LENGTH 20CM	BOI.149.08.20.S	BOI.149.08.20.T
08MM,LENGTH 22CM	BOI.149.08.22.S	BOI.149.08.22.T
08MM,LENGTH 24CM	BOI.149.08.24.S	BOI.149.08.24.T
08MM,LENGTH 26CM	BOI.149.08.26.S	BOI.149.08.26.T
08MM,LENGTH 28CM	BOI.149.08.28.S	BOI.149.08.28.T
08MM,LENGTH 30CM	BOI.149.08.30.S	BOI.149.08.30.T

INTRAMEDULLARY NAIL



INTERLOCKING TIBIA NAIL (CANNULATED WITH DISTAL)



Size	Stainless Steel	Titanium
08MM, LENGTH 28CM	BOI.04.150.08.28.S	BOI.04.150.08.28.T
08MM, LENGTH 30CM	BOI.04.150.08.30.S	BOI.04.150.08.30.T
08MM, LENGTH 32CM	BOI.04.150.08.32.S	BOI.04.150.08.32.T
08MM, LENGTH 34CM	BOI.04.150.08.34.S	BOI.04.150.08.34.T
08MM, LENGTH 36CM	BOI.04.150.08.36.S	BOI.04.150.08.36.T
08MM, LENGTH 38CM	BOI.04.150.08.38.S	BOI.04.150.08.38.T
08MM, LENGTH 40CM	BOI.04.150.08.40.S	BOI.04.150.08.40.T
09MM, LENGTH 28CM	BOI.04.150.09.28.S	BOI.04.150.09.28.T
09MM, LENGTH 30CM	BOI.04.150.09.30.S	BOI.04.150.09.30.T
09MM, LENGTH 32CM	BOI.04.150.09.32.S	BOI.04.150.09.32.T
09MM, LENGTH 34CM	BOI.04.150.09.34.S	BOI.04.150.09.34.T
09MM, LENGTH 36CM	BOI.04.150.09.36.S	BOI.04.150.09.36.T
09MM, LENGTH 38CM	BOI.04.150.09.38.S	BOI.04.150.09.38.T
09MM, LENGTH 40CM	BOI.04.150.09.40.S	BOI.04.150.09.40.T
10MM, LENGTH 28CM	BOI.04.150.10.28.S	BOI.04.150.10.28.T
10MM, LENGTH 30CM	BOI.04.150.10.30.S	BOI.04.150.10.30.T
10MM, LENGTH 32CM	BOI.04.150.10.32.S	BOI.04.150.10.32.T
10MM, LENGTH 34CM	BOI.04.150.10.34.S	BOI.04.150.10.34.T
10MM, LENGTH 36CM	BOI.04.150.10.36.S	BOI.04.150.10.36.T
10MM, LENGTH 38CM	BOI.04.150.10.38.S	BOI.04.150.10.38.T
10MM, LENGTH 40CM	BOI.04.150.10.40.S	BOI.04.150.10.40.T
11MM, LENGTH 28CM	BOI.04.150.11.28.S	BOI.04.150.11.28.T
11MM, LENGTH 30CM	BOI.04.150.11.30.S	BOI.04.150.11.30.T
11MM, LENGTH 32CM	BOI.04.150.11.32.S	BOI.04.150.11.32.T
11MM, LENGTH 34CM	BOI.04.150.11.34.S	BOI.04.150.11.34.T
11MM, LENGTH 36CM	BOI.04.150.11.36.S	BOI.04.150.11.36.T
11MM, LENGTH 38CM	BOI.04.150.11.38.S	BOI.04.150.11.38.T
11MM, LENGTH 40CM	BOI.04.150.11.40.S	BOI.04.150.11.40.T

INTRAMEDULLARY NAIL



INTERLOCKING TIBIA NAIL (SMART)



Size	Stainless Steel	Titanium
08MM, LENGTH 28CM	BOI.271.08.28.S	BOI.271.08.28.T
08MM, LENGTH 30CM	BOI.271.08.30.S	BOI.271.08.30.T
08MM, LENGTH 32CM	BOI.271.08.32.S	BOI.271.08.32.T
08MM, LENGTH 34CM	BOI.271.08.34.S	BOI.271.08.34.T
08MM, LENGTH 36CM	BOI.271.08.36.S	BOI.271.08.36.T
08MM, LENGTH 38CM	BOI.271.08.38.S	BOI.271.08.38.T
08MM, LENGTH 40CM	BOI.271.08.40.S	BOI.271.08.40.T
09MM, LENGTH 28CM	BOI.271.09.28.S	BOI.271.09.28.T
09MM, LENGTH 30CM	BOI.271.09.30.S	BOI.271.09.30.T
09MM, LENGTH 32CM	BOI.271.09.32.S	BOI.271.09.32.T
09MM, LENGTH 34CM	BOI.271.09.34.S	BOI.271.09.34.T
09MM, LENGTH 36CM	BOI.271.09.36.S	BOI.271.09.36.T
09MM, LENGTH 38CM	BOI.271.09.38.S	BOI.271.09.38.T
09MM, LENGTH 40CM	BOI.271.09.40.S	BOI.271.09.40.T
10MM, LENGTH 28CM	BOI.271.10.28.S	BOI.271.10.28.T
10MM, LENGTH 30CM	BOI.271.10.30.S	BOI.271.10.30.T
10MM, LENGTH 32CM	BOI.271.10.32.S	BOI.271.10.32.T
10MM, LENGTH 34CM	BOI.271.10.34.S	BOI.271.10.34.T
10MM, LENGTH 36CM	BOI.271.10.36.S	BOI.271.10.36.T
10MM, LENGTH 38CM	BOI.271.10.38.S	BOI.271.10.38.T
10MM, LENGTH 40CM	BOI.271.10.40.S	BOI.271.10.40.T
11MM, LENGTH 28CM	BOI.271.11.28.S	BOI.271.11.28.T
11MM, LENGTH 30CM	BOI.271.11.30.S	BOI.271.11.30.T
11MM, LENGTH 32CM	BOI.271.11.32.S	BOI.271.11.32.T
11MM, LENGTH 34CM	BOI.271.11.34.S	BOI.271.11.34.T
11MM, LENGTH 36CM	BOI.271.11.36.S	BOI.271.11.36.T
11MM, LENGTH 38CM	BOI.271.11.38.S	BOI.271.11.38.T
11MM, LENGTH 40CM	BOI.271.11.40.S	BOI.271.11.40.T

INTRAMEDULLARY NAIL



INTERLOCKING FEMUR NAIL (CANNULATED WITH DISTAL)



Size	Stainless Steel	Titanium
08MM, LENGTH 34CM	BOI.04.151.08.34.S	BOI.04.151.08.34.T
08MM, LENGTH 36CM	BOI.04.151.08.36.S	BOI.04.151.08.36.T
08MM, LENGTH 38CM	BOI.04.151.08.38.S	BOI.04.151.08.38.T
08MM, LENGTH 40CM	BOI.04.151.08.40.S	BOI.04.151.08.40.T
08MM, LENGTH 42CM	BOI.04.151.08.42.S	BOI.04.151.08.42.T
08MM, LENGTH 44CM	BOI.04.151.08.44.S	BOI.04.151.08.44.T
09MM, LENGTH 34CM	BOI.04.151.09.34.S	BOI.04.151.09.34.T
09MM, LENGTH 36CM	BOI.04.151.09.36.S	BOI.04.151.09.36.T
09MM, LENGTH 38CM	BOI.04.151.09.38.S	BOI.04.151.09.38.T
09MM, LENGTH 40CM	BOI.04.151.09.40.S	BOI.04.151.09.40.T
09MM, LENGTH 42CM	BOI.04.151.09.42.S	BOI.04.151.09.42.T
09MM, LENGTH 44CM	BOI.04.151.09.44.S	BOI.04.151.09.44.T
09MM, LENGTH 46CM	BOI.04.151.09.46.S	BOI.04.151.09.46.T
10MM, LENGTH 34CM	BOI.04.151.10.34.S	BOI.04.151.10.34.T
10MM, LENGTH 36CM	BOI.04.151.10.36.S	BOI.04.151.10.36.T
10MM, LENGTH 38CM	BOI.04.151.10.38.S	BOI.04.151.10.38.T
10MM, LENGTH 40CM	BOI.04.151.10.40.S	BOI.04.151.10.40.T
10MM, LENGTH 42CM	BOI.04.151.10.42.S	BOI.04.151.10.42.T
10MM, LENGTH 44CM	BOI.04.151.10.44.S	BOI.04.151.10.44.T
10MM, LENGTH 46CM	BOI.04.151.10.46.S	BOI.04.151.10.46.T
11MM, LENGTH 34CM	BOI.04.151.11.34.S	BOI.04.151.11.34.T
11MM, LENGTH 36CM	BOI.04.151.11.36.S	BOI.04.151.11.36.T
11MM, LENGTH 38CM	BOI.04.151.11.38.S	BOI.04.151.11.38.T
11MM, LENGTH 40CM	BOI.04.151.11.40.S	BOI.04.151.11.40.T
11MM, LENGTH 42CM	BOI.04.151.11.42.S	BOI.04.151.11.42.T
11MM, LENGTH 44CM	BOI.04.151.11.44.S	BOI.04.151.11.44.T
11MM, LENGTH 46CM	BOI.04.151.11.46.S	BOI.04.151.11.46.T
12MM, LENGTH 34CM	BOI.04.151.12.34.S	BOI.04.151.12.34.T
12MM, LENGTH 36CM	BOI.04.151.12.36.S	BOI.04.151.12.36.T
12MM, LENGTH 38CM	BOI.04.151.12.38.S	BOI.04.151.12.38.T
12MM, LENGTH 40CM	BOI.04.151.12.40.S	BOI.04.151.12.40.T
12MM, LENGTH 42CM	BOI.04.151.12.42.S	BOI.04.151.12.42.T
12MM, LENGTH 44CM	BOI.04.151.12.44.S	BOI.04.151.12.44.T
12MM, LENGTH 46CM	BOI.04.151.12.46.S	BOI.04.151.12.46.T

INTRAMEDULLARY NAIL



TROCENTRIC FEMUR NAIL
SHORT 130 & 135 DEGREE



Size	Stainless Steel	Titanium
09MM, LENGTH 18CM	BO.9935.130.09.18.S	BO.9935.130.09.18.T
10MM, LENGTH 18CM	BO.9935.130.10.18.S	BO.9935.130.10.18.T
11MM, LENGTH 18CM	BO.9935.130.11.18.S	BO.9935.130.11.18.T
12MM, LENGTH 18CM	BO.9935.130.12.18.S	BO.9935.130.12.18.T
09MM, LENGTH 18CM	BO.9935.135.09.18.S	BO.9935.135.09.18.T
10MM, LENGTH 18CM	BO.9935.135.10.18.S	BO.9935.135.10.18.T
11MM, LENGTH 18CM	BO.9935.135.11.18.S	BO.9935.135.11.18.T
12MM, LENGTH 18CM	BO.9935.135.12.18.S	BO.9935.135.12.18.T

INTRAMEDULLARY NAIL



PROXIMAL FEMUR NAIL SHORT 130 & 135 DEGREE



Size	Stainless Steel	Titanium
09MM, LENGTH 25CM	BOI.97.130.09.25.S	BOI.97.130.09.25.T
10MM, LENGTH 25CM	BOI.97.130.10.25.S	BOI.97.130.10.25.T
11MM, LENGTH 25CM	BOI.97.130.11.25.S	BOI.97.130.11.25.T
12MM, LENGTH 25CM	BOI.97.130.12.25.S	BOI.97.130.12.25.T
09MM, LENGTH 25CM	BOI.97.135.09.25.S	BOI.97.135.09.25.T
10MM, LENGTH 25CM	BOI.97.135.10.25.S	BOI.97.135.10.25.T
11MM, LENGTH 25CM	BOI.97.135.11.25.S	BOI.97.135.11.25.T
12MM, LENGTH 25CM	BOI.97.135.12.25.S	BOI.97.135.12.25.T

INTRAMEDULLARY NAIL



PROXIMAL FEMUR NAIL LONG 130 & 135 DEGREE LEFT



Size	Stainless Steel	Titanium
09MM, LENGTH 32CM	BOI.97.130.09.L.32.S	BOI.97.130.09.L.32.T
09MM, LENGTH 34CM	BOI.97.130.09.L.34.S	BOI.97.130.09.L.34.T
09MM, LENGTH 36CM	BOI.97.130.09.L.36.S	BOI.97.130.09.L.36.T
09MM, LENGTH 38CM	BOI.97.130.09.L.38.S	BOI.97.130.09.L.38.T
09MM, LENGTH 40CM	BOI.97.130.09.L.40.S	BOI.97.130.09.L.40.T
09MM, LENGTH 42CM	BOI.97.130.09.L.42.S	BOI.97.130.09.L.42.T
09MM, LENGTH 44CM	BOI.97.130.09.L.44.S	BOI.97.130.09.L.44.T
09MM, LENGTH 46CM	BOI.97.130.09.L.46.S	BOI.97.130.09.L.46.T
10MM, LENGTH 32CM	BOI.97.130.10.L.32.S	BOI.97.130.10.L.32.T
10MM, LENGTH 34CM	BOI.97.130.10.L.34.S	BOI.97.130.10.L.34.T
10MM, LENGTH 36CM	BOI.97.130.10.L.36.S	BOI.97.130.10.L.36.T
10MM, LENGTH 38CM	BOI.97.130.10.L.38.S	BOI.97.130.10.L.38.T
10MM, LENGTH 40CM	BOI.97.130.10.L.40.S	BOI.97.130.10.L.40.T
10MM, LENGTH 42CM	BOI.97.130.10.L.42.S	BOI.97.130.10.L.42.T
10MM, LENGTH 44CM	BOI.97.130.10.L.44.S	BOI.97.130.10.L.44.T
10MM, LENGTH 46CM	BOI.97.130.10.L.46.S	BOI.97.130.10.L.46.T
11MM, LENGTH 32CM	BOI.97.130.11.L.32.S	BOI.97.130.11.L.32.T
11MM, LENGTH 34CM	BOI.97.130.11.L.34.S	BOI.97.130.11.L.34.T
11MM, LENGTH 36CM	BOI.97.130.11.L.36.S	BOI.97.130.11.L.36.T
11MM, LENGTH 38CM	BOI.97.130.11.L.38.S	BOI.97.130.11.L.38.T
11MM, LENGTH 40CM	BOI.97.130.11.L.40.S	BOI.97.130.11.L.40.T
11MM, LENGTH 42CM	BOI.97.130.11.L.42.S	BOI.97.130.11.L.42.T
11MM, LENGTH 44CM	BOI.97.130.11.L.44.S	BOI.97.130.11.L.44.T
11MM, LENGTH 46CM	BOI.97.130.11.L.46.S	BOI.97.130.11.L.46.T
12MM, LENGTH 32CM	BOI.97.130.12.L.32.S	BOI.97.130.12.L.32.T
12MM, LENGTH 34CM	BOI.97.130.12.L.34.S	BOI.97.130.12.L.34.T
12MM, LENGTH 36CM	BOI.97.130.12.L.36.S	BOI.97.130.12.L.36.T
12MM, LENGTH 38CM	BOI.97.130.12.L.38.S	BOI.97.130.12.L.38.T
12MM, LENGTH 40CM	BOI.97.130.12.L.40.S	BOI.97.130.12.L.40.T
12MM, LENGTH 42CM	BOI.97.130.12.L.42.S	BOI.97.130.12.L.42.T
12MM, LENGTH 44CM	BOI.97.130.12.L.44.S	BOI.97.130.12.L.44.T
12MM, LENGTH 46CM	BOI.97.130.12.L.46.S	BOI.97.130.12.L.46.T

INTRAMEDULLARY NAIL



PROXIMAL FEMUR NAIL LONG 130 & 135 DEGREE RIGHT



Size	Stainless Steel	Titanium
09MM, LENGTH 32CM	BOI.97.130.09.R.32.S	BOI.97.130.09.R.32.T
09MM, LENGTH 34CM	BOI.97.130.09.R.34.S	BOI.97.130.09.R.34.T
09MM, LENGTH 36CM	BOI.97.130.09.R.36.S	BOI.97.130.09.R.36.T
09MM, LENGTH 38CM	BOI.97.130.09.R.38.S	BOI.97.130.09.R.38.T
09MM, LENGTH 40CM	BOI.97.130.09.R.40.S	BOI.97.130.09.R.40.T
09MM, LENGTH 42CM	BOI.97.130.09.R.42.S	BOI.97.130.09.R.42.T
09MM, LENGTH 44CM	BOI.97.130.09.R.44.S	BOI.97.130.09.R.44.T
09MM, LENGTH 46CM	BOI.97.130.09.R.46.S	BOI.97.130.09.R.46.T
10MM, LENGTH 32CM	BOI.97.130.10.R.32.S	BOI.97.130.10.R.32.T
10MM, LENGTH 34CM	BOI.97.130.10.R.34.S	BOI.97.130.10.R.34.T
10MM, LENGTH 36CM	BOI.97.130.10.R.36.S	BOI.97.130.10.R.36.T
10MM, LENGTH 38CM	BOI.97.130.10.R.38.S	BOI.97.130.10.R.38.T
10MM, LENGTH 40CM	BOI.97.130.10.R.40.S	BOI.97.130.10.R.40.T
10MM, LENGTH 42CM	BOI.97.130.10.R.42.S	BOI.97.130.10.R.42.T
10MM, LENGTH 44CM	BOI.97.130.10.R.44.S	BOI.97.130.10.R.44.T
10MM, LENGTH 46CM	BOI.97.130.10.R.46.S	BOI.97.130.10.R.46.T
11MM, LENGTH 32CM	BOI.97.130.11.R.32.S	BOI.97.130.11.R.32.T
11MM, LENGTH 34CM	BOI.97.130.11.R.34.S	BOI.97.130.11.R.34.T
11MM, LENGTH 36CM	BOI.97.130.11.R.36.S	BOI.97.130.11.R.36.T
11MM, LENGTH 38CM	BOI.97.130.11.R.38.S	BOI.97.130.11.R.38.T
11MM, LENGTH 40CM	BOI.97.130.11.R.40.S	BOI.97.130.11.R.40.T
11MM, LENGTH 42CM	BOI.97.130.11.R.42.S	BOI.97.130.11.R.42.T
11MM, LENGTH 44CM	BOI.97.130.11.R.44.S	BOI.97.130.11.R.44.T
11MM, LENGTH 46CM	BOI.97.130.11.R.46.S	BOI.97.130.11.R.46.T
12MM, LENGTH 32CM	BOI.97.130.12.R.32.S	BOI.97.130.12.R.32.T
12MM, LENGTH 34CM	BOI.97.130.12.R.34.S	BOI.97.130.12.R.34.T
12MM, LENGTH 36CM	BOI.97.130.12.R.36.S	BOI.97.130.12.R.36.T
12MM, LENGTH 38CM	BOI.97.130.12.R.38.S	BOI.97.130.12.R.38.T
12MM, LENGTH 40CM	BOI.97.130.12.R.40.S	BOI.97.130.12.R.40.T
12MM, LENGTH 42CM	BOI.97.130.12.R.42.S	BOI.97.130.12.R.42.T
12MM, LENGTH 44CM	BOI.97.130.12.R.44.S	BOI.97.130.12.R.44.T
12MM, LENGTH 46CM	BOI.97.130.12.R.46.S	BOI.97.130.12.R.46.T

INTRAMEDULLARY NAIL



PFNA 2 NAIL SHORT 130
DEGREE



Size	Stainless Steel	Titanium
09MM, LENGTH 17CM	BOI.98.130.09.17.S	BOI.98.130.09.17.T
09MM, LENGTH 20CM	BOI.98.130.09.20.S	BOI.98.130.09.20.T
09MM, LENGTH 22CM	BOI.98.130.09.22.S	BOI.98.130.09.22.T
09MM, LENGTH 24CM	BOI.98.130.09.24.S	BOI.98.130.09.24.T
10MM, LENGTH 17CM	BOI.98.130.10.17.S	BOI.98.130.10.17.T
10MM, LENGTH 20CM	BOI.98.130.10.20.S	BOI.98.130.10.20.T
10MM, LENGTH 22CM	BOI.98.130.10.22.S	BOI.98.130.10.22.T
10MM, LENGTH 24CM	BOI.98.130.10.24.S	BOI.98.130.10.24.T
11MM, LENGTH 17CM	BOI.98.130.11.17.S	BOI.98.130.11.17.T
11MM, LENGTH 20CM	BOI.98.130.11.20.S	BOI.98.130.11.20.T
11MM, LENGTH 22CM	BOI.98.130.11.22.S	BOI.98.130.11.22.T
11MM, LENGTH 24CM	BOI.98.130.11.24.S	BOI.98.130.11.24.T
12MM, LENGTH 17CM	BOI.98.130.12.17.S	BOI.98.130.12.17.T
12MM, LENGTH 20CM	BOI.98.130.12.20.S	BOI.98.130.12.20.T
12MM, LENGTH 22CM	BOI.98.130.12.22.S	BOI.98.130.12.22.T
12MM, LENGTH 24CM	BOI.98.130.12.24.S	BOI.98.130.12.24.T

INTRAMEDULLARY NAIL



PFNA 2 NAIL LONG 130
DEGREE LEFT



Size	Stainless Steel	Titanium
09MM, LENGTH 34CM	BOI.98.130.09.L.34.S	BOI.98.130.09.L.34.T
09MM, LENGTH 36CM	BOI.98.130.09.L.36.S	BOI.98.130.09.L.36.T
09MM, LENGTH 38CM	BOI.98.130.09.L.38.S	BOI.98.130.09.L.38.T
09MM, LENGTH 40CM	BOI.98.130.09.L.40.S	BOI.98.130.09.L.40.T
09MM, LENGTH 42CM	BOI.98.130.09.L.42.S	BOI.98.130.09.L.42.T
09MM, LENGTH 44CM	BOI.98.130.09.L.44.S	BOI.98.130.09.L.44.T
10MM, LENGTH 34CM	BOI.98.130.10.L.34.S	BOI.98.130.10.L.34.T
10MM, LENGTH 36CM	BOI.98.130.10.L.36.S	BOI.98.130.10.L.36.T
10MM, LENGTH 38CM	BOI.98.130.10.L.38.S	BOI.98.130.10.L.38.T
10MM, LENGTH 40CM	BOI.98.130.10.L.40.S	BOI.98.130.10.L.40.T
10MM, LENGTH 42CM	BOI.98.130.10.L.42.S	BOI.98.130.10.L.42.T
10MM, LENGTH 44CM	BOI.98.130.10.L.44.S	BOI.98.130.10.L.44.T
11MM, LENGTH 34CM	BOI.98.130.11.L.34.S	BOI.98.130.11.L.34.T
11MM, LENGTH 36CM	BOI.98.130.11.L.36.S	BOI.98.130.11.L.36.T
11MM, LENGTH 38CM	BOI.98.130.11.L.38.S	BOI.98.130.11.L.38.T
11MM, LENGTH 40CM	BOI.98.130.11.L.40.S	BOI.98.130.11.L.40.T
11MM, LENGTH 42CM	BOI.98.130.11.L.42.S	BOI.98.130.11.L.42.T
11MM, LENGTH 44CM	BOI.98.130.11.L.44.S	BOI.98.130.11.L.44.T
12MM, LENGTH 34CM	BOI.98.130.12.L.34.S	BOI.98.130.12.L.34.T
12MM, LENGTH 36CM	BOI.98.130.12.L.36.S	BOI.98.130.12.L.36.T
12MM, LENGTH 38CM	BOI.98.130.12.L.38.S	BOI.98.130.12.L.38.T
12MM, LENGTH 40CM	BOI.98.130.12.L.40.S	BOI.98.130.12.L.40.T
12MM, LENGTH 42CM	BOI.98.130.12.L.42.S	BOI.98.130.12.L.42.T
12MM, LENGTH 44CM	BOI.98.130.12.L.44.S	BOI.98.130.12.L.44.T

INTRAMEDULLARY NAIL



PFNA 2 NAIL LONG 130
DEGRE RIGHT



Size	Stainless Steel	Titanium
09MM,LENGTH 34CM	BOI.98.130.09.R.34.S	BOI.98.130.09.R.34.T
09MM,LENGTH 36CM	BOI.98.130.09.R.36.S	BOI.98.130.09.R.36.T
09MM,LENGTH 38CM	BOI.98.130.09.R.38.S	BOI.98.130.09.R.38.T
09MM,LENGTH 40CM	BOI.98.130.09.R.40.S	BOI.98.130.09.R.40.T
09MM,LENGTH 42CM	BOI.98.130.09.R.42.S	BOI.98.130.09.R.42.T
09MM,LENGTH 44CM	BOI.98.130.09.R.44.S	BOI.98.130.09.R.44.T
10MM,LENGTH 30CM	BOI.98.130.10.R.30.S	BOI.98.130.10.R.30.T
10MM,LENGTH 32CM	BOI.98.130.10.R.32.S	BOI.98.130.10.R.32.T
10MM,LENGTH 34CM	BOI.98.130.10.R.34.S	BOI.98.130.10.R.34.T
10MM,LENGTH 36CM	BOI.98.130.10.R.36.S	BOI.98.130.10.R.36.T
10MM,LENGTH 38CM	BOI.98.130.10.R.38.S	BOI.98.130.10.R.38.T
10MM,LENGTH 40CM	BOI.98.130.10.R.40.S	BOI.98.130.10.R.40.T
10MM,LENGTH 42CM	BOI.98.130.10.R.42.S	BOI.98.130.10.R.42.T
10MM,LENGTH 44CM	BOI.98.130.10.R.44.S	BOI.98.130.10.R.44.T
11MM,LENGTH 34CM	BOI.98.130.11.R.34.S	BOI.98.130.11.R.34.T
11MM,LENGTH 36CM	BOI.98.130.11.R.36.S	BOI.98.130.11.R.36.T
11MM,LENGTH 38CM	BOI.98.130.11.R.38.S	BOI.98.130.11.R.38.T
11MM,LENGTH 40CM	BOI.98.130.11.R.40.S	BOI.98.130.11.R.40.T
11MM,LENGTH 42CM	BOI.98.130.11.R.42.S	BOI.98.130.11.R.42.T
11MM,LENGTH 44CM	BOI.98.130.11.R.44.S	BOI.98.130.11.R.44.T
12MM,LENGTH 30CM	BOI.98.130.12.R.30.S	BOI.98.130.12.R.30.T
12MM,LENGTH 36CM	BOI.98.130.12.R.36.S	BOI.98.130.12.R.36.T
12MM,LENGTH 38CM	BOI.98.130.12.R.38.S	BOI.98.130.12.R.38.T
12MM,LENGTH 40CM	BOI.98.130.12.R.40.S	BOI.98.130.12.R.40.T
12MM,LENGTH 42CM	BOI.98.130.12.R.42.S	BOI.98.130.12.R.42.T
12MM,LENGTH 44CM	BOI.98.130.12.R.44.S	BOI.98.130.12.R.44.T

INTRAMEDULLARY NAIL



SIRUS NAIL FOR FEMUR



Size	Stainless Steel	Titanium	Size	Stainless Steel	Titanium
LENGTH 34CM	BOI.159.09.L.34.S	BOI.159.09.L.34.T	LENGTH 34CM	BOI.159.09.R.34.S	BOI.159.09.R.34.T
LENGTH 36CM	BOI.159.09.L.36.S	BOI.159.09.L.36.T	LENGTH 36CM	BOI.159.09.R.36.S	BOI.159.09.R.36.T
LENGTH 38CM	BOI.159.09.L.38.S	BOI.159.09.L.38.T	LENGTH 38CM	BOI.159.09.R.38.S	BOI.159.09.R.38.T
LENGTH 40CM	BOI.159.09.L.40.S	BOI.159.09.L.40.T	LENGTH 40CM	BOI.159.09.R.40.S	BOI.159.09.R.40.T
LENGTH 42CM	BOI.159.09.L.42.S	BOI.159.09.L.42.T	LENGTH 42CM	BOI.159.09.R.42.S	BOI.159.09.R.42.T
LENGTH 44CM	BOI.159.09.L.44.S	BOI.159.09.L.44.T	LENGTH 44CM	BOI.159.09.R.44.S	BOI.159.09.R.44.T
LENGTH 34CM	BOI.159.10.L.34.S	BOI.159.10.L.34.T	LENGTH 34CM	BOI.159.10.R.34.S	BOI.159.10.R.34.T
LENGTH 36CM	BOI.159.10.L.36.S	BOI.159.10.L.36.T	LENGTH 36CM	BOI.159.10.R.36.S	BOI.159.10.R.36.T
LENGTH 38CM	BOI.159.10.L.38.S	BOI.159.10.L.38.T	LENGTH 38CM	BOI.159.10.R.38.S	BOI.159.10.R.38.T
LENGTH 40CM	BOI.159.10.L.40.S	BOI.159.10.L.40.T	LENGTH 40CM	BOI.159.10.R.40.S	BOI.159.10.R.40.T
LENGTH 42CM	BOI.159.10.L.42.S	BOI.159.10.L.42.T	LENGTH 42CM	BOI.159.10.R.42.S	BOI.159.10.R.42.T
LENGTH 44CM	BOI.159.10.L.44.S	BOI.159.10.L.44.T	LENGTH 44CM	BOI.159.10.R.44.S	BOI.159.10.R.44.T
LENGTH 34CM	BOI.159.11.L.34.S	BOI.159.11.L.34.T	LENGTH 34CM	BOI.159.11.R.34.S	BOI.159.11.R.34.T
LENGTH 36CM	BOI.159.11.L.36.S	BOI.159.11.L.36.T	LENGTH 36CM	BOI.159.11.R.36.S	BOI.159.11.R.36.T
LENGTH 38CM	BOI.159.11.L.38.S	BOI.159.11.L.38.T	LENGTH 38CM	BOI.159.11.R.38.S	BOI.159.11.R.38.T
LENGTH 40CM	BOI.159.11.L.40.S	BOI.159.11.L.40.T	LENGTH 40CM	BOI.159.11.R.40.S	BOI.159.11.R.40.T
LENGTH 42CM	BOI.159.11.L.42.S	BOI.159.11.L.42.T	LENGTH 42CM	BOI.159.11.R.42.S	BOI.159.11.R.42.T
LENGTH 44CM	BOI.159.11.L.44.S	BOI.159.11.L.44.T	LENGTH 44CM	BOI.159.11.R.44.S	BOI.159.11.R.44.T
LENGTH 34CM	BOI.159.12.L.34.S	BOI.159.12.L.34.T	LENGTH 34CM	BOI.159.12.R.34.S	BOI.159.12.R.34.T
LENGTH 36CM	BOI.159.12.L.36.S	BOI.159.12.L.36.T	LENGTH 36CM	BOI.159.12.R.36.S	BOI.159.12.R.36.T
LENGTH 38CM	BOI.159.12.L.38.S	BOI.159.12.L.38.T	LENGTH 38CM	BOI.159.12.R.38.S	BOI.159.12.R.38.T
LENGTH 40CM	BOI.159.12.L.40.S	BOI.159.12.L.40.T	LENGTH 40CM	BOI.159.12.R.40.S	BOI.159.12.R.40.T
LENGTH 42CM	BOI.159.12.L.42.S	BOI.159.12.L.42.T	LENGTH 42CM	BOI.159.12.R.42.S	BOI.159.12.R.42.T
LENGTH 44CM	BOI.159.12.L.44.S	BOI.159.12.L.44.T	LENGTH 44CM	BOI.159.12.R.44.S	BOI.159.12.R.44.T

INTRAMEDULLARY NAIL



INTERLOCKING TIBIA NAIL (ANKLE)



Size	Stainless Steel	Titanium
09MM, LENGTH 15CM	BOI.9936.09.15.S	BOI.9936.09.15.T
09MM, LENGTH 18CM	BOI.9936.09.18.S	BOI.9936.09.18.T
09MM, LENGTH 21CM	BOI.9936.09.21.S	BOI.9936.09.21.T
09MM, LENGTH 24CM	BOI.9936.09.24.S	BOI.9936.09.24.T
09MM, LENGTH 27CM	BOI.9936.09.27.S	BOI.9936.09.27.T
09MM, LENGTH 30CM	BOI.9936.09.30.S	BOI.9936.09.30.T
09MM, LENGTH 33CM	BOI.9936.09.33.S	BOI.9936.09.33.T
10MM, LENGTH 15CM	BOI.9936.10.15.S	BOI.9936.10.15.T
10MM, LENGTH 18CM	BOI.9936.10.18.S	BOI.9936.10.18.T
10MM, LENGTH 21CM	BOI.9936.10.21.S	BOI.9936.10.21.T
10MM, LENGTH 24CM	BOI.9936.10.24.S	BOI.9936.10.24.T
10MM, LENGTH 27CM	BOI.9936.10.27.S	BOI.9936.10.27.T
10MM, LENGTH 30CM	BOI.9936.10.30.S	BOI.9936.10.30.T
10MM, LENGTH 33CM	BOI.9936.10.33.S	BOI.9936.10.33.T
11MM, LENGTH 15CM	BOI.9936.11.15.S	BOI.9936.11.15.T
11MM, LENGTH 18CM	BOI.9936.11.18.S	BOI.9936.11.18.T
11MM, LENGTH 21CM	BOI.9936.11.21.S	BOI.9936.11.21.T
11MM, LENGTH 24CM	BOI.9936.11.24.S	BOI.9936.11.24.T
11MM, LENGTH 27CM	BOI.9936.11.27.S	BOI.9936.11.27.T
11MM, LENGTH 30CM	BOI.9936.11.30.S	BOI.9936.11.30.T
11MM, LENGTH 33CM	BOI.9936.11.33.S	BOI.9936.11.33.T

INTRAMEDULLARY NAIL



INTERLOCKING BOLT
W/H 3.1MM



Size	Stainless Steel	Titanium
LENGTH 18MM	BOI.01.233.18.S	BOI.01.233.18.T
LENGTH 20MM	BOI.01.233.20.S	BOI.01.233.20.T
LENGTH 22MM	BOI.01.233.22.S	BOI.01.233.22.T
LENGTH 24MM	BOI.01.233.24.S	BOI.01.233.24.T
LENGTH 26MM	BOI.01.233.26.S	BOI.01.233.26.T
LENGTH 28MM	BOI.01.233.28.S	BOI.01.233.28.T
LENGTH 30MM	BOI.01.233.30.S	BOI.01.233.30.T
LENGTH 32MM	BOI.01.233.32.S	BOI.01.233.32.T
LENGTH 34MM	BOI.01.233.34.S	BOI.01.233.34.T
LENGTH 36MM	BOI.01.233.36.S	BOI.01.233.36.T
LENGTH 38MM	BOI.01.233.38.S	BOI.01.233.38.T
LENGTH 40MM	BOI.01.233.40.S	BOI.01.233.40.T
LENGTH 42MM	BOI.01.233.42.S	BOI.01.233.42.T
LENGTH 44MM	BOI.01.233.44.S	BOI.01.233.44.T
LENGTH 46MM	BOI.01.233.46.S	BOI.01.233.46.T
LENGTH 48MM	BOI.01.233.48.S	BOI.01.233.48.T
LENGTH 50MM	BOI.01.233.50.S	BOI.01.233.50.T

INTRAMEDULLARY NAIL



SUPRA CONDYLAR NAIL (MRFN)



Size	Stainless Steel	Titanium
09MM, LENGTH 20CM	BOI.99.09.20.S	BOI.99.09.20.T
09MM, LENGTH 24CM	BOI.99.09.24.S	BOI.99.09.24.T
09MM, LENGTH 28CM	BOI.99.09.28.S	BOI.99.09.28.T
09MM, LENGTH 30CM	BOI.99.09.30.S	BOI.99.09.30.T
09MM, LENGTH 32CM	BOI.99.09.32.S	BOI.99.09.32.T
09MM, LENGTH 34CM	BOI.99.09.34.S	BOI.99.09.34.T
09MM, LENGTH 36CM	BOI.99.09.36.S	BOI.99.09.36.T
09MM, LENGTH 38CM	BOI.99.09.38.S	BOI.99.09.38.T
09MM, LENGTH 40CM	BOI.99.09.40.S	BOI.99.09.40.T
10MM, LENGTH 20CM	BOI.99.10.20.S	BOI.99.10.20.T
10MM, LENGTH 24CM	BOI.99.10.24.S	BOI.99.10.24.T
10MM, LENGTH 28CM	BOI.99.10.28.S	BOI.99.10.28.T
10MM, LENGTH 30CM	BOI.99.10.30.S	BOI.99.10.30.T
10MM, LENGTH 32CM	BOI.99.10.32.S	BOI.99.10.32.T
10MM, LENGTH 34CM	BOI.99.10.34.S	BOI.99.10.34.T
10MM, LENGTH 36CM	BOI.99.10.36.S	BOI.99.10.36.T
10MM, LENGTH 38CM	BOI.99.10.38.S	BOI.99.10.38.T
10MM, LENGTH 40CM	BOI.99.10.40.S	BOI.99.10.40.T
11MM, LENGTH 20CM	BOI.99.11.20.S	BOI.99.11.20.T
11MM, LENGTH 24CM	BOI.99.11.24.S	BOI.99.11.24.T
11MM, LENGTH 28CM	BOI.99.11.28.S	BOI.99.11.28.T
11MM, LENGTH 30CM	BOI.99.11.30.S	BOI.99.11.30.T
11MM, LENGTH 32CM	BOI.99.11.32.S	BOI.99.11.32.T
11MM, LENGTH 34CM	BOI.99.11.34.S	BOI.99.11.34.T
11MM, LENGTH 36CM	BOI.99.11.36.S	BOI.99.11.36.T
11MM, LENGTH 38CM	BOI.99.11.38.S	BOI.99.11.38.T
11MM, LENGTH 40CM	BOI.99.11.40.S	BOI.99.11.40.T
12MM, LENGTH 20CM	BOI.99.12.20.S	BOI.99.12.20.T
12MM, LENGTH 24CM	BOI.99.12.24.S	BOI.99.12.24.T
12MM, LENGTH 28CM	BOI.99.12.28.S	BOI.99.12.28.T
12MM, LENGTH 30CM	BOI.99.12.30.S	BOI.99.12.30.T
12MM, LENGTH 32CM	BOI.99.12.32.S	BOI.99.12.32.T
12MM, LENGTH 34CM	BOI.99.12.34.S	BOI.99.12.34.T
12MM, LENGTH 36CM	BOI.99.12.36.S	BOI.99.12.36.T
12MM, LENGTH 38CM	BOI.99.12.38.S	BOI.99.12.38.T
12MM, LENGTH 40CM	BOI.99.12.40.S	BOI.99.12.40.T

INTRAMEDULLARY NAIL



INTERLOCKING BOLT 3.9 MM



Size	Stainless Steel	Titanium
LENGTH 18MM	BOI.153.18.S	BOI.153.18.T
LENGTH 20MM	BOI.153.20.S	BOI.153.20.T
LENGTH 22MM	BOI.153.22.S	BOI.153.22.T
LENGTH 24MM	BOI.153.24.S	BOI.153.24.T
LENGTH 26MM	BOI.153.26.S	BOI.153.26.T
LENGTH 28MM	BOI.153.28.S	BOI.153.28.T
LENGTH 30MM	BOI.153.30.S	BOI.153.30.T
LENGTH 32MM	BOI.153.32.S	BOI.153.32.T
LENGTH 34MM	BOI.153.34.S	BOI.153.34.T
LENGTH 36MM	BOI.153.36.S	BOI.153.36.T
LENGTH 38MM	BOI.153.38.S	BOI.153.38.T
LENGTH 40MM	BOI.153.40.S	BOI.153.40.T
LENGTH 42MM	BOI.153.42.S	BOI.153.42.T
LENGTH 44MM	BOI.153.44.S	BOI.153.44.T
LENGTH 46MM	BOI.153.46.S	BOI.153.46.T
LENGTH 48MM	BOI.153.48.S	BOI.153.48.T
LENGTH 50MM	BOI.153.50.S	BOI.153.50.T
LENGTH 52MM	BOI.153.52.S	BOI.153.52.T
LENGTH 54MM	BOI.153.54.S	BOI.153.54.T
LENGTH 55MM	BOI.153.55.S	BOI.153.55.T
LENGTH 56MM	BOI.153.56.S	BOI.153.56.T
LENGTH 58MM	BOI.153.58.S	BOI.153.58.T
LENGTH 60MM	BOI.153.60.S	BOI.153.60.T
LENGTH 65MM	BOI.153.65.S	BOI.153.65.T
LENGTH 70MM	BOI.153.70.S	BOI.153.70.T
LENGTH 75MM	BOI.153.75.S	BOI.153.75.T
LENGTH 80MM	BOI.153.80.S	BOI.153.80.T

INTRAMEDULLARY NAIL



INTERLOCKING BOLT
4.9 MM



Size	Stainless Steel	Titanium
LENGTH 18MM	BOI.152.18.S	BOI.152.18.T
LENGTH 20MM	BOI.152.20.S	BOI.152.20.T
LENGTH 22MM	BOI.152.22.S	BOI.152.22.T
LENGTH 24MM	BOI.152.24.S	BOI.152.24.T
LENGTH 26MM	BOI.152.26.S	BOI.152.26.T
LENGTH 28MM	BOI.152.28.S	BOI.152.28.T
LENGTH 30MM	BOI.152.30.S	BOI.152.30.T
LENGTH 32MM	BOI.152.32.S	BOI.152.32.T
LENGTH 34MM	BOI.152.34.S	BOI.152.34.T
LENGTH 36MM	BOI.152.36.S	BOI.152.36.T
LENGTH 38MM	BOI.152.38.S	BOI.152.38.T
LENGTH 40MM	BOI.152.40.S	BOI.152.40.T
LENGTH 42MM	BOI.152.42.S	BOI.152.42.T
LENGTH 44MM	BOI.152.44.S	BOI.152.44.T
LENGTH 46MM	BOI.152.46.S	BOI.152.46.T
LENGTH 48MM	BOI.152.48.S	BOI.152.48.T
LENGTH 50MM	BOI.152.50.S	BOI.152.50.T
LENGTH 52MM	BOI.152.52.S	BOI.152.52.T
LENGTH 54MM	BOI.152.54.S	BOI.152.54.T
LENGTH 56MM	BOI.152.56.S	BOI.152.56.T
LENGTH 58MM	BOI.152.58.S	BOI.152.58.T
LENGTH 60MM	BOI.152.60.S	BOI.152.60.T
LENGTH 62MM	BOI.152.62.S	BOI.152.62.T
LENGTH 64MM	BOI.152.64.S	BOI.152.64.T
LENGTH 65MM	BOI.152.65.S	BOI.152.65.T
LENGTH 66MM	BOI.152.66.S	BOI.152.66.T
LENGTH 68MM	BOI.152.68.S	BOI.152.68.T
LENGTH 70MM	BOI.152.70.S	BOI.152.70.T
LENGTH 75MM	BOI.152.75.S	BOI.152.75.T
LENGTH 80MM	BOI.152.80.S	BOI.152.80.T

INTRAMEDULLARY NAIL



PFN BOLT CANNULATED
6.4MM



Size	Stainless Steel	Titanium
LENGTH 40MM	BOI.95.40.S	BOI.95.40.T
LENGTH 45MM	BOI.95.45.S	BOI.95.45.T
LENGTH 50MM	BOI.95.50.S	BOI.95.50.T
LENGTH 55MM	BOI.95.55.S	BOI.95.55.T
LENGTH 60MM	BOI.95.60.S	BOI.95.60.T
LENGTH 65MM	BOI.95.65.S	BOI.95.65.T
LENGTH 70MM	BOI.95.70.S	BOI.95.70.T
LENGTH 75MM	BOI.95.75.S	BOI.95.75.T
LENGTH 80MM	BOI.95.80.S	BOI.95.80.T
LENGTH 85MM	BOI.95.85.S	BOI.95.85.T
LENGTH 90MM	BOI.95.90.S	BOI.95.90.T
LENGTH 95MM	BOI.95.95.S	BOI.95.95.T
LENGTH 100MM	BOI.95.100.S	BOI.95.100.T
LENGTH 105MM	BOI.95.105.S	BOI.95.105.T
LENGTH 110MM	BOI.95.110.S	BOI.95.110.T

INTRAMEDULLARY NAIL



PFN BOLT CANNULATED
8.0MM (HEX)



Size	Stainless Steel	Titanium
LENGTH 40MM	BOI.01.96.40.S	BOI.01.96.40.T
LENGTH 45MM	BOI.01.96.45.S	BOI.01.96.45.T
LENGTH 50MM	BOI.01.96.50.S	BOI.01.96.50.T
LENGTH 55MM	BOI.01.96.55.S	BOI.01.96.55.T
LENGTH 60MM	BOI.01.96.60.S	BOI.01.96.60.T
LENGTH 65MM	BOI.01.96.65.S	BOI.01.96.65.T
LENGTH 70MM	BOI.01.96.70.S	BOI.01.96.70.T
LENGTH 75MM	BOI.01.96.75.S	BOI.01.96.75.T
LENGTH 80MM	BOI.01.96.80.S	BOI.01.96.80.T
LENGTH 85MM	BOI.01.96.85.S	BOI.01.96.85.T
LENGTH 90MM	BOI.01.96.90.S	BOI.01.96.90.T
LENGTH 95MM	BOI.01.96.95.S	BOI.01.96.95.T
LENGTH 100MM	BOI.01.96.100.S	BOI.01.96.100.T
LENGTH 105MM	BOI.01.96.105.S	BOI.01.96.105.T
LENGTH 110MM	BOI.01.96.110.S	BOI.01.96.110.T

INTRAMEDULLARY NAIL



PFN BOLT CANNULATED
8.0MM



Size	Stainless Steel	Titanium
LENGTH 40MM	BOI.96.40.S	BOI.96.40.T
LENGTH 45MM	BOI.96.45.S	BOI.96.45.T
LENGTH 50MM	BOI.96.50.S	BOI.96.50.T
LENGTH 55MM	BOI.96.55.S	BOI.96.55.T
LENGTH 60MM	BOI.96.60.S	BOI.96.60.T
LENGTH 65MM	BOI.96.65.S	BOI.96.65.T
LENGTH 70MM	BOI.96.70.S	BOI.96.70.T
LENGTH 75MM	BOI.96.75.S	BOI.96.75.T
LENGTH 80MM	BOI.96.80.S	BOI.96.80.T
LENGTH 85MM	BOI.96.85.S	BOI.96.85.T
LENGTH 90MM	BOI.96.90.S	BOI.96.90.T
LENGTH 95MM	BOI.96.95.S	BOI.96.95.T
LENGTH 100MM	BOI.96.100.S	BOI.96.100.T
LENGTH 105MM	BOI.96.105.S	BOI.96.105.T
LENGTH 110MM	BOI.96.110.S	BOI.96.110.T

INTRAMEDULLARY NAIL



PFNA 2 BLADE



Size	Stainless Steel	Titanium
LENGTH 70MM	BOI.89.70.S	BOI.89.70.T
LENGTH 75MM	BOI.89.75.S	BOI.89.75.T
LENGTH 80MM	BOI.89.80.S	BOI.89.80.T
LENGTH 85MM	BOI.89.85.S	BOI.89.85.T
LENGTH 90MM	BOI.89.90.S	BOI.89.90.T
LENGTH 95MM	BOI.89.95.S	BOI.89.95.T
LENGTH 100MM	BOI.89.100.S	BOI.89.100.T
LENGTH 105MM	BOI.89.105.S	BOI.89.105.T
LENGTH 110MM	BOI.89.110.S	BOI.89.110.T
LENGTH 115MM	BOI.89.115.S	BOI.89.115.T
LENGTH 120MM	BOI.89.120.S	BOI.89.120.T

INTRAMEDULLARY NAIL



COMPRESSION SCREW
FOR PFNA2



Size	Stainless Steel	Titanium
LENGTH 70MM	BOI.87.70.S	BOI.87.70.T
LENGTH 75MM	BOI.87.75.S	BOI.87.75.T
LENGTH 80MM	BOI.87.80.S	BOI.87.80.T
LENGTH 85MM	BOI.87.85.S	BOI.87.85.T
LENGTH 90MM	BOI.87.90.S	BOI.87.90.T
LENGTH 95MM	BOI.87.95.S	BOI.87.95.T
LENGTH 100MM	BOI.87.100.S	BOI.87.100.T
LENGTH 105MM	BOI.87.105.S	BOI.87.105.T
LENGTH 110MM	BOI.87.110.S	BOI.87.110.T
LENGTH 115MM	BOI.87.115.S	BOI.87.115.T
LENGTH 120MM	BOI.87.120.S	BOI.87.120.T

INTRAMEDULLARY NAIL



Size

Stainless Steel

Titanium

**CAP FOR PFNA 2
CS 0MM**

0 MM

BO.710.036.S

BO.710.036.T



Size

Stainless Steel

Titanium

**CAP FOR PFNA 2
CS 5MM**

5 MM

BO.710.037.S

BO.710.037.T



Size

Stainless Steel

Titanium

**CAP FOR PFNA 2
CS 10MM**

10 MM

BO.710.038.S

BO.710.038.T



INTRAMEDULLARY NAIL



Size	Stainless Steel	Titanium	CAP FOR PFNA 2 CC 0MM
0 MM	BO.710.039.S	BO.710.039.T	



Size	Stainless Steel	Titanium	CAP FOR PFNA 2 CC 5MM
5 MM	BO.710.040.S	BO.710.040.T	



Size	Stainless Steel	Titanium	CAP FOR PFNA 2 CC 10MM
10 MM	BO.710.041.S	BO.710.041.T	



INTRAMEDULLARY NAIL



Size	Stainless Steel	Titanium	CAP FOR HUMERUS NAIL
HUMERUS NAIL	BO.710.042.S	BO.710.042.T	



Size	Stainless Steel	Titanium	CAP FOR PFN NAIL
PFN NAIL	BO.712.050.S	BO.712.050.T	



Size	Stainless Steel	Titanium	CAP FOR SIRUS NAIL OMM
SIRUS NAIL OMM	BO.710.043.S	BO.710.043.T	



Size	Stainless Steel	Titanium	CAP FOR SMART TIBIA NAIL
TIBIA NAIL	BO.710.050.S	BO.710.050.T	



INTRAMEDULLARY NAIL



Size	Stainless Steel	Titanium	CAP FOR TIBIA & FEMUR NAIL
TIBIA & FEMUR NAIL	BO.710.51.S	BO.710.51.T	



Size	Stainless Steel	Titanium	INNER FOR LOCKING SCREW OF ANKLE NAIL
ANKLE NAIL	BO.04.389.122.S	BO.04.389.122.T	



Size	Stainless Steel	Titanium	INNER FOR LOCKING SCREW OF PFNA2 NAIL
PFNA2 NAIL	BO.05.389.122.S	BO.05.389.122.T	



Bone Screw

Cancellous Screw
Cannulated Screw
Cortical Screw
Locking Screw
DHS Screw

BONE SCREW CANCELLOUS



CANCELLOUS SCREW (Short Thread) W/H DIA. 4.0MM

Size	Stainless Steel	Titanium
LENGTH 10MM	BOI.01.104.10.S	BOI.01.104.10.T
LENGTH 12MM	BOI.01.104.12.S	BOI.01.104.12.T
LENGTH 14MM	BOI.01.104.14.S	BOI.01.104.14.T
LENGTH 15MM	BOI.01.104.15.S	BOI.01.104.15.T
LENGTH 16MM	BOI.01.104.16.S	BOI.01.104.16.T
LENGTH 18MM	BOI.01.104.18.S	BOI.01.104.18.T
LENGTH 20MM	BOI.01.104.20.S	BOI.01.104.20.T
LENGTH 22MM	BOI.01.104.22.S	BOI.01.104.22.T
LENGTH 24MM	BOI.01.104.24.S	BOI.01.104.24.T
LENGTH 25MM	BOI.01.104.25.S	BOI.01.104.25.T
LENGTH 26MM	BOI.01.104.26.S	BOI.01.104.26.T
LENGTH 28MM	BOI.01.104.28.S	BOI.01.104.28.T
LENGTH 30MM	BOI.01.104.30.S	BOI.01.104.30.T
LENGTH 32MM	BOI.01.104.32.S	BOI.01.104.32.T
LENGTH 34MM	BOI.01.104.34.S	BOI.01.104.34.T
LENGTH 35MM	BOI.01.104.35.S	BOI.01.104.35.T
LENGTH 36MM	BOI.01.104.36.S	BOI.01.104.36.T
LENGTH 38MM	BOI.01.104.38.S	BOI.01.104.38.T
LENGTH 40MM	BOI.01.104.40.S	BOI.01.104.40.T
LENGTH 45MM	BOI.01.104.45.S	BOI.01.104.45.T
LENGTH 50MM	BOI.01.104.50.S	BOI.01.104.50.T
LENGTH 55MM	BOI.01.104.55.S	BOI.01.104.55.T
LENGTH 60MM	BOI.01.104.60.S	BOI.01.104.60.T
LENGTH 65MM	BOI.01.104.65.S	BOI.01.104.65.T
LENGTH 70MM	BOI.01.104.70.S	BOI.01.104.70.T
LENGTH 75MM	BOI.01.104.75.S	BOI.01.104.75.T
LENGTH 80MM	BOI.01.104.80.S	BOI.01.104.80.T
LENGTH 85MM	BOI.01.104.85.S	BOI.01.104.85.T
LENGTH 90MM	BOI.01.104.90.S	BOI.01.104.90.T



BONE SCREW CANCELLOUS



CANCELLOUS SCREW (Full Thread) W/H DIA .4.0MM

Size	Stainless Steel	Titanium
LENGTH 10MM	BOI.01.105.10.S	BOI.01.105.10.T
LENGTH 12MM	BOI.01.105.12.S	BOI.01.105.12.T
LENGTH 14MM	BOI.01.105.14.S	BOI.01.105.14.T
LENGTH 15MM	BOI.01.105.15.S	BOI.01.105.15.T
LENGTH 16MM	BOI.01.105.16.S	BOI.01.105.16.T
LENGTH 18MM	BOI.01.105.18.S	BOI.01.105.18.T
LENGTH 20MM	BOI.01.105.20.S	BOI.01.105.20.T
LENGTH 22MM	BOI.01.105.22.S	BOI.01.105.22.T
LENGTH 24MM	BOI.01.105.24.S	BOI.01.105.24.T
LENGTH 25MM	BOI.01.105.25.S	BOI.01.105.25.T
LENGTH 26MM	BOI.01.105.26.S	BOI.01.105.26.T
LENGTH 28MM	BOI.01.105.28.S	BOI.01.105.28.T
LENGTH 30MM	BOI.01.105.30.S	BOI.01.105.30.T
LENGTH 32MM	BOI.01.105.32.S	BOI.01.105.32.T
LENGTH 34MM	BOI.01.105.34.S	BOI.01.105.34.T
LENGTH 35MM	BOI.01.105.35.S	BOI.01.105.35.T
LENGTH 36MM	BOI.01.105.36.S	BOI.01.105.36.T
LENGTH 38MM	BOI.01.105.38.S	BOI.01.105.38.T
LENGTH 40MM	BOI.01.105.40.S	BOI.01.105.40.T
LENGTH 45MM	BOI.01.105.45.S	BOI.01.105.45.T
LENGTH 50MM	BOI.01.105.50.S	BOI.01.105.50.T
LENGTH 55MM	BOI.01.105.55.S	BOI.01.105.55.T
LENGTH 60MM	BOI.01.105.60.S	BOI.01.105.60.T
LENGTH 65MM	BOI.01.105.65.S	BOI.01.105.65.T
LENGTH 70MM	BOI.01.105.70.S	BOI.01.105.70.T
LENGTH 75MM	BOI.01.105.75.S	BOI.01.105.75.T
LENGTH 80MM	BOI.01.105.80.S	BOI.01.105.80.T
LENGTH 85MM	BOI.01.105.85.S	BOI.01.105.85.T
LENGTH 90MM	BOI.01.105.90.S	BOI.01.105.90.T



BONE SCREW CANNULATED



CANNULATED SCREW (SHORT THREAD) W/H DIA. 4.0MM

Size	Stainless Steel	Titanium
LENGTH 10MM	BOI.01.106.10.S	BOI.01.106.10.T
LENGTH 12MM	BOI.01.106.12.S	BOI.01.106.12.T
LENGTH 14MM	BOI.01.106.14.S	BOI.01.106.14.T
LENGTH 15MM	BOI.01.106.15.S	BOI.01.106.15.T
LENGTH 16MM	BOI.01.106.16.S	BOI.01.106.16.T
LENGTH 18MM	BOI.01.106.18.S	BOI.01.106.18.T
LENGTH 20MM	BOI.01.106.20.S	BOI.01.106.20.T
LENGTH 22MM	BOI.01.106.22.S	BOI.01.106.22.T
LENGTH 24MM	BOI.01.106.24.S	BOI.01.106.24.T
LENGTH 25MM	BOI.01.106.25.S	BOI.01.106.25.T
LENGTH 26MM	BOI.01.106.26.S	BOI.01.106.26.T
LENGTH 28MM	BOI.01.106.28.S	BOI.01.106.28.T
LENGTH 30MM	BOI.01.106.30.S	BOI.01.106.30.T
LENGTH 32MM	BOI.01.106.32.S	BOI.01.106.32.T
LENGTH 34MM	BOI.01.106.34.S	BOI.01.106.34.T
LENGTH 35MM	BOI.01.106.35.S	BOI.01.106.35.T
LENGTH 36MM	BOI.01.106.36.S	BOI.01.106.36.T
LENGTH 38MM	BOI.01.106.38.S	BOI.01.106.38.T
LENGTH 40MM	BOI.01.106.40.S	BOI.01.106.40.T
LENGTH 45MM	BOI.01.106.45.S	BOI.01.106.45.T
LENGTH 50MM	BOI.01.106.50.S	BOI.01.106.50.T
LENGTH 55MM	BOI.01.106.55.S	BOI.01.106.55.T
LENGTH 60MM	BOI.01.106.60.S	BOI.01.106.60.T
LENGTH 65MM	BOI.01.106.65.S	BOI.01.106.65.T
LENGTH 70MM	BOI.01.106.70.S	BOI.01.106.70.T
LENGTH 75MM	BOI.01.106.75.S	BOI.01.106.75.T
LENGTH 80MM	BOI.01.106.80.S	BOI.01.106.80.T
LENGTH 85MM	BOI.01.106.85.S	BOI.01.106.85.T
LENGTH 90MM	BOI.01.106.90.S	BOI.01.106.90.T



BONE SCREW CANNULATED



CANNULATED SCREW (Full Thread) W/H DIA.4.0MM

Size	Stainless Steel	Titanium
LENGTH 10MM	BOI.01.107.10.S	BOI.01.107.10.T
LENGTH 12MM	BOI.01.107.12.S	BOI.01.107.12.T
LENGTH 14MM	BOI.01.107.14.S	BOI.01.107.14.T
LENGTH 15MM	BOI.01.107.15.S	BOI.01.107.15.T
LENGTH 16MM	BOI.01.107.16.S	BOI.01.107.16.T
LENGTH 18MM	BOI.01.107.18.S	BOI.01.107.18.T
LENGTH 20MM	BOI.01.107.20.S	BOI.01.107.20.T
LENGTH 22MM	BOI.01.107.22.S	BOI.01.107.22.T
LENGTH 24MM	BOI.01.107.24.S	BOI.01.107.24.T
LENGTH 25MM	BOI.01.107.25.S	BOI.01.107.25.T
LENGTH 26MM	BOI.01.107.26.S	BOI.01.107.26.T
LENGTH 28MM	BOI.01.107.28.S	BOI.01.107.28.T
LENGTH 30MM	BOI.01.107.30.S	BOI.01.107.30.T
LENGTH 32MM	BOI.01.107.32.S	BOI.01.107.32.T
LENGTH 34MM	BOI.01.107.34.S	BOI.01.107.34.T
LENGTH 35MM	BOI.01.107.35.S	BOI.01.107.35.T
LENGTH 36MM	BOI.01.107.36.S	BOI.01.107.36.T
LENGTH 38MM	BOI.01.107.38.S	BOI.01.107.38.T
LENGTH 40MM	BOI.01.107.40.S	BOI.01.107.40.T
LENGTH 45MM	BOI.01.107.45.S	BOI.01.107.45.T
LENGTH 50MM	BOI.01.107.50.S	BOI.01.107.50.T
LENGTH 55MM	BOI.01.107.55.S	BOI.01.107.55.T
LENGTH 60MM	BOI.01.107.60.S	BOI.01.107.60.T
LENGTH 65MM	BOI.01.107.65.S	BOI.01.107.65.T
LENGTH 70MM	BOI.01.107.70.S	BOI.01.107.70.T
LENGTH 75MM	BOI.01.107.75.S	BOI.01.107.75.T
LENGTH 80MM	BOI.01.107.80.S	BOI.01.107.80.T
LENGTH 85MM	BOI.01.107.85.S	BOI.01.107.85.T
LENGTH 90MM	BOI.01.107.90.S	BOI.01.107.90.T



BONE SCREW CANCELLOUS



Size	Stainless Steel	Titanium
LENGTH 30MM	BOI.111.30.S	BOI.111.30.T
LENGTH 35MM	BOI.111.35.S	BOI.111.35.T
LENGTH 40MM	BOI.111.40.S	BOI.111.40.T
LENGTH 45MM	BOI.111.45.S	BOI.111.45.T
LENGTH 50MM	BOI.111.50.S	BOI.111.50.T
LENGTH 55MM	BOI.111.55.S	BOI.111.55.T
LENGTH 60MM	BOI.111.60.S	BOI.111.60.T
LENGTH 65MM	BOI.111.65.S	BOI.111.65.T
LENGTH 70MM	BOI.111.70.S	BOI.111.70.T
LENGTH 75MM	BOI.111.75.S	BOI.111.75.T
LENGTH 80MM	BOI.111.80.S	BOI.111.80.T
LENGTH 85MM	BOI.111.85.S	BOI.111.85.T
LENGTH 90MM	BOI.111.90.S	BOI.111.90.T
LENGTH 95MM	BOI.111.95.S	BOI.111.95.T
LENGTH 100MM	BOI.111.100.S	BOI.111.100.T
LENGTH 105MM	BOI.111.105.S	BOI.111.105.T
LENGTH 110MM	BOI.111.110.S	BOI.111.110.T

**CANCELLOUS SCREW 6.5 mm
(16 mm Thread)**



Size	Stainless Steel	Titanium
LENGTH 25MM	BOI.112.25.S	BOI.112.25.T
LENGTH 30MM	BOI.112.30.S	BOI.112.30.T
LENGTH 35MM	BOI.112.35.S	BOI.112.35.T
LENGTH 40MM	BOI.112.40.S	BOI.112.40.T
LENGTH 45MM	BOI.112.45.S	BOI.112.45.T
LENGTH 50MM	BOI.112.50.S	BOI.112.50.T
LENGTH 55MM	BOI.112.55.S	BOI.112.55.T
LENGTH 60MM	BOI.112.60.S	BOI.112.60.T
LENGTH 65MM	BOI.112.65.S	BOI.112.65.T
LENGTH 70MM	BOI.112.70.S	BOI.112.70.T
LENGTH 75MM	BOI.112.75.S	BOI.112.75.T
LENGTH 80MM	BOI.112.80.S	BOI.112.80.T
LENGTH 85MM	BOI.112.85.S	BOI.112.85.T
LENGTH 90MM	BOI.112.90.S	BOI.112.90.T
LENGTH 95MM	BOI.112.95.S	BOI.112.95.T
LENGTH 100MM	BOI.112.100.S	BOI.112.100.T
LENGTH 105MM	BOI.112.105.S	BOI.112.105.T
LENGTH 110MM	BOI.112.110.S	BOI.112.110.T

**CANCELLOUS SCREW 6.5 mm
(32 mm Thread)**



BONE SCREW CANCELLOUS



CANCELLOUS SCREW 6.5 mm (Full Thread)

Size	Stainless Steel	Titanium
LENGTH 25MM	BOI.113.25.S	BOI.113.25.T
LENGTH 30MM	BOI.113.30.S	BOI.113.30.T
LENGTH 35MM	BOI.113.35.S	BOI.113.35.T
LENGTH 40MM	BOI.113.40.S	BOI.113.40.T
LENGTH 45MM	BOI.113.45.S	BOI.113.45.T
LENGTH 50MM	BOI.113.50.S	BOI.113.50.T
LENGTH 55MM	BOI.113.55.S	BOI.113.55.T
LENGTH 60MM	BOI.113.60.S	BOI.113.60.T
LENGTH 65MM	BOI.113.65.S	BOI.113.65.T
LENGTH 70MM	BOI.113.70.S	BOI.113.70.T
LENGTH 75MM	BOI.113.75.S	BOI.113.75.T
LENGTH 80MM	BOI.113.80.S	BOI.113.80.T
LENGTH 85MM	BOI.113.85.S	BOI.113.85.T
LENGTH 90MM	BOI.113.90.S	BOI.113.90.T
LENGTH 95MM	BOI.113.95.S	BOI.113.95.T
LENGTH 100MM	BOI.113.105.S	BOI.113.105.T
LENGTH 105MM	BOI.113.105.S	BOI.113.105.T
LENGTH 110MM	BOI.113.110.S	BOI.113.110.T



BONE SCREW CANNULATED



Size	Stainless Steel	Titanium
LENGTH 25MM	BOI.114.25.S	BOI.114.25.T
LENGTH 30MM	BOI.114.30.S	BOI.114.30.T
LENGTH 35MM	BOI.114.35.S	BOI.114.35.T
LENGTH 40MM	BOI.114.40.S	BOI.114.40.T
LENGTH 45MM	BOI.114.45.S	BOI.114.45.T
LENGTH 50MM	BOI.114.50.S	BOI.114.50.T
LENGTH 55MM	BOI.114.55.S	BOI.114.55.T
LENGTH 60MM	BOI.114.60.S	BOI.114.60.T
LENGTH 65MM	BOI.114.65.S	BOI.114.65.T
LENGTH 70MM	BOI.114.70.S	BOI.114.70.T
LENGTH 75MM	BOI.114.75.S	BOI.114.75.T
LENGTH 80MM	BOI.114.80.S	BOI.114.80.T
LENGTH 85MM	BOI.114.85.S	BOI.114.85.T
LENGTH 90MM	BOI.114.90.S	BOI.114.90.T
LENGTH 95MM	BOI.114.95.S	BOI.114.95.T
LENGTH 100MM	BOI.114.100.S	BOI.114.100.T
LENGTH 105MM	BOI.114.105.S	BOI.114.105.T
LENGTH 110MM	BOI.114.110.S	BOI.114.110.T
LENGTH 115MM	BOI.114.115.S	BOI.114.115.T
LENGTH 120MM	BOI.114.120.S	BOI.114.120.T

CANNULATED SCREW 6.5 mm (16 mm Thread)



Size	Stainless Steel	Titanium
LENGTH 25MM	BOI.117.25.S	BOI.117.25.T
LENGTH 30MM	BOI.117.30.S	BOI.117.30.T
LENGTH 35MM	BOI.117.35.S	BOI.117.35.T
LENGTH 40MM	BOI.117.40.S	BOI.117.40.T
LENGTH 45MM	BOI.117.45.S	BOI.117.45.T
LENGTH 50MM	BOI.117.50.S	BOI.117.50.T
LENGTH 55MM	BOI.117.55.S	BOI.117.55.T
LENGTH 60MM	BOI.117.60.S	BOI.117.60.T
LENGTH 65MM	BOI.117.65.S	BOI.117.65.T
LENGTH 70MM	BOI.117.70.S	BOI.117.70.T
LENGTH 75MM	BOI.117.75.S	BOI.117.75.T
LENGTH 80MM	BOI.117.80.S	BOI.117.80.T
LENGTH 85MM	BOI.117.85.S	BOI.117.85.T
LENGTH 90MM	BOI.117.90.S	BOI.117.90.T
LENGTH 95MM	BOI.117.95.S	BOI.117.95.T
LENGTH 100MM	BOI.117.100.S	BOI.117.100.T
LENGTH 105MM	BOI.117.105.S	BOI.117.105.T
LENGTH 110MM	BOI.117.110.S	BOI.117.110.T
LENGTH 115MM	BOI.117.115.S	BOI.117.115.T
LENGTH 120MM	BOI.117.120.S	BOI.117.120.T

CANNULATED SCREW 6.5 mm (Full Thread)



BONE SCREW CANNULATED



CANNULATED SCREW 6.5 mm (32mm Thread)

Size	Stainless Steel	Titanium
LENGTH 25MM	BOI.115.25.S	BOI.115.25.T
LENGTH 30MM	BOI.115.30.S	BOI.115.30.T
LENGTH 35MM	BOI.115.35.S	BOI.115.35.T
LENGTH 40MM	BOI.115.40.S	BOI.115.40.T
LENGTH 45MM	BOI.115.45.S	BOI.115.45.T
LENGTH 50MM	BOI.115.50.S	BOI.115.50.T
LENGTH 55MM	BOI.115.55.S	BOI.115.55.T
LENGTH 60MM	BOI.115.60.S	BOI.115.60.T
LENGTH 65MM	BOI.115.65.S	BOI.115.65.T
LENGTH 70MM	BOI.115.70.S	BOI.115.70.T
LENGTH 75MM	BOI.115.75.S	BOI.115.75.T
LENGTH 80MM	BOI.115.80.S	BOI.115.80.T
LENGTH 85MM	BOI.115.85.S	BOI.115.85.T
LENGTH 90MM	BOI.115.90.S	BOI.115.90.T
LENGTH 95MM	BOI.115.95.S	BOI.115.95.T
LENGTH 100MM	BOI.115.100.S	BOI.115.100.T
LENGTH 105MM	BOI.115.105.S	BOI.115.105.T
LENGTH 110MM	BOI.115.110.S	BOI.115.110.T
LENGTH 115MM	BOI.115.115.S	BOI.115.115.T
LENGTH 120MM	BOI.115.120.S	BOI.115.120.T



BONE SCREW CANNULATED



Size	Stainless Steel	Titanium	MALLEOLAR SCREW
LENGTH 20MM	BOI.110.20.S	BOI.110.20.T	
LENGTH 25MM	BOI.110.25.S	BOI.110.25.T	
LENGTH 30MM	BOI.110.30.S	BOI.110.30.T	
LENGTH 35MM	BOI.110.35.S	BOI.110.35.T	
LENGTH 40MM	BOI.110.40.S	BOI.110.40.T	
LENGTH 45MM	BOI.110.45.S	BOI.110.45.T	
LENGTH 50MM	BOI.110.50.S	BOI.110.50.T	
LENGTH 55MM	BOI.110.55.S	BOI.110.55.T	
LENGTH 60MM	BOI.110.60.S	BOI.110.60.T	
LENGTH 65MM	BOI.110.65.S	BOI.110.65.T	
LENGTH 70MM	BOI.110.70.S	BOI.110.70.T	
LENGTH 75MM	BOI.110.75.S	BOI.110.75.T	
LENGTH 80MM	BOI.110.80.S	BOI.110.80.T	
LENGTH 85MM	BOI.110.85.S	BOI.110.85.T	
LENGTH 90MM	BOI.110.90.S	BOI.110.90.T	
LENGTH 95MM	BOI.110.95.S	BOI.110.95.T	
LENGTH 100MM	BOI.110.100.S	BOI.110.100.T	
LENGTH 105MM	BOI.110.105.S	BOI.110.105.T	

Size	Stainless Steel	Titanium	WASHER FOR CANCELLOUS SCREW
13 MM FOR LARGE SCREW	BOI.216.13.S	BOI.216.13.T	
7 MM FOR SMALL SCREW	BOI.216.07.S	BOI.216.07.T	

BONE SCREW CORTICAL



Size	Stainless Steel	Titanium	CORTICAL SCREW DIA. 1.5MM
LENGTH 08MM	BOI.99.08.S	BOI.99.08.T	
LENGTH 10MM	BOI.99.10.S	BOI.99.10.T	
LENGTH 12MM	BOI.99.12.S	BOI.99.12.T	
LENGTH 14MM	BOI.99.14.S	BOI.99.14.T	
LENGTH 16MM	BOI.99.16.S	BOI.99.16.T	
LENGTH 18MM	BOI.99.18.S	BOI.99.18.T	
LENGTH 20MM	BOI.99.20.S	BOI.99.20.T	
LENGTH 22MM	BOI.99.22.S	BOI.99.22.T	
LENGTH 24MM	BOI.99.24.S	BOI.99.24.T	
LENGTH 25MM	BOI.99.25.S	BOI.99.25.T	
LENGTH 26MM	BOI.99.26.S	BOI.99.26.T	
LENGTH 28MM	BOI.99.28.S	BOI.99.28.T	
LENGTH 30MM	BOI.99.30.S	BOI.99.30.T	

Size	Stainless Steel	Titanium	CORTICAL SCREW DIA. 2.0MM
LENGTH 08MM	BOI.100.08.S	BOI.100.08.T	
LENGTH 10MM	BOI.100.10.S	BOI.100.10.T	
LENGTH 12MM	BOI.100.12.S	BOI.100.12.T	
LENGTH 14MM	BOI.100.14.S	BOI.100.14.T	
LENGTH 16MM	BOI.100.16.S	BOI.100.16.T	
LENGTH 18MM	BOI.100.18.S	BOI.100.18.T	
LENGTH 20MM	BOI.100.20.S	BOI.100.20.T	
LENGTH 22MM	BOI.100.22.S	BOI.100.22.T	
LENGTH 24MM	BOI.100.24.S	BOI.100.24.T	
LENGTH 25MM	BOI.100.25.S	BOI.100.25.T	
LENGTH 26MM	BOI.100.26.S	BOI.100.26.T	
LENGTH 28MM	BOI.100.28.S	BOI.100.28.T	
LENGTH 30MM	BOI.100.30.S	BOI.100.30.T	

BONE SCREW CORTICAL



Size	Stainless Steel	Titanium	CORTICAL SCREW 2.4 mm SELF TAPPING
LENGTH 08MM	BOI.185.08.S	BOI.185.08.T	
LENGTH 10MM	BOI.185.10.S	BOI.185.10.T	
LENGTH 12MM	BOI.185.12.S	BOI.185.12.T	
LENGTH 14MM	BOI.185.14.S	BOI.185.14.T	
LENGTH 16MM	BOI.185.16.S	BOI.185.16.T	
LENGTH 18MM	BOI.185.18.S	BOI.185.18.T	
LENGTH 20MM	BOI.185.20.S	BOI.185.20.T	
LENGTH 22MM	BOI.185.22.S	BOI.185.22.T	
LENGTH 24MM	BOI.185.24.S	BOI.185.24.T	
LENGTH 25MM	BOI.185.25.S	BOI.185.25.T	
LENGTH 26MM	BOI.185.26.S	BOI.185.26.T	
LENGTH 28MM	BOI.185.28.S	BOI.185.28.T	
LENGTH 30MM	BOI.185.30.S	BOI.185.30.T	
LENGTH 32MM	BOI.185.32.S	BOI.185.32.T	
LENGTH 34MM	BOI.185.34.S	BOI.185.34.T	
LENGTH 35MM	BOI.185.35.S	BOI.185.35.T	
LENGTH 36MM	BOI.185.36.S	BOI.185.36.T	
LENGTH 38MM	BOI.185.38.S	BOI.185.38.T	
LENGTH 40MM	BOI.185.40.S	BOI.185.40.T	

Size	Stainless Steel	Titanium	CORTICAL SCREW 2.7 mm SELF TAPPING
LENGTH 08MM	BOI.101.08.S	BOI.101.08.T	
LENGTH 10MM	BOI.101.10.S	BOI.101.10.T	
LENGTH 12MM	BOI.101.12.S	BOI.101.12.T	
LENGTH 14MM	BOI.101.14.S	BOI.101.14.T	
LENGTH 16MM	BOI.101.16.S	BOI.101.16.T	
LENGTH 18MM	BOI.101.18.S	BOI.101.18.T	
LENGTH 20MM	BOI.101.20.S	BOI.101.20.T	
LENGTH 22MM	BOI.101.22.S	BOI.101.22.T	
LENGTH 24MM	BOI.101.24.S	BOI.101.24.T	
LENGTH 26MM	BOI.101.26.S	BOI.101.26.T	
LENGTH 28MM	BOI.101.28.S	BOI.101.28.T	
LENGTH 30MM	BOI.101.30.S	BOI.101.30.T	
LENGTH 32MM	BOI.101.32.S	BOI.101.32.T	
LENGTH 34MM	BOI.101.34.S	BOI.101.34.T	
LENGTH 36MM	BOI.101.36.S	BOI.101.36.T	
LENGTH 38MM	BOI.101.38.S	BOI.101.38.T	
LENGTH 40MM	BOI.101.40.S	BOI.101.40.T	

BONE SCREW CORTICAL



CORTICAL SCREW (14 TPI) SELF TAPPING DIA. 3.5MM

Size	Stainless Steel	Titanium
LENGTH 10MM	BOI.01.102.10.S	BOI.01.102.10.T
LENGTH 12MM	BOI.01.102.12.S	BOI.01.102.12.T
LENGTH 14MM	BOI.01.102.14.S	BOI.01.102.14.T
LENGTH 16MM	BOI.01.102.16.S	BOI.01.102.16.T
LENGTH 18MM	BOI.01.102.18.S	BOI.01.102.18.T
LENGTH 20MM	BOI.01.102.20.S	BOI.01.102.20.T
LENGTH 22MM	BOI.01.102.22.S	BOI.01.102.22.T
LENGTH 24MM	BOI.01.102.24.S	BOI.01.102.24.T
LENGTH 26MM	BOI.01.102.26.S	BOI.01.102.26.T
LENGTH 28MM	BOI.01.102.28.S	BOI.01.102.28.T
LENGTH 30MM	BOI.01.102.30.S	BOI.01.102.30.T
LENGTH 32MM	BOI.01.102.32.S	BOI.01.102.32.T
LENGTH 34MM	BOI.01.102.34.S	BOI.01.102.34.T
LENGTH 36MM	BOI.01.102.36.S	BOI.01.102.36.T
LENGTH 38MM	BOI.01.102.38.S	BOI.01.102.38.T
LENGTH 40MM	BOI.01.102.40.S	BOI.01.102.40.T
LENGTH 42MM	BOI.01.102.42.S	BOI.01.102.42.T
LENGTH 44MM	BOI.01.102.44.S	BOI.01.102.44.T
LENGTH 46MM	BOI.01.102.46.S	BOI.01.102.46.T
LENGTH 48MM	BOI.01.102.48.S	BOI.01.102.48.T
LENGTH 50MM	BOI.01.102.50.S	BOI.01.102.50.T
LENGTH 52MM	BOI.01.102.52.S	BOI.01.102.52.T
LENGTH 54MM	BOI.01.102.54.S	BOI.01.102.54.T
LENGTH 55MM	BOI.01.102.55.S	BOI.01.102.55.T
LENGTH 56MM	BOI.01.102.56.S	BOI.01.102.56.T
LENGTH 58MM	BOI.01.102.58.S	BOI.01.102.58.T
LENGTH 60MM	BOI.01.102.60.S	BOI.01.102.60.T



BONE SCREW CORTICAL



CORTICAL SCREW 3.5 mm (20 TPI) SELF TAPPING

Size	Stainless Steel	Titanium
LENGTH 10MM	BOI.01.103.10.S	BOI.01.103.10.T
LENGTH 12MM	BOI.01.103.12.S	BOI.01.103.12.T
LENGTH 14MM	BOI.01.103.14.S	BOI.01.103.14.T
LENGTH 16MM	BOI.01.103.16.S	BOI.01.103.16.T
LENGTH 18MM	BOI.01.103.18.S	BOI.01.103.18.T
LENGTH 20MM	BOI.01.103.20.S	BOI.01.103.20.T
LENGTH 22MM	BOI.01.103.22.S	BOI.01.103.22.T
LENGTH 24MM	BOI.01.103.24.S	BOI.01.103.24.T
LENGTH 26MM	BOI.01.103.26.S	BOI.01.103.26.T
LENGTH 28MM	BOI.01.103.28.S	BOI.01.103.28.T
LENGTH 30MM	BOI.01.103.30.S	BOI.01.103.30.T
LENGTH 32MM	BOI.01.103.32.S	BOI.01.103.32.T
LENGTH 34MM	BOI.01.103.34.S	BOI.01.103.34.T
LENGTH 36MM	BOI.01.103.36.S	BOI.01.103.36.T
LENGTH 38MM	BOI.01.103.38.S	BOI.01.103.38.T
LENGTH 40MM	BOI.01.103.40.S	BOI.01.103.40.T
LENGTH 42MM	BOI.01.103.42.S	BOI.01.103.42.T
LENGTH 44MM	BOI.01.103.44.S	BOI.01.103.44.T
LENGTH 46MM	BOI.01.103.46.S	BOI.01.103.46.T
LENGTH 48MM	BOI.01.103.48.S	BOI.01.103.48.T
LENGTH 50MM	BOI.01.103.50.S	BOI.01.103.50.T
LENGTH 52MM	BOI.01.103.52.S	BOI.01.103.52.T
LENGTH 54MM	BOI.01.103.54.S	BOI.01.103.54.T
LENGTH 55MM	BOI.01.103.55.S	BOI.01.103.55.T
LENGTH 56MM	BOI.01.103.56.S	BOI.01.103.56.T
LENGTH 58MM	BOI.01.103.58.S	BOI.01.103.58.T
LENGTH 60MM	BOI.01.103.60.S	BOI.01.103.60.T
LENGTH 62MM	BOI.01.103.62.S	BOI.01.103.62.T
LENGTH 64MM	BOI.01.103.64.S	BOI.01.103.64.T
LENGTH 65MM	BOI.01.103.65.S	BOI.01.103.65.T
LENGTH 66MM	BOI.01.103.66.S	BOI.01.103.66.T
LENGTH 68MM	BOI.01.103.68.S	BOI.01.103.68.T
LENGTH 70MM	BOI.01.103.70.S	BOI.01.103.70.T
LENGTH 72MM	BOI.01.103.72.S	BOI.01.103.72.T
LENGTH 74MM	BOI.01.103.74.S	BOI.01.103.74.T
LENGTH 75MM	BOI.01.103.75.S	BOI.01.103.75.T
LENGTH 76MM	BOI.01.103.76.S	BOI.01.103.76.T
LENGTH 78MM	BOI.01.103.78.S	BOI.01.103.78.T
LENGTH 80MM	BOI.01.103.80.S	BOI.01.103.80.T



BONE SCREW CORTICAL



CORTICAL SCREW 4.5mm SELF TAPPING

Size	Stainless Steel	Titanium
LENGTH 12MM	BOI.01.109.12.S	BOI.01.109.12.T
LENGTH 14MM	BOI.01.109.14.S	BOI.01.109.14.T
LENGTH 16MM	BOI.01.109.16.S	BOI.01.109.16.T
LENGTH 18MM	BOI.01.109.18.S	BOI.01.109.18.T
LENGTH 20MM	BOI.01.109.20.S	BOI.01.109.20.T
LENGTH 22MM	BOI.01.109.22.S	BOI.01.109.22.T
LENGTH 24MM	BOI.01.109.24.S	BOI.01.109.24.T
LENGTH 26MM	BOI.01.109.26.S	BOI.01.109.26.T
LENGTH 28MM	BOI.01.109.28.S	BOI.01.109.28.T
LENGTH 30MM	BOI.01.109.30.S	BOI.01.109.30.T
LENGTH 32MM	BOI.01.109.32.S	BOI.01.109.32.T
LENGTH 34MM	BOI.01.109.34.S	BOI.01.109.34.T
LENGTH 36MM	BOI.01.109.36.S	BOI.01.109.36.T
LENGTH 38MM	BOI.01.109.38.S	BOI.01.109.38.T
LENGTH 40MM	BOI.01.109.40.S	BOI.01.109.40.T
LENGTH 42MM	BOI.01.109.42.S	BOI.01.109.42.T
LENGTH 44MM	BOI.01.109.44.S	BOI.01.109.44.T
LENGTH 46MM	BOI.01.109.46.S	BOI.01.109.46.T
LENGTH 48MM	BOI.01.109.48.S	BOI.01.109.48.T
LENGTH 50MM	BOI.01.109.50.S	BOI.01.109.50.T
LENGTH 52MM	BOI.01.109.52.S	BOI.01.109.52.T
LENGTH 54MM	BOI.01.109.54.S	BOI.01.109.54.T
LENGTH 56MM	BOI.01.109.56.S	BOI.01.109.56.T
LENGTH 58MM	BOI.01.109.58.S	BOI.01.109.58.T
LENGTH 60MM	BOI.01.109.60.S	BOI.01.109.60.T
LENGTH 62MM	BOI.01.109.62.S	BOI.01.109.62.T
LENGTH 64MM	BOI.01.109.64.S	BOI.01.109.64.T
LENGTH 66MM	BOI.01.109.66.S	BOI.01.109.66.T
LENGTH 68MM	BOI.01.109.68.S	BOI.01.109.68.T
LENGTH 70MM	BOI.01.109.70.S	BOI.01.109.70.T
LENGTH 72MM	BOI.01.109.72.S	BOI.01.109.72.T
LENGTH 74MM	BOI.01.109.74.S	BOI.01.109.74.T
LENGTH 76MM	BOI.01.109.76.S	BOI.01.109.76.T
LENGTH 78MM	BOI.01.109.78.S	BOI.01.109.78.T
LENGTH 80MM	BOI.01.109.80.S	BOI.01.109.80.T
LENGTH 85MM	BOI.01.109.85.S	BOI.01.109.85.T
LENGTH 90MM	BOI.01.109.90.S	BOI.01.109.90.T
LENGTH 95MM	BOI.01.109.95.S	BOI.01.109.95.T
LENGTH 100MM	BOI.01.109.100.S	BOI.01.109.100.T



BONE SCREW LOCKING



Size	Stainless Steel	Titanium	LOCKING SCREW DIA. 2.4MM
LENGTH 06MM	BO.186.06.S	BO.186.06.T	
LENGTH 08MM	BO.186.08.S	BO.186.08.T	
LENGTH 10MM	BO.186.10.S	BO.186.10.T	
LENGTH 12MM	BO.186.12.S	BO.186.12.T	
LENGTH 14MM	BO.186.14.S	BO.186.14.T	
LENGTH 16MM	BO.186.16.S	BO.186.16.T	
LENGTH 18MM	BO.186.18.S	BO.186.18.T	
LENGTH 20MM	BO.186.20.S	BO.186.20.T	
LENGTH 22MM	BO.186.22.S	BO.186.22.T	
LENGTH 24MM	BO.186.24.S	BO.186.24.T	
LENGTH 26MM	BO.186.26.S	BO.186.26.T	
LENGTH 28MM	BO.186.28.S	BO.186.28.T	
LENGTH 30MM	BO.186.30.S	BO.186.30.T	
LENGTH 32MM	BO.186.32.S	BO.186.32.T	
LENGTH 34MM	BO.186.34.S	BO.186.34.T	
LENGTH 36MM	BO.186.36.S	BO.186.36.T	
LENGTH 38MM	BO.186.38.S	BO.186.38.T	
LENGTH 40MM	BO.186.40.S	BO.186.40.T	

BONE SCREW LOCKING



LOCKING SCREW
DIA. 2.7MM

Size	Stainless Steel	Titanium
LENGTH 06MM	BO.204.06.S	BO.204.06.T
LENGTH 08MM	BO.204.08.S	BO.204.08.T
LENGTH 10MM	BO.204.10.S	BO.204.10.T
LENGTH 12MM	BO.204.12.S	BO.204.12.T
LENGTH 14MM	BO.204.14.S	BO.204.14.T
LENGTH 16MM	BO.204.16.S	BO.204.16.T
LENGTH 18MM	BO.204.18.S	BO.204.18.T
LENGTH 20MM	BO.204.20.S	BO.204.20.T
LENGTH 22MM	BO.204.22.S	BO.204.22.T
LENGTH 24MM	BO.204.24.S	BO.204.24.T
LENGTH 26MM	BO.204.26.S	BO.204.26.T
LENGTH 28MM	BO.204.28.S	BO.204.28.T
LENGTH 30MM	BO.204.30.S	BO.204.30.T
LENGTH 32MM	BO.204.32.S	BO.204.32.T
LENGTH 34MM	BO.204.34.S	BO.204.34.T
LENGTH 36MM	BO.204.36.S	BO.204.36.T
LENGTH 38MM	BO.204.38.S	BO.204.38.T
LENGTH 40MM	BO.204.40.S	BO.204.40.T
LENGTH 42MM	BO.204.42.S	BO.204.42.T
LENGTH 44MM	BO.204.44.S	BO.204.44.T
LENGTH 46MM	BO.204.46.S	BO.204.46.T
LENGTH 48MM	BO.204.48.S	BO.204.48.T
LENGTH 50MM	BO.204.50.S	BO.204.50.T
LENGTH 55MM	BO.204.55.S	BO.204.55.T
LENGTH 60MM	BO.204.60.S	BO.204.60.T



BONE SCREW LOCKING



LOCKING SCREW
DIA. 3.5MM

Size	Stainless Steel	Titanium
LENGTH 12MM	BO.168.12.S	BO.168.12.T
LENGTH 14MM	BO.168.14.S	BO.168.14.T
LENGTH 16MM	BO.168.16.S	BO.168.16.T
LENGTH 18MM	BO.168.18.S	BO.168.18.T
LENGTH 20MM	BO.168.20.S	BO.168.20.T
LENGTH 22MM	BO.168.22.S	BO.168.22.T
LENGTH 24MM	BO.168.24.S	BO.168.24.T
LENGTH 26MM	BO.168.26.S	BO.168.26.T
LENGTH 28MM	BO.168.28.S	BO.168.28.T
LENGTH 30MM	BO.168.30.S	BO.168.30.T
LENGTH 32MM	BO.168.32.S	BO.168.32.T
LENGTH 34MM	BO.168.34.S	BO.168.34.T
LENGTH 35MM	BO.168.35.S	BO.168.35.T
LENGTH 36MM	BO.168.36.S	BO.168.36.T
LENGTH 38MM	BO.168.38.S	BO.168.38.T
LENGTH 40MM	BO.168.40.S	BO.168.40.T
LENGTH 42MM	BO.168.42.S	BO.168.42.T
LENGTH 44MM	BO.168.44.S	BO.168.44.T
LENGTH 45MM	BO.168.45.S	BO.168.45.T
LENGTH 46MM	BO.168.46.S	BO.168.46.T
LENGTH 48MM	BO.168.48.S	BO.168.48.T
LENGTH 50MM	BO.168.50.S	BO.168.50.T
LENGTH 52MM	BO.168.52.S	BO.168.52.T
LENGTH 54MM	BO.168.54.S	BO.168.54.T
LENGTH 55MM	BO.168.55.S	BO.168.55.T
LENGTH 56MM	BO.168.56.S	BO.168.56.T
LENGTH 58MM	BO.168.58.S	BO.168.58.T
LENGTH 60MM	BO.168.60.S	BO.168.60.T
LENGTH 65MM	BO.168.65.S	BO.168.65.T
LENGTH 70MM	BO.168.70.S	BO.168.70.T
LENGTH 75MM	BO.168.75.S	BO.168.75.T
LENGTH 80MM	BO.168.80.S	BO.168.80.T
LENGTH 85MM	BO.168.85.S	BO.168.85.T
LENGTH 90MM	BO.168.90.S	BO.168.90.T



BONE SCREW LOCKING



LOCKING SCREW DIA. 3.5MM
(CANCELOUS 14TPI THREAD)

Size	Stainless Steel	Titanium
LENGTH 12MM	BO.9929.12.S	BO.9929.12.T
LENGTH 14MM	BO.9929.14.S	BO.9929.14.T
LENGTH 16MM	BO.9929.16.S	BO.9929.16.T
LENGTH 18MM	BO.9929.18.S	BO.9929.18.T
LENGTH 20MM	BO.9929.20.S	BO.9929.20.T
LENGTH 22MM	BO.9929.22.S	BO.9929.22.T
LENGTH 24MM	BO.9929.24.S	BO.9929.24.T
LENGTH 26MM	BO.9929.26.S	BO.9929.26.T
LENGTH 28MM	BO.9929.28.S	BO.9929.28.T
LENGTH 30MM	BO.9929.30.S	BO.9929.30.T
LENGTH 32MM	BO.9929.32.S	BO.9929.32.T
LENGTH 34MM	BO.9929.34.S	BO.9929.34.T
LENGTH 35MM	BO.9929.35.S	BO.9929.35.T
LENGTH 36MM	BO.9929.36.S	BO.9929.36.T
LENGTH 38MM	BO.9929.38.S	BO.9929.38.T
LENGTH 40MM	BO.9929.40.S	BO.9929.40.T
LENGTH 42MM	BO.9929.42.S	BO.9929.42.T
LENGTH 44MM	BO.9929.44.S	BO.9929.44.T
LENGTH 45MM	BO.9929.45.S	BO.9929.45.T
LENGTH 46MM	BO.9929.46.S	BO.9929.46.T
LENGTH 48MM	BO.9929.48.S	BO.9929.48.T
LENGTH 50MM	BO.9929.50.S	BO.9929.50.T
LENGTH 52MM	BO.9929.52.S	BO.9929.52.T
LENGTH 54MM	BO.9929.54.S	BO.9929.54.T
LENGTH 55MM	BO.9929.55.S	BO.9929.55.T
LENGTH 56MM	BO.9929.56.S	BO.9929.56.T
LENGTH 58MM	BO.9929.58.S	BO.9929.58.T
LENGTH 60MM	BO.9929.60.S	BO.9929.60.T
LENGTH 65MM	BO.9929.65.S	BO.9929.65.T
LENGTH 70MM	BO.9929.70.S	BO.9929.70.T
LENGTH 75MM	BO.9929.75.S	BO.9929.75.T
LENGTH 80MM	BO.9929.80.S	BO.9929.80.T



BONE SCREW LOCKING



Size	Stainless Steel	Titanium	LOCKING SCREW DLX DIA. 3.5MM (FINE PITCH)
LENGTH 12MM	BO.02.168.12.S	BO.02.168.12.T	
LENGTH 14MM	BO.02.168.14.S	BO.02.168.14.T	
LENGTH 16MM	BO.02.168.16.S	BO.02.168.16.T	
LENGTH 18MM	BO.02.168.18.S	BO.02.168.18.T	
LENGTH 20MM	BO.02.168.20.S	BO.02.168.20.T	
LENGTH 22MM	BO.02.168.22.S	BO.02.168.22.T	
LENGTH 24MM	BO.02.168.24.S	BO.02.168.24.T	
LENGTH 26MM	BO.02.168.26.S	BO.02.168.26.T	
LENGTH 28MM	BO.02.168.28.S	BO.02.168.28.T	
LENGTH 30MM	BO.02.168.30.S	BO.02.168.30.T	
LENGTH 32MM	BO.02.168.32.S	BO.02.168.32.T	
LENGTH 34MM	BO.02.168.34.S	BO.02.168.34.T	
LENGTH 35MM	BO.02.168.35.S	BO.02.168.35.T	
LENGTH 36MM	BO.02.168.36.S	BO.02.168.36.T	
LENGTH 38MM	BO.02.168.38.S	BO.02.168.38.T	
LENGTH 40MM	BO.02.168.40.S	BO.02.168.40.T	
LENGTH 42MM	BO.02.168.42.S	BO.02.168.42.T	
LENGTH 44MM	BO.02.168.44.S	BO.02.168.44.T	
LENGTH 45MM	BO.02.168.45.S	BO.02.168.45.T	
LENGTH 46MM	BO.02.168.46.S	BO.02.168.46.T	
LENGTH 48MM	BO.02.168.48.S	BO.02.168.48.T	
LENGTH 50MM	BO.02.168.50.S	BO.02.168.50.T	
LENGTH 52MM	BO.02.168.52.S	BO.02.168.52.T	
LENGTH 54MM	BO.02.168.54.S	BO.02.168.54.T	
LENGTH 55MM	BO.02.168.55.S	BO.02.168.55.T	
LENGTH 56MM	BO.02.168.56.S	BO.02.168.56.T	
LENGTH 58MM	BO.02.168.58.S	BO.02.168.58.T	
LENGTH 60MM	BO.02.168.60.S	BO.02.168.60.T	
LENGTH 65MM	BO.02.168.65.S	BO.02.168.65.T	
LENGTH 70MM	BO.02.168.70.S	BO.02.168.70.T	
LENGTH 75MM	BO.02.168.75.S	BO.02.168.75.T	
LENGTH 80MM	BO.02.168.80.S	BO.02.168.80.T	
LENGTH 85MM	BO.02.168.85.S	BO.02.168.85.T	
LENGTH 90MM	BO.02.168.90.S	BO.02.168.90.T	

BONE SCREW LOCKING



LOCKING SCREW
DIA. 4.0MM

Size	Stainless Steel	Titanium
LENGTH 12MM	BO.170.12.S	BO.170.12.T
LENGTH 14MM	BO.170.14.S	BO.170.14.T
LENGTH 15MM	BO.170.15.S	BO.170.15.T
LENGTH 16MM	BO.170.16.S	BO.170.16.T
LENGTH 18MM	BO.170.18.S	BO.170.18.T
LENGTH 20MM	BO.170.20.S	BO.170.20.T
LENGTH 22MM	BO.170.22.S	BO.170.22.T
LENGTH 24MM	BO.170.24.S	BO.170.24.T
LENGTH 25MM	BO.170.25.S	BO.170.25.T
LENGTH 26MM	BO.170.26.S	BO.170.26.T
LENGTH 28MM	BO.170.28.S	BO.170.28.T
LENGTH 30MM	BO.170.30.S	BO.170.30.T
LENGTH 32MM	BO.170.32.S	BO.170.32.T
LENGTH 34MM	BO.170.34.S	BO.170.34.T
LENGTH 35MM	BO.170.35.S	BO.170.35.T
LENGTH 36MM	BO.170.36.S	BO.170.36.T
LENGTH 38MM	BO.170.38.S	BO.170.38.T
LENGTH 40MM	BO.170.40.S	BO.170.40.T
LENGTH 42MM	BO.170.42.S	BO.170.42.T
LENGTH 44MM	BO.170.44.S	BO.170.44.T
LENGTH 45MM	BO.170.45.S	BO.170.45.T
LENGTH 46MM	BO.170.46.S	BO.170.46.T
LENGTH 48MM	BO.170.48.S	BO.170.48.T
LENGTH 50MM	BO.170.50.S	BO.170.50.T
LENGTH 52MM	BO.170.52.S	BO.170.52.T
LENGTH 54MM	BO.170.54.S	BO.170.54.T
LENGTH 55MM	BO.170.55.S	BO.170.55.T
LENGTH 56MM	BO.170.56.S	BO.170.56.T
LENGTH 58MM	BO.170.58.S	BO.170.58.T
LENGTH 60MM	BO.170.60.S	BO.170.60.T
LENGTH 62MM	BO.170.62.S	BO.170.62.T
LENGTH 64MM	BO.170.64.S	BO.170.64.T
LENGTH 65MM	BO.170.65.S	BO.170.65.T
LENGTH 66MM	BO.170.66.S	BO.170.66.T
LENGTH 68MM	BO.170.68.S	BO.170.68.T
LENGTH 70MM	BO.170.70.S	BO.170.70.T
LENGTH 75MM	BO.170.75.S	BO.170.75.T
LENGTH 80MM	BO.170.80.S	BO.170.80.T
LENGTH 85MM	BO.170.85.S	BO.170.85.T
LENGTH 90MM	BO.170.90.S	BO.170.90.T



BONE SCREW LOCKING




Size	Stainless Steel	Titanium	LOCKING SCREW DIA. 5.0MM
LENGTH 16MM	BO.169.16.S	BO.169.16.T	
LENGTH 18MM	BO.169.18.S	BO.169.18.T	
LENGTH 20MM	BO.169.20.S	BO.169.20.T	
LENGTH 22MM	BO.169.22.S	BO.169.22.T	
LENGTH 24MM	BO.169.24.S	BO.169.24.T	
LENGTH 26MM	BO.169.26.S	BO.169.26.T	
LENGTH 28MM	BO.169.28.S	BO.169.28.T	
LENGTH 30MM	BO.169.30.S	BO.169.30.T	
LENGTH 32MM	BO.169.32.S	BO.169.32.T	
LENGTH 34MM	BO.169.34.S	BO.169.34.T	
LENGTH 36MM	BO.169.36.S	BO.169.36.T	
LENGTH 38MM	BO.169.38.S	BO.169.38.T	
LENGTH 40MM	BO.169.40.S	BO.169.40.T	
LENGTH 42MM	BO.169.42.S	BO.169.42.T	
LENGTH 44MM	BO.169.44.S	BO.169.44.T	
LENGTH 46MM	BO.169.46.S	BO.169.46.T	
LENGTH 48MM	BO.169.48.S	BO.169.48.T	
LENGTH 50MM	BO.169.50.S	BO.169.50.T	
LENGTH 52MM	BO.169.52.S	BO.169.52.T	
LENGTH 54MM	BO.169.54.S	BO.169.54.T	
LENGTH 56MM	BO.169.56.S	BO.169.56.T	
LENGTH 58MM	BO.169.58.S	BO.169.58.T	
LENGTH 60MM	BO.169.60.S	BO.169.60.T	
LENGTH 65MM	BO.169.65.S	BO.169.65.T	
LENGTH 70MM	BO.169.70.S	BO.169.70.T	
LENGTH 75MM	BO.169.75.S	BO.169.75.T	
LENGTH 80MM	BO.169.80.S	BO.169.80.T	
LENGTH 85MM	BO.169.85.S	BO.169.85.T	
LENGTH 90MM	BO.169.90.S	BO.169.90.T	

BONE SCREW LOCKING



Size	Stainless Steel	Titanium
LENGTH 25MM	BO.9930.25.S	BO.9930.25.T
LENGTH 30MM	BO.9930.30.S	BO.9930.30.T
LENGTH 35MM	BO.9930.35.S	BO.9930.35.T
LENGTH 40MM	BO.9930.40.S	BO.9930.40.T
LENGTH 45MM	BO.9930.45.S	BO.9930.45.T
LENGTH 50MM	BO.9930.50.S	BO.9930.50.T
LENGTH 55MM	BO.9930.55.S	BO.9930.55.T
LENGTH 60MM	BO.9930.60.S	BO.9930.60.T
LENGTH 65MM	BO.9930.65.S	BO.9930.65.T
LENGTH 70MM	BO.9930.70.S	BO.9930.70.T
LENGTH 75MM	BO.9930.75.S	BO.9930.75.T
LENGTH 80MM	BO.9930.80.S	BO.9930.80.T
LENGTH 85MM	BO.9930.85.S	BO.9930.85.T
LENGTH 90MM	BO.9930.90.S	BO.9930.90.T
LENGTH 95MM	BO.9930.95.S	BO.9930.95.T
LENGTH 100MM	BO.9930.100.S	BO.9930.100.T
LENGTH 105MM	BO.9930.105.S	BO.9930.105.T
LENGTH 110MM	BO.9930.110.S	BO.9930.110.T
LENGTH 115MM	BO.9930.115.S	BO.9930.115.T

LOCKING SCREW DIA. 5.0MM (CANCELOUS THREAD)



Size	Stainless Steel	Titanium
LENGTH 25MM	BO.171.25.S	BO.171.25.T
LENGTH 30MM	BO.171.30.S	BO.171.30.T
LENGTH 35MM	BO.171.35.S	BO.171.35.T
LENGTH 40MM	BO.171.40.S	BO.171.40.T
LENGTH 45MM	BO.171.45.S	BO.171.45.T
LENGTH 50MM	BO.171.50.S	BO.171.50.T
LENGTH 55MM	BO.171.55.S	BO.171.55.T
LENGTH 60MM	BO.171.60.S	BO.171.60.T
LENGTH 65MM	BO.171.65.S	BO.171.65.T
LENGTH 70MM	BO.171.70.S	BO.171.70.T
LENGTH 75MM	BO.171.75.S	BO.171.75.T
LENGTH 80MM	BO.171.80.S	BO.171.80.T
LENGTH 85MM	BO.171.85.S	BO.171.85.T
LENGTH 90MM	BO.171.90.S	BO.171.90.T
LENGTH 95MM	BO.171.95.S	BO.171.95.T
LENGTH 100MM	BO.171.100.S	BO.171.100.T
LENGTH 105MM	BO.171.105.S	BO.171.105.T
LENGTH 110MM	BO.171.110.S	BO.171.110.T

LOCKING SCREW DIA. 6.5MM



BONE SCREW LOCKING



Size	Stainless Steel	Titanium	LOCKING SCREW CANNULATED (DUAL START) DIA. 6.0MM
LENGTH 50MM	BO.01.9930.50.S	BO.01.9930.50.T	
LENGTH 55MM	BO.01.9930.55.S	BO.01.9930.55.T	
LENGTH 60MM	BO.01.9930.60.S	BO.01.9930.60.T	
LENGTH 65MM	BO.01.9930.65.S	BO.01.9930.65.T	
LENGTH 70MM	BO.01.9930.70.S	BO.01.9930.70.T	
LENGTH 75MM	BO.01.9930.75.S	BO.01.9930.75.T	
LENGTH 80MM	BO.01.9930.80.S	BO.01.9930.80.T	
LENGTH 85MM	BO.01.9930.85.S	BO.01.9930.85.T	
LENGTH 90MM	BO.01.9930.90.S	BO.01.9930.90.T	
LENGTH 95MM	BO.01.9930.95.S	BO.01.9930.95.T	
LENGTH 100MM	BO.01.9930.100.S	BO.01.9930.100.T	
LENGTH 105MM	BO.01.9930.105.S	BO.01.9930.105.T	
LENGTH 110MM	BO.01.9930.110.S	BO.01.9930.110.T	
LENGTH 115MM	BO.01.9930.115.S	BO.01.9930.115.T	
LENGTH 120MM	BO.01.9930.120.S	BO.01.9930.120.T	

Size	Stainless Steel	Titanium	LOCKING SCREW CANNULATED (DUAL START) (GT) DIA. 7.0MM
LENGTH 45MM	BO.9933.45.S	BO.9933.45.T	
LENGTH 50MM	BO.9933.50.S	BO.9933.50.T	
LENGTH 55MM	BO.9933.55.S	BO.9933.55.T	
LENGTH 60MM	BO.9933.60.S	BO.9933.60.T	
LENGTH 65MM	BO.9933.65.S	BO.9933.65.T	
LENGTH 70MM	BO.9933.70.S	BO.9933.70.T	
LENGTH 75MM	BO.9933.75.S	BO.9933.75.T	
LENGTH 80MM	BO.9933.80.S	BO.9933.80.T	
LENGTH 85MM	BO.9933.85.S	BO.9933.85.T	
LENGTH 90MM	BO.9933.90.S	BO.9933.90.T	
LENGTH 95MM	BO.9933.95.S	BO.9933.95.T	
LENGTH 100MM	BO.9933.100.S	BO.9933.100.T	
LENGTH 105MM	BO.9933.105.S	BO.9933.105.T	
LENGTH 110MM	BO.9933.110.S	BO.9933.110.T	
LENGTH 115MM	BO.9933.115.S	BO.9933.115.T	
LENGTH 120MM	BO.9933.120.S	BO.9933.120.T	
LENGTH 125MM	BO.9933.125.S	BO.9933.125.T	

BONE SCREW

DHS



Size	Stainless Steel	Titanium
LENGTH 45MM	BOI.118.45.S	BOI.118.45.T
LENGTH 50MM	BOI.118.50.S	BOI.118.50.T
LENGTH 55MM	BOI.118.55.S	BOI.118.55.T
LENGTH 60MM	BOI.118.60.S	BOI.118.60.T
LENGTH 65MM	BOI.118.65.S	BOI.118.65.T
LENGTH 70MM	BOI.118.70.S	BOI.118.70.T
LENGTH 75MM	BOI.118.75.S	BOI.118.75.T
LENGTH 80MM	BOI.118.80.S	BOI.118.80.T
LENGTH 85MM	BOI.118.85.S	BOI.118.85.T
LENGTH 90MM	BOI.118.90.S	BOI.118.90.T
LENGTH 95MM	BOI.118.95.S	BOI.118.95.T
LENGTH 100MM	BOI.118.100.S	BOI.118.100.T
LENGTH 105MM	BOI.118.105.S	BOI.118.105.T
LENGTH 110MM	BOI.118.110.S	BOI.118.110.T
LENGTH 115MM	BOI.118.115.S	BOI.118.115.T
LENGTH 120MM	BOI.118.120.S	BOI.118.120.T

DHS LAG SCREW



Size	Stainless Steel	Titanium
LENGTH 50MM	BOI.01.118.50.S	BOI.01.118.50.T
LENGTH 55MM	BOI.01.118.55.S	BOI.01.118.55.T
LENGTH 60MM	BOI.01.118.60.S	BOI.01.118.60.T
LENGTH 65MM	BOI.01.118.65.S	BOI.01.118.65.T
LENGTH 70MM	BOI.01.118.70.S	BOI.01.118.70.T
LENGTH 75MM	BOI.01.118.75.S	BOI.01.118.75.T
LENGTH 80MM	BOI.01.118.80.S	BOI.01.118.80.T
LENGTH 85MM	BOI.01.118.85.S	BOI.01.118.85.T
LENGTH 90MM	BOI.01.118.90.S	BOI.01.118.90.T
LENGTH 95MM	BOI.01.118.95.S	BOI.01.118.95.T
LENGTH 100MM	BOI.01.118.100.S	BOI.01.118.100.T
LENGTH 105MM	BOI.01.118.105.S	BOI.01.118.105.T
LENGTH 110MM	BOI.01.118.110.S	BOI.01.118.110.T
LENGTH 115MM	BOI.01.118.115.S	BOI.01.118.115.T

DHS LAG SCREW (HEX)



BONE SCREW DHS



Size	Stainless Steel	Titanium	DHS LAG SCREW PEDIATRICS
LENGTH 35MM	BO.263.35.S	BO.263.35.T	
LENGTH 40MM	BO.263.40.S	BO.263.40.T	
LENGTH 45MM	BO.263.45.S	BO.263.45.T	
LENGTH 50MM	BO.263.50.S	BO.263.50.T	
LENGTH 55MM	BO.263.55.S	BO.263.55.T	
LENGTH 60MM	BO.263.60.S	BO.263.60.T	
LENGTH 65MM	BO.263.65.S	BO.263.65.T	
LENGTH 70MM	BO.263.70.S	BO.263.70.T	
LENGTH 75MM	BO.263.75.S	BO.263.75.T	
LENGTH 80MM	BO.263.80.S	BO.263.80.T	
LENGTH 85MM	BO.263.85.S	BO.263.85.T	
LENGTH 90MM	BO.263.90.S	BO.263.90.T	
LENGTH 95MM	BO.263.95.S	BO.263.95.T	
LENGTH 100MM	BO.263.100.S	BO.263.100.T	



Instrument Set

Micro Lcp Instrument Set

Distal Radius Volar Locking Inst. Set

Small Fragement Locking Inst. Set

Large Fragement Locking Inst. Set

Hto Osteotomy Locking Inst. Set

Herbert Headless Inst. Set

Humerus Nail Inst. Set

Tibil Nail (ankle) Inst. Set


Syrus Nail Inst. Set

Proximal Femur Nail A2

Tfn Pfn Nail Inst. Set

Mrfn Nail Inst. Set

MICRO LCP INSTRUMENT SET



MICRO LCP INSTRUMENT SET



Item code	Item name
BO.0804.SET	1.5MM & 2.0MM & 2.4MM MICRO LCP INSTRUMENT SET
BO.0804.1.5.TRAY	1.5MM PLATE TRAY (ALLUMINIUM BOX)
BO.0804.01.I	PLATE HOLDER 1.5MM
BO.0804.02.I	DRILL & TAP SLEEVE 1.1MM X 1.5MM
BO.0804.03.I	QC END TAP 1.5MM
BO.0804.04.I	QC END DRILL BIT 1.1MM X 110MM
BO.0804.05.I	QC END T6 STAR DRIVER SHAFT FOR 1.5MM SCREW
BO.0804.06.I	QC END SELF HOLDING T6 STAR DRIVER SHAFT FOR 1.5MM
BO.0804.07.I	COUNTER SINK 4.0MM
BO.0804.08.I	LCP DRILL SLEEVE 1.1MM FOR 1.5MM SCREW
BO.0804.2.0.TRAY	2.0MM PLATE TRAY (ALLUMINIUM BOX)
BO.0804.09.I	PLATE HOLDER 2.0MM
BO.0804.10.I	DRILL & TAP SLEEVE 1.5MM X 2.0MM
BO.0804.11.I	QC END TAP 2.0MM
BO.0804.12.I	QC END DRILL BIT 1.5MM X 110MM
BO.0804.13.I	QC END T6 STAR DRIVER SHAFT FOR 2.0MM SCREW
BO.0804.14.I	QC END SELF HOLDING T6 STAR DRIVER SHAFT FOR 2.0MM SCREW
BO.0804.15.I	COUNTER SINK 4.0MM
BO.0804.16.I	LCP DRILL SLEEVE 1.5MM FOR 2.0MM SCREW
BO.0804.2.4.TRAY	2.4MM PLATE TRAY (ALLUMINIUM BOX)
BO.0804.17.I	PLATE HOLDER 2.4MM
BO.0804.18.I	DRILL & TAP SLEEVE 2.0MM X 2.4MM
BO.0804.19.I	QC END TAP 2.4MM
BO.0804.20.I	QC END DRILL BIT 2.0MM X 110MM
BO.0804.21.I	QC END T8 STAR DRIVER SHAFT FOR 2.4MM SCREW
BO.0804.22.I	QC END SELF HOLDING T8 STAR DRIVER SHAFT FOR 2.4MM
BO.0804.23.I	COUNTER SINK 4.5MM
BO.0804.24.I	LCP DRILL SLEEVE 2.0MM FOR 2.4MM SCREW
BO.0804.25.I	REDUCTION FORCEP WITH POINTS/RATCHET LOCK
BO.0804.26.I	PLATE BENDING /CUTTING PLIERS
BO.0804.27.I	PLIERS/FLAT - NOSED ,POINTED FOR PLATE
BO.0804.28.I	REDUCTION FORCEPS SELF LOCKING
BO.0212.04.I	DEPTH GAUGE 1.5/2.0MM ,MEASURING RANGE UP TO 30MM
BO.0212.05.I	DEPTH GAUGE 2.4MM ,MEASURING RANGE UP TO 40MM
BO.0804.29.I	SCREW HOLDING FORCEP
BO.0804.30.I	QUICK COUPLING HANDLE MINI
BO.0804.34.I	PERIOSTEAL ELEVATOR ROUND
BO.0804.31.I	PERIOSTEAL ELEVATOR FLAT
BO.0804.32.I	QC TORQUE HANDLE 0.4N.M.
BO.0804.33.I	QC TORQUE HANDLE 0.8N.M.
BO.0804.BOX	1.5MM & 2.0MM & 2.4MM MICRO LCP INSTRUMENT BOX

DISTAL RADIUS VOLAR LOCKING INST. SET




DISTAL RADIUS VOLAR LOCKING INSTRUMENTS SET






Item code	Item name
BO.0209.SET	DORSAL & VOLAR SYS INSTRUMENT SET
BO.0201.93.I	LCP DRILL SLEEVE 2.8MM FOR 3.5MM SCREW
BO.0201.15.I	LCP DRILL SLEEVE 2.2MM FOR 2.7MM SCREW
BO.0201.87.I	DRILL & TAP SLEEVE 2.2MM X 2.7MM
BO.0201.88.I	DRILL & TAP SLEEVE 2.5MM X 3.5MM
BO.0201.11.I	2.7MM DEPTH GAUGE
BO.0201.64.I	QC END DRILL BIT 2.5MM DIA LENGTH 150MM
BO.0201.68.I	QC END DRILL BIT 2.8MM DIA LENGTH 150MM
BO.0201.62.I	QC END DRILL BIT 2.2MM DIA LENGTH 150MM
BO.0201.169.I	QC END DRILL BIT 1.8MM DIA LENGTH 150MM
BO.0201.101.I	DRILL BIT 2.8MM DIA LENGTH 150MM
BO.0201.32.I	DRILL BIT 2.2MM DIA LENGTH 150MM
BO.0201.85.I	QC END SHAFT 3.5MM SCREW DRIVER
BO.0201.84.I	QC END SHAFT 2.4mm & 2.7MM SCREW DRIVER
BO.0201.02.I	HEXAGONAL SCREW DRIVER 2.5MM TIP FOR 3.5MM SCREW
BO.0201.01.I	HEXAGONAL SCREW DRIVER 2.0MM TIP FOR 2.4/2.7MM SCREW
BO.0201.08.I	TORQUE SCREW DRIVER 2.0MM FOR 2.4/2.7MM LCP SCREW
BO.0201.80.I	QC END TAP 3.5MM X 20TPI
BO.0201.79.I	QC END TAP 2.7MM
BO.0201.78.I	T HANDLE FOR QC END
BO.0201.90.I	WRENCH FOR LCP SLEEVE
BO.0212.39.I	QUICK COUPLING HANDLE (BLACK HANDLE SMALL)
BO.0201.127.I	VARIABLE ANGLE DRILL SLEEVE 2.2MM
BO.0209.BOX	DORSAL & VOLAR SYS INSTRUMENT BOX

SMALL FRAGMENT LOCKING INST. SET



Item code	Item name
BO.0210.01.SET	2.7MM & 3.5MM & 4.0MM LCP INSTRUMENT SET
BO.0201.93.I	LCP DRILL SLEEVE 2.8MM FOR 3.5MM SCREW
BO.0201.15.I	LCP DRILL SLEEVE 2.2MM FOR 2.7MM SCREW
BO.0201.91.I	DRILL BIT 2.8MM DIA LENGTH 200MM
BO.0201.69.I	QC END DRILL BIT 2.8MM DIA LENGTH 200MM
BO.0201.62.I	QC END DRILL BIT 2.2MM DIA LENGTH 150MM
BO.0201.64.I	QC END DRILL BIT 2.5MM DIA LENGTH 150MM
BO.0201.92.I	DRILL BIT 2.5MM DIA LENGTH 150MM
BO.0201.40.I	DRILL BIT 3.2MM DIA LENGTH 150MM
BO.0201.32.I	DRILL BIT 2.2MM DIA LENGTH 150MM
BO.0506.51.I	DRILL BIT C.C. 3.2MM X 150MM (1.2MM WIRE)
BO.0201.11.I	2.7MM DEPTH GAUGE
BO.0201.84.I	QC END SHAFT 2.4mm & 2.7MM SCREW DRIVER
BO.0201.09.I	TORQUE SCREW DRIVER 2.5MM FOR 3.5/4.0MM LCP SCREW
BO.0201.08.I	TORQUE SCREW DRIVER 2.0MM FOR 2.4/2.7MM LCP SCREW
BO.0201.80.I	QC END TAP 3.5MM 20TPI
BO.0201.79.I	QC END TAP 2.7MM
BO.0201.01.I	HEXAGONAL SCREW DRIVER 2.0MM TIP FOR 2.4/2.7MM SCREW
BO.0201.02.I	HEXAGONAL SCREW DRIVER 2.5MM TIP FOR 3.5MM SCREW
BO.0201.12.I	3.5MM DEPTH GAUGE
BO.0201.90.I	WRENCH FOR LCP SLEEVE
BO.0201.78.I	T HANDLE FOR QC END
BO.0201.85.I	QC END SHAFT 3.5MM SCREW DRIVER
BO.0501.02.I	CANNULATED BONE TAP 4.0MM
BO.0501.06.I	DIRECT MEASURING DEVICE 4.0MM
BO.0501.01.I	CANNULATED HEXAGONAL SCREW DRIVER FOR 4.0MM SCREW
BO.0506.63.I	GUID WIRE 1.2MMX225MM
BO.0210.01.BOX	2.7MM & 3.5MM & 4.0MM LCP INSTRUMENT BOX

LARGE FRAGMENT LOCKING INST. SET



LARGE FRAGMENT LOCKING INST. SET





Item code	Item name
BO.0205.01.SET	4.5MM & 5.0MM & 6.5mm LCP INSTRUMENT SET
BO.0201.20.I	LCP DRILL SLEEVE 4.5MM FOR 6.5MM SCREW
BO.0201.19.I	LCP DRILL SLEEVE 4.3MM FOR 5.0MM SCREW
BO.0201.173.I	DRILL BIT 4.5MM DIA LENGTH 225MM
BO.0201.70.I	QC END DRILL BIT 3.2MM DIA LENGTH 150MM
BO.0201.142.I	QC END DRILL BIT 4.5MM DIA LENGTH 225MM
BO.0201.40.I	DRILL BIT 3.2MM DIA LENGTH 150MM
BO.0201.120.I	DRILL BIT 4.3MM DIA LENGTH 225MM
BO.0201.170.I	QC END DRILL BIT 4.3MM DIA LENGTH 225MM
BO.0506.53.I	DRILL BIT C.C. 4.5MM X 200MM (1.8MM WIRE)
BO.0201.03.I	HEXAGONAL SCREW DRIVER 3.5MM TIP FOR 4.5MM SCREW
BO.0201.10.I	TORQUE SCREW DRIVER 3.5MM FOR 5.0/6.5MM LCP SCREW
BO.0502.01.I	CANNULATED HEXAGONAL SCREW DRIVER FOR 6.5MM SCREW
BO.0201.81.I	QC END TAP 4.5MM
BO.0502.02.I	CANNULATED BONE TAP 6.5MM
BO.0201.13.I	4.5MM DEPTH GAUGE
BO.0201.90.I	WRENCH FOR LCP SLEEVE
BO.0201.78.I	T HANDLE FOR QC END
BO.0201.86.I	QC END SHAFT 4.5MM SCREW DRIVER
BO.0502.06.I	DIRECT MEASURING DEVICE 6.5MM
BO.0506.65.I	GUID WIRE 1.8MM X 225MM
BO.0205.01.BOX	4.5MM & 5.0MM & 6.5mm LCP INSTRUMENT BOX

HTO OSTEOTOMY LOCKING INST. SET



Item code	Item name
BO.0210.SET	HIGH TIBIA OSTEOTOMY INSTRUMENT SET
BO.0201.41.I	DRILL BIT 3.2MM DIA LENGTH 200MM
BO.0201.71.I	QC END DRILL BIT 3.5MM DIA LENGTH 200MM
BO.0201.51.I	DRILL BIT 4.3MM DIA LENGTH 250MM
BO.0201.170.I	QC END DRILL BIT 4.3MM DIA LENGTH 225MM
BO.0210.04.I	HTO LARGE DEPTH GAUGE
BO.0210.05.I	HTO OSTEOTOME 10MM
BO.0210.06.I	HTO OSTEOTOME 15MM
BO.0210.07.I	HTO OSTEOTOME 20MM
BO.0210.08.I	HTO OSTEOTOME 25MM
BO.0210.31.I	HTO SPRING DRILL SLEEVE 4.5MM/6.5MM
BO.0210.18.I	HTO DISTRACTION PLIER
BO.0210.19.I	HTO HEIGHT MEASURING RULER
BO.0210.20.I	HTO ANGLE MEASURING RULER
BO.0210.21.I	HTO MEASURING RULER
BO.0201.86.I	QC END SHAFT 4.5MM SCREW DRIVER
BO.0210.24.I	HTO TIBIA CLIP
BO.0210.25.I	HTO FEMUR CLIP
BO.0210.26.I	HTO ALIGNMENT ROD
BO.0210.27.I	HTO BONE HAMMER WITH SILICON HANDLE
BO.0201.140.I	HEXAGONAL SCREW DRIVER 3.5MM TIP FOR 4.5MM SCREW WITH SILICON HANDLE
BO.0201.10.I	TORQUE SCREW DRIVER 3.5MM IN HTO OSTEOTOMY SET FOR 5.0/6.5MM LCP SCREW
BO.0201.02.I	HEXAGONAL SCREW DRIVER 2.5MM TIP FOR 3.5MM SCREW
BO.0201.90.I	WRENCH FOR LCP SLEEVE
BO.0201.78.I	T HANDLE FOR QC END
BO.0201.19.I	LCP DRILL SLEEVE 4.3MM FOR 5.0MM SCREW
BO.0210.28.I	HTO GUIDE PIN 2.5MM X 250MM
BO.0210.29.I	HTO K- WIRE 2.5MM X 150MM
BO.0210.30.I	HTO K- WIRE 2.5MM X 200MM
BO.0201.81.I	QC END TAP 4.5MM
BO.0901.257.I	RADIOLUCENT SPIKE
BO.0210.BOX	HIGH TIBIA OSTEOTOMY INSTRUMENT BOX

HERBERT HEADLESS INST. SET



HERBERT HEADLESS INST. SET



Item code	Item name
BO.0506.SET	HERBERT HEADLESS INSTRUMENT SET
BO.0506.11.I	CANNULATED HEXAGONAL SCREW DRIVER 2.0MM TIP FOR 3.3MM,3.6MM & 2.7MM SCREW
BO.0506.12.I	CANNULATED HEXAGONAL SCREW DRIVER 2.5MM TIP FOR 4.1MM & 3.5MM SCREW
BO.0506.08.I	CANNULATED HEXAGONAL SCREW DRIVER 3.0MM TIP FOR 4.7MM SCREW
BO.0506.10.I	CANNULATED HEXAGONAL SCREW DRIVER 3.5MM TIP FOR 5.5MM SCREW
BO.0506.09.I	CANNULATED HEXAGONAL SCREW DRIVER 4.0MM TIP FOR 7.5MM SCREW
BO.0504.14.I	HB CANNULATED SCREW DRIVER 2.0MM SCREW
BO.0506.49.I	DRILL BIT C.C. 2.0MM X 150MM (1.0MM WIRE)
BO.0506.50.I	DRILL BIT C.C. 2.7MM X 150MM (1.2MM WIRE)
BO.0506.51.I	DRILL BIT C.C. 3.2MM X 150MM (1.2MM WIRE)
BO.0506.52.I	DRILL BIT C.C. 3.5MM X 200MM (1.5MM WIRE)
BO.0506.53.I	DRILL BIT C.C. 4.5MM X 200MM (1.8MM WIRE)
BO.0504.15.I	HB DRILL BIT C.C.1.5MM X 150MM (0.8MM GUID WIRE)
BO.0506.16.I	GUID WIRE SLEEVE 1.0MM (2.0MM DRILL)
BO.0506.17.I	GUID WIRE SLEEVE 1.2MM (2.7MM/3.2MM DRILL)
BO.0506.18.I	GUID WIRE SLEEVE 1.5MM (3.5MM DRILL)
BO.0506.19.I	GUID WIRE SLEEVE 1.8MM (4.5MM DRILL)
BO.0506.58.I	DRILL SLEEVE 2.0MM (1.0MM GUID SLEEVE)
BO.0506.59.I	DRILL SLEEVE 2.7MM (1.2MM GUID SLEEVE)
BO.0506.60.I	DRILL SLEEVE 3.2MM/3.5MM (1.2MM/1.5MM GUID SLEEVE)
BO.0506.61.I	DRILL SLEEVE 4.5MM (1.8MM GUID SLEEVE)
BO.0506.40.I	SCREW HOLDING FORCEP
BO.0506.42.I	DIRECT MEASURING DEVICE
BO.0506.62.I	GUID WIRE 1.0MM X 225MM
BO.0506.63.I	GUID WIRE 1.2MM X 225MM
BO.0506.64.I	GUID WIRE 1.5MM X 225MM
BO.0502.04.I	GUIDE WIRE 1.8MM X225MM
BO.0504.16.I	HB GUID WIRE 0.8MM X 225MM
BO.0503.15.I	GUID WIRE 2.5MM X 225MM
BO.0504.03.I	HB CANNULATED TAP 3.0MM
BO.0504.04.I	HB CANNULATED TAP 4.0MM
BO.0504.05.I	HB CANNULATED TAP 3.5MM
BO.0504.06.I	HB CANNULATED TAP 4.5MM
BO.0506.13.I	CLEANING ROD DIA. 1.2MM
BO.0506.14.I	CLEANING ROD DIA. 1.8MM
BO.0506.15.I	CLEANING ROD DIA. 2.5MM
BO.0506.BOX	HERBERT HEADLESS INSTRUMENT BOX

HUMERUS NAIL INST. SET






Item code	Item name
BO.0104.SET	HUMERUS INSTRUMENT SET
BO.0104.01.I	HUMERUS ZIG
BO.0104.02.I	HU CONICAL BOLT FOR NAIL
BO.0104.03.I	HU PROTECTION SLEEVE FOR 3.1MM SCREW
BO.0104.04.I	HU TROCAR FOR 3.1MM SCREW
BO.0104.05.I	HU 2.5MM DRILL SLEEVE
BO.0104.06.I	HU BONE AWL CURVED
BO.0104.07.I	HU LONG DEPTH GAUGE
BO.0201.102.I	DRILL BIT 2.5MM X 250MM
BO.0104.09.I	HU SCREW DRIVER FOR 3.1MM SCREW
BO.0101.15.I	CAP FOR CONICAL BOLT
BO.0104.11.I	HU NYLON TUBE FOR GUIDE WIRE
BO.0101.22.I	GUIDE WIRE HANDLE
BO.0104.13.I	HU GUIDE WIRE PLAIN TIP
BO.0104.14.I	HU GUIDE WIRE BOL TIP
BO.0101.24.I	TISSUE PROTECTOR
BO.0101.10.I	EXTRACTOR ROD
BO.0101.11.I	EXTRACTOR HANDLE
BO.0101.16.I	TOMMY BAR
BO.0101.17.I	SPANNER SMALL
BO.0101.18.I	SPANNER LARGE
BO.0101.19.I	FLEXIBAL BOX SPANNER
BO.0101.25.I	FIX & FLEXIBAL HAMMER
BO.0110.15.I	FIX REAMER CANNULATED 6.0MM
BO.0110.16.I	FIX REAMER CANNULATED 7.0MM
BO.0110.17.I	FIX REAMER CANNULATED 8.0MM
BO.0101.23.I	QUICK COUPLING HANDLE
BO.0104.20.I	STARTING REAMER 08MM
BO.0104.BOX	HUMERUS INSTRUMENT BOX

TIBIAL NAIL (ANKLE) INST. SET



Item code	Item name	Quantity
BO.0105.SET	ANKLE TIBIA INSTRUMENT SET	
BO.0105.01.I	ANKLE TIBIA ZIG	1
BO.0105.02.I	A/T BOLT FOR DISTAL ZIG	1
BO.0105.03.I	A/T CONICAL BOLT FOR NAIL	2
BO.0101.03.I	PROTECTION SLEEVE FOR 4.0MM DRILL BIT	1
BO.0101.04.I	TROCAR FOR 4.9MM SCREW	1
BO.0101.05.I	4.0MM DRILL SLEEVE	1
BO.0105.07.I	A/T 3.2MM DRILL SLEEVE	1
BO.0101.12.I	BONE AWL STRAIGHT	1
BO.0101.07.I	LONG DEPTH GAUGE	1
BO.0201.42.I	DRILL BIT 3.2MM DIA LENGTH 250MM	2
BO.0101.10.I	EXTRACTOR ROD	1
BO.0101.11.I	EXTRACTOR HANDLE	1
BO.0101.15.I	CAP FOR CONICAL BOLT	1
BO.0105.15.I	A/T T HANDLE WITH CHUCK & KEY	1
BO.0105.20.I	A/T SCREW DRIVER FOR INNER SCREW 3.5MM TIP	1
BO.0105.21.I	A/T SCREW DRIVER FOR INNER SCREW 4.5MM TIP	1
BO.0101.25.I	FIX & FLEXIBAL HAMMER	1
BO.0101.24.I	TISSUE PROTECTOR	1
BO.0201.47.I	DRILL BIT 4.0MM X 250MM	2
BO.0101.14.I	SCREW DRIVER FOR 4.9MM SCREW	1
BO.0101.16.I	TOMMY BAR	1
BO.0101.17.I	SPANNER SMALL	1
BO.0101.21.I	NYLON TUBE FOR GUIDE WIRE	1
BO.0101.27.I	GUIDE WIRE BOL TIP	2
BO.0101.26.I	GUIDE WIRE PLAIN TIP	2
BO.0105.BOX	ANKLE TIBIA INSTRUMENT BOX	1

SYRUS NAIL INST. SET





SYRUS NAIL INST. SET





Item code	Item name	Quantity
BO.0108.SET	SIRUS INSTRUMENT SET	
BO.0108.01.I	SIRUS ZIG	1
BO.0108.02.I.	SI CONICAL BOLT FOR NAIL	2
BO.0107.05.I	PT PROTECTION SLEEVE FOR 6.4MM SCREW	2
BO.0107.06.I	PT PROTECTION SLEEVE FOR 4.9MM SCREW	1
BO.0107.08.I	PT GUIDE WIRE SLEEVE 2.0MM	2
BO.0101.05.I	DRILL SLEEVE 4.0MM	1
BO.0107.11.I	PT TROCAR FOR 6.4MM	1
BO.0107.13.I	PT CANNULATED REAMER 6.4MM	2
BO.0107.29.I	PT CANNULATED CURVED ENTRY AWL	1
BO.0101.12.I	BONE AWL STRAIGHT	1
BO.0107.15.I	PT STARTING REAMER 14MM	1
BO.0107.16.I	PT STARTING REAMER CORTEX	1
BO.0107.17.I	PT SCREW DRIVER FOR 8.0/6.4MM SCREW	1
BO.0101.14.I	SCREW DRIVER FOR 4.9MM SCREW	1
BO.0107.19.I	PT PROTECTION SLEEVE FOR STARTING REAMER	1
BO.0107.20.I	PT GUIDE WIRE SLEEVE FOR STARTING REAMER	1
BO.0101.07.I	LONG DEPTH GAUGE	1
BO.0101.15.I	CAP FOR CONICAL BOLT	1
BO.0107.23.I	PT GUIDE WIRE 2.0MM X 450MM FOR 6.4MM SCREW	2
BO.0107.25.I	PT GUIDE WIRE THREADED 2.0MM X 450MM FOR 6.4MM SCREW	2
BO.0107.34.I	PT DIRECT MEASURING DEVICE	1
BO.0101.24.I	TISSUE PROTECTOR	1
BO.0201.46.I	DRILL BIT 4.0MM DIA LENGTH 200MM	1
BO.0201.47.I	DRILL BIT 4.0MM DIA LENGTH 250MM	1
BO.0101.10.I	EXTRACTOR ROD	1
BO.0101.11.I	EXTRACTOR HANDLE	1
BO.0101.16.I	TOMMY BAR	1
BO.0101.17.I	SPANNER SMALL	1
BO.0101.18.I	SPANNER LARGE	1
BO.0101.19.I	FLEXIBAL BOX SPANNER	1
BO.0101.21.I	NYLON TUBE FOR GUIDE WIRE	1
BO.0101.22.I	GUIDE WIRE HANDLE	1
BO.0101.23.I	QUICK COUPLING T HANDLE	1
BO.0101.20.I	CANDLE WITH K-WIRE	2
BO.0101.25.I	FIX & FLEXIBAL HAMMER	1
BO.0108.04.I	SI IMPACTOR FOR ZIG	1
BO.0101.27.I	GUIDE WIRE BOL TIP	2
BO.0101.26.I	GUIDE WIRE PLAIN TIP	2
BO.0108.BOX	SIRUS INSTRUMENT BOX	1

PROXIMAL FEMUR NAIL A2



PROXIMAL FEMUR NAIL A2



PROXIMAL FEMUR NAIL A2




Item code	Item name
BO.0109.SET	PFNA 2 INSTRUMENTS SET
BO.0109.03.I	C.C REAMER FOR PFN 2 BLADE (IMP)
BO.0109.61.I	CORTEX REAMER FOR PFNA 2 BLADE
BO.0109.02.I	STARTING REAMER FOR PFNA 2 NAIL (IMP)
BO.0109.62.I	PFNA-III BOLT INSERTER SCREW DRIVER
BO.0109.51.I	BLADE INSERTER SCREW DRIVER
BO.0109.65.I	CAP FOR BLADE INSERTER SCREW DRIVER
BO.0109.04.I	4.3MM DRILL BIT FOR 4.9MM DISTAL SCREW
BO.0109.24.I	5.2MM POSITION DRILL BIT
BO.0109.11.I	WRENCH FOR CONICAL BOLT
BO.0109.72.I	POSITION PROTECTION SLEEVE
BO.0109.73.I	POSITION TROCAR
BO.0109.23.I	POSITION DRILL SLEEVE FOR 5.2MM DRILL
BO.0109.21.I	DRILL FOR DISTAL POSITION
BO.0109.47.I	1st DISTAL ATTACHMENT BOLT
BO.0109.48.I	2nd DISTAL ATTACHMENT BOLT
BO.0109.49.I	3rd DISTAL ATTACHMENT BOLT
BO.0109.55.I	ZIG FOR LONG NAIL DISTAL SCREW LOCATION
BO.0109.20.I	DISTAL POSITION LOCK
BO.0109.39.I	ALANKEY FOR 4.3MM DRILL STOPPER
BO.0109.38.I	ALANKEY FOR ATTACHMENT BOLT
BO.0109.66.I	FLEXIBLE SCREW DRIVER FOR PFNA 2 END CAP 4.0MM TIP
BO.0109.01.I	4.5MM SCREW DRIVER FOR DISTAL LOCK (IMP)
BO.0109.71.I	FLEXIBLE SCREW DRIVER PFNA III INNER 3.5MM TIP
BO.0109.32.I	TEMPLATE FOR DEVELOPEMENT
BO.0109.30.I	3MM THREADED GUIDE WIRE
BO.0109.31.I	ENTRY GUID WIRE 3.0MM X 460MM
BO.0109.29.I	FLEXIBLE REAMER
BO.0109.28.I	CANNULATED REDUCTION ROD
BO.0109.27.I	BLADE REMOVAL EXTRACTOR ROD
BO.0109.26.I	LONG DEPTH GAUGE 0-100MM
BO.0109.25.I	NAIL REMOVAL EXTRACTOR ROD
BO.0109.33.I	REAMER HEAD 9MM - 13.5MM
BO.0109.22.I	ROD FOR DISTAL POSITION
BO.0109.53.I	SLIDE HAMMER (RAM)
BO.0109.50.I	DISTAL ZIG FOR LONG NAIL
BO.0109.52.I	MEDIAL ATTACHMENT FOR DISTAL ZIG
BO.0109.44.I	FIX HAMMER
BO.0109.54.I	CONNECTING ROD FOR BLADE HAMMERING
BO.0109.10.I	OPEN DEPTH GAUGE 70-120 FOR BLADE

PROXIMAL FEMUR NAIL A2



Item code	Item name
BO.0109.07.I	PROTECTION SLEEVE FOR 4.3MM DRILL SLEEVE D/L. LONG
BO.0109.08.I	4.3MM DRILL SLEEVE FOR D/L. LONG
BO.0109.09.I	TROCAR SLEEVE FOR D/L
BO.0109.05.I	PROTECTION SLEEVE FOR 4.3MM DRILL SLEEVE D/L SHORT
BO.0109.06.I	4.3MM DRILL SLEEVE FOR D/L SHORT
BO.0109.56.I	PROTECTION SLEEVE FOR H. BLADE
BO.0109.57.I	PROTECTION SLEEVE FOR TROCAR & G/W. FOR BLADE
BO.0109.58.I	TROCAR FOR H. BLADE
BO.0109.13.I	PROTECTION SLEEVE FOR STARTING REAMER & GUIDE WIRE SLEEVE
BO.0109.69.I	CANNULATED AWL FOR ENTRY
BO.0109.37.I	OPEN WRENCH FOR EXTRACTOR ROD
BO.0109.34.I	IMPACTOR FOR NAIL
BO.0109.12.I	SPANER FOR BLADE HOLDING
BO.0109.45.I	ZIG FOR NAIL ATTACH
BO.0109.17.I	PFNA 2 QUICK COUPLING HANDLE
BO.0109.19.I	GUIDE WIRE HANDLE
BO.0109.46.I	CONICAL BOLT
BO.0109.40.I	DISTAL ZIG FOR 17CM/20CM
BO.0109.42.I	DISTAL ZIG FOR 17/20/22/24CM
BO.0109.41.I	DISTAL ZIG FOR 22CM/24CM
BO.0109.43.I	PROXIMAL ZIG FOR H. BLADE
BO.0109.16.I	TISSUE PROTECTOR
BO.0109.59.I	LONG GUIDE WIRE
BO.0109.BOX	PFNA 2 INSTRUMENTS BOX (IMP)

TFN PFN NAIL INST. SET






Item code	Item name	Quantity
BO.0107.SET	PFN & TFN INSTRUMENT SET	
BO.0107.01.I	PFN&TFN COMMON ZIG 130D	1
BO.0107.02.I	PFN&TFN COMMON ZIG 135D	1
BO.0107.03.I	P/T CONICAL BOLT FOR NAIL	2
BO.0107.04.I	P/T PROTECTION SLEEVE FOR 8.0MM SCREW	1
BO.0107.05.I	P/T PROTECTION SLEEVE FOR 6.4MM SCREW	1
BO.0107.06.I	P/T PROTECTION SLEEVE FOR 4.9MM SCREW	1
BO.0107.07.I	P/T GUIDE WIRE SLEEVE 2.5MM	1
BO.0107.08.I	P/T GUIDE WIRE SLEEVE 2.0MM	1
BO.0101.05.I	4.0MM DRILL SLEEVE	1
BO.0107.10.I	P/T TROCAR FOR 8.0MM	1
BO.0107.11.I	P/T TROCAR FOR 6.4MM	1
BO.0107.12.I	P/T CANNULATED REAMER 8.0MM	1
BO.0107.13.I	P/T CANNULATED REAMER 6.4MM	1
BO.0101.32.I	P/T BONE AWL CANNULATED STRIGHT	1
BO.0107.29.I	P/T CANNULATED CURVED ENTRY AWL	1
BO.0107.15.I	P/T STARTING REAMER 14MM	1
BO.0107.16.I	P/T STARTING REAMER CORTEX	1
BO.0107.17.I	PT CANNULATED SCREW DRIVER FOR 8.0/6.4MM SCREW	1
BO.0101.14.I	SCREW DRIVER FOR 4.9MM SCREW	1
BO.0107.19.I	P/T PROTECTION SLEEVE FOR STARTING REAMER	1
BO.0107.20.I	P/T GUIDE WIRE SLEEVE FOR STARTING REAMER	1

TFN PFN NAIL INST. SET



Item code	Item name	Quantity
BO.0101.07.I	LONG DEPTH GAUGE	1
BO.0107.35.I	P/T IMPACTOR FOR ZIG	1
BO.0107.36.I	P/T NUT FOR IMPACTOR	1
BO.0101.15.I	CAP FOR CONICAL BOLT	1
BO.0107.23.I	P/T GUIDE WIRE 2.0MM X 450MM FOR 6.4MM SCREW	2
BO.0107.24.I	P/T GUIDE WIRE 2.5MM X 450MM FOR 8.0MM SCREW	2
BO.0107.25.I	P/T GUIDE WIRE THREADED 2.0MM X 450MM FOR 6.4MM SCREW	2
BO.0107.26.I	P/T GUIDE WIRE THREADED 2.5MM X 450MM FOR 8.0MM SCREW	2
BO.0107.34.I	P/T DIRECT MEASURING DEVICE	1
BO.0101.24.I	TISSUE PROTECTOR	1
BO.0201.47.I	DRILL BIT 4.0MM X 250MM	1
BO.0201.48.I	DRILL BIT 4.0MM X 300MM	1
BO.0101.10.I	EXTRACTOR ROD	1
BO.0101.11.I	EXTRACTOR HANDLE	1
BO.0101.16.I	TOMMY BAR	1
BO.0101.17.I	SPANNER SMALL	1
BO.0101.18.I	SPANNER LARGE	1
BO.0101.19.I	FLEXIBAL BOX SPANNER	1
BO.0101.21.I	NYLON TUBE FOR GUIDE WIRE	1
BO.0101.22.I	GUIDE WIRE HANDLE	1
BO.0101.23.I	QUICK COUPLING T HANDLE	1
BO.0101.20.I	CANDLE WITH K-WIRE	2
BO.0101.25.I	FIX & FLEXIBAL HAMMER	1
BO.0101.27.I	GUIDE WIRE BOL TIP	2
BO.0101.26.I	GUIDE WIRE PLAIN TIP	2
BO.0107.BOX	PFN & TFN INSTRUMENT BOX	1

MRFN NAIL INST. SET




MRFN NAIL INST. SET




Item code	Item name
BO.0120.SET	MRFN INSTRUMENT SET
BO.0120.01.I	MRFN ZIG FOR NAIL ATTACH
BO.0120.02.I	MRFN PROXIMAL ZIG
BO.0120.03.I	MRFN BOLT FOR DISTAL ZIG
BO.0120.04.I	MRFN CONICAL BOLT FOR NAIL
BO.0120.05.I	MRFN PROTECTION SLEEVE
BO.0120.31.I	MRFN PROTECTION SLEEVE FOR DISTAL ZIG
BO.0120.06.I	MRFN TROCAR FOR 4.9MM SCREW
BO.0120.30.I	MRFN 1.8MM GUIDE WIRE SLEEVE
BO.0120.07.I	MRFN 4.0MM DRILL SLEEVE
BO.0120.08.I	MRFN 4.5MM DRILL SLEEVE
BO.0120.09.I	MRFN STARTING REAMER
BO.0120.10.I	MRFN EXTRACTOR ROD
BO.0120.11.I	MRFN EXTRACTOR HANDLE /IMPACTOR
BO.0120.12.I	MRFN HAMMER (RAM)
BO.0120.13.I	MRFN FLEXIBAL BOX SPANNER
BO.0120.14.I	MRFN GUIDE WIRE T-HANDLE
BO.0120.15.I	MRFN PROTECTION SLEEVE FOR REAMER
BO.0120.16.I	MRFN GUIDE WIRE SLEEVE FOR REAMER
BO.0120.33.I	MRFN BONE AWL CURVED
BO.0101.32.I	MRFN LONG DEPTH GAUGE
BO.0201.47.I	DRILL BIT 4.0MM X 250MM
BO.0201.48.I	DRILL BIT 4.0MM X 300MM
BO.0201.55.I	DRILL BIT 4.5MM X 250MM
BO.0201.56.I	DRILL BIT 4.5MM X 300MM
BO.0201.182.I	CANNULATED DRILL BIT 4.5MM X 300MM
BO.0101.14.I	SCREW DRIVER FOR 4.9MM SCREW
BO.0120.18.I	C.C. SCREW DRIVER 3.5MM TIP FOR 6.5MM SCREW
BO.0101.24.I	TISSUE PROTECTOR
BO.0109.23.I	MRFN QUICK COUPLING T HANDLE
BO.0101.21.I	NYLON TUBE FOR GUIDE WIRE
BO.0101.26.I	GUIDE WIRE PLAIN TIP
BO.0101.27.I	GUIDE WIRE BOL TIP
BO.0120.19.I	GUIDE WIRE PLAIN 1.8MM X 400MM
BO.0120.28.I	GUIDE WIRE PLAIN 1.8MM X 225MM
BO.0120.29.I	GUIDE WIRE PLAIN 3.0MM X 400MM
BO.0120.24.I	MRFN SPANNER FOR CONICAL BOLT
BO.0120.23.I	MRFN SPANNER FOR EXTRACTOR ROD
BO.0120.26.I	MRFN DISTAL ZIG LONG-1
BO.0120.27.I	MRFN DISTAL ZIG LONG-2
BO.0120.BOX	MRFN INSTRUMENT BOX

NOTE:



NOTE:





www.roexdesign.com

Address

Kishan Gate No.3, Plot No. G/551,
Lodhika GIDC, Metoda, Kalawad Road,
Rajkot - 360021. Gujarat, INDIA.

Phone

+91 2827 287 538
+91 2827 297 538

Online

www.bombayortho.com
marketing@bombayortho.com

GET MORE INFORMATION

